




CYCLOID

Gear speed reducers






R SERIES
Helical Gearmotor




K SERIES
Helical bevel Gearmotor



P SERIES
Gear units




S SERIES
Helical worm Gearmotor



F SERIES
Parallel Gearmotor



ANXGF SERIES
Shaft mounted



BW, XW SERIES
Cycloid

CYCLO Series

Maintenance (Disassembly and Assembly)


Our company manufactures all kinds of cycloidal reducers with same internal structure, whose disassembly and assembly basically have the same order. Lubrication oil should firstly be run out before disassembly, and oil pump of vertical reducer should be firstly disassembled. Order of disassembly is shown as Chart

1. Disassembly: First loosen attachment bolt, and disassemble 4 and 10, and then successively disassemble parts of 6,7 and 8. Assembly adopts the opposite order.

2. Assembly

Following attentions should be paid to assembly:


- 1) Clean all parts before assembly.
- 2) Lubricate rolling and sliding surface to form the condition of preliminary lubrication.
- 3) Tags of two cycloidal wheel must be kept 180°.
- 4) Carefully adjust the elasticity of spring in rubber oil seal and lubricate grease.
- 5) Inject lubricating oil or lubricating grease after assembly with horizontal oil level up to red line of oil pointer and vertical oil level up to middle line of oil pointer.
- 6) Manually turn high speed shaft, and make open drive if check is OK. Check the working condition of oil pump of vertical reducer , and put it into use if check is OK.
- 7) Strictly conform to requirements to disassemble direct-coupled motor, and it is forbidden to start disassembly from motor flange.



- | | | | |
|------------------------|------------------------------|---------------------|---------------|
| 1.output shaft | 2.tight ring of output shaft | 3.small end cap | 4.engine base |
| 5.pin bush of pin roll | 6.cycloidal wheel | 7.eccentric bearing | 8.spacer ring |
| 9.set of pin gear | 10.shell of pin gear | 11.big end cap | 12.fan cover |
| 13.input shaft | | | |

CYCLO Series



Nomenclature



Input power

Input power - only applicable to direct - coupled motor (kw)																					
Power 4	0.18	0.25	0.37	0.55	0.75	1.1	1.5	2.2	3.0	4.0	5.5	7.5	11	15							
Power 6															18.5	22	30	37	45	55	75

Demonstration of models






























Note : In principle, combination of all levels of transmission ratio takes the first-stage (high speed end) transmission ratio as the smaller one. in the second-stage and third-stage reducer, the transmission ratio in the

CYCLO Series



6. Installation types

Standard installation types	Other installation types					
	Inverted	Sided		Vertical	Face-up	Horizontal
BWY 	D 	C1 	C2 	L 	Y 	
Horizontal direct-coupled	Horizontal direct-coupled inverted	Horizontal direct-coupled sided		Horizontal direct-coupled vertical	Horizontal direct-coupled face-up	
BW 	D 	C1 	C2 	L 	Y 	
Horizontal double-shaft	Horizontal double-shaft inverted	Horizontal double-shaft sided		Horizontal double-shaft vertical	Horizontal double-shaft face-up	
BLY type 					Y 	W 
Vertical direct-coupled					Vertical direct-coupled face-up ⁰	Vertical direct-coupled face-down
BL type 					V 	W 
Vertical double-shaft					Vertical double-shaft face-up	Vertical double-shaft face-down
BWD type 	D 	C1 	C2 	L 	Y 	
Horizontal general motor model	Horizontal general motor model Inverted installation	Horizontal general motor model Inverted installation		Horizontal general motor model Vertical Installation	Horizontal general motor model Face-up Installation	
BLD type 					Y 	W 
Vertical motor connecting type (with motor)					Vertical motor connecting type (with motor) face-up installation	Vertical motor connecting type (with motor) face-down installation



CYCLO Series

na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole	na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole
0.18 kW							0.25 kW						
0.26	600	5133	8.0	o	B20* X42*	4P	0.38	2500	3481	15.7	o	B41 X63	4P
0.31	600	1489	8.0	o			0.44	2500	3053	15.7	o		
0.38	600	3481	8.0	o			0.52	2500	2537	15.7	o		
0.43	600	3053	8.0	o			0.64	2500	2065	15.7	o		
0.52	600	2537	8.0	o			0.72	2489	1849	15.7	1.00		
0.63	600	2065	8.0	o			0.81	2199	1633	15.7	1.10		
0.71	600	1849	8.0	o			0.88	2026	1505	15.7	1.20		
0.80	600	1633	8.0	o			1.0	1827	1357	15.7	1.35		
0.87	600	1505	8.0	o			1.1	1649	1225	15.7	1.50		
1.0	600	1357	8.0	o			1.3	1350	1003	15.7	1.85		
1.1	600	1225	8.0	o			1.6	1132	841	15.7	2.20		
1.3	600	1003	8.0	o			1.8	984	731	15.7	2.50		
1.6	600	841	8.0	o			2.0	874	649	15.7	2.85		
1.8	600	731	8.0	o			2.2	801	595	15.7	3.10		
2.0	600	649	8.0	o			2.7	664	493	15.7	3.75		
2.2	586	595	8.0	1.00			3.4	526	391	15.7	4.70		
2.7	485	493	8.0	1.20			0.22	1250	6177	11.6	o		
3.4	385	391	8.0	1.55			0.26	1250	5133	11.6	o		
4.1	314	319	8.0	1.90	0.32	1250	4189	11.6	o				
4.5	284	289	8.0	2.10	0.38	1250	3481	11.6	o				
5.2	249	253	8.0	2.40	0.44	1250	3053	11.6	o				
7.0	184	187	8.0	3.25	0.52	1250	2537	11.6	o				
7.9	162	165	8.0	3.65	0.64	1250	2065	11.6	o				
9.2	141	143	8.0	3.75	0.72	1250	1849	11.6	o				
10.8	119	121	8.0	3.75	0.81	1250	1633	11.6	o				
0.31	240	4189	5.2	o	0.88	1250	1505	11.6	o				
0.38	240	3481	5.2	o	1.0	1250	1357	11.6	o				
0.43	240	3053	5.2	o	1.1	1250	1225	11.6	o				
0.52	240	2537	5.2	o	1.3	1250	1003	11.6	o				
0.63	240	2065	5.2	o	1.6	1132	841	11.6	1.10				
0.71	240	1849	5.2	o	1.8	984	731	11.6	1.25				
0.80	240	1633	5.2	o	2.0	874	649	11.6	1.40				
0.87	240	1505	5.2	o	2.2	801	595	11.6	1.55				
1.0	240	1357	5.2	o	2.7	664	493	11.6	1.85				
1.1	240	1225	5.2	o	3.4	526	391	11.6	2.35				
1.3	240	1003	5.2	o	4.2	429	319	11.6	2.90				
1.6	240	841	5.2	o	4.6	389	289	11.6	3.20				
1.8	240	731	5.2	o	5.3	341	253	11.6	3.65				
2.0	240	649	5.2	o	7.1	252	187	11.6	4.95				
2.2	240	595	5.2	o	0.26	600	5133	8.0	o				
2.7	240	493	5.2	o	0.32	600	4189	8.0	o				
3.4	240	391	5.2	o	0.38	600	3481	8.0	o				
4.1	240	319	5.2	o	0.44	600	3053	8.0	o				
4.5	240	289	5.2	o	0.52	600	2537	8.0	o				
5.2	240	253	5.2	o	0.64	600	2065	8.0	o				
7.0	184	187	5.2	1.30	0.72	600	1849	8.0	o				
7.9	162	165	5.2	1.45	0.81	600	1633	8.0	o				
9.2	141	143	5.2	1.70	0.88	600	1505	8.0	o				
10.8	119	121	5.2	1.95	1.0	600	1357	8.0	o				
13.2	97	99	5.2	2.40	1.1	600	1225	8.0	o				
22.2	70	59	3.0	1.85	1.3	600	1003	8.0	o				
30.5	51	43	3.0	2.75	1.6	600	841	8.0	o				
37.4	41	35	2.9	2.75	1.8	600	731	8.0	o				
45.2	34	29	2.9	4.10	2.0	600	649	8.0	o				
57.0	27	23	2.4	4.10	2.2	600	595	8.0	o				
30.5	51	43	1.2	1.35	2.7	600	493	8.0	o				
37.4	41	35	1.2	1.85	3.4	600	391	8.0	1.10				
45.2	34	29	1.2	1.85	4.2	429	319	8.0	1.35				
57.0	27	23	1.0	1.85	4.6	389	289	8.0	1.50				
77.1	20	17	1.0	2.75	5.3	341	253	8.0	1.75				
87.3	18	15	1.0	2.75	7.1	252	187	8.0	2.35				
100.8	15	13	0.8	2.75	8.1	222	165	8.0	2.70				
119.1	13	11	0.8	2.75	9.3	193	143	8.0	2.70				
0.25 kW							11.0	163	121	8.0	2.70		
0.22	2500	6177	15.7	o	13.4	133	99	8.0	3.35				
0.26	2500	5133	15.7	o	0.32	240	4189	5.2	o	B10	4P		
0.32	2500	4189	15.7	o	0.38	240	3481	5.2	o	X32			
					0.44	240	3053	5.2	o				

**Schedule is subject to change as appropriate

CYCLO Series



na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole	na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole
0.25 kW							0.37 kW						
0.52	240	2537	5.2	○	B10 X32	4P	0.22	1250	6177	11.6	○	B31 X53	4P
0.64	240	2065	5.2	○									
0.72	240	1849	5.2	○									
0.81	240	1633	5.2	○									
0.88	240	1505	5.2	○									
1.0	240	1357	5.2	○									
1.1	240	1225	5.2	○									
1.3	240	1003	5.2	○									
1.6	240	841	5.2	○									
1.8	240	731	5.2	○									
2.0	240	649	5.2	○									
2.2	240	595	5.2	○									
2.7	240	493	5.2	○									
3.4	240	391	5.2	○									
4.2	240	319	5.2	○									
4.6	240	289	5.2	○									
5.3	240	253	5.2	○									
7.1	240	187	5.2	○									
8.1	222	165	5.2	1.05									
9.3	193	143	5.2	1.20									
11.0	163	121	5.2	1.40									
13.4	133	99	5.2	1.70									
18.7	115	71	5.2	2.05	B1 X3	4P	5.3	504	253	11.6	2.45	B20 X42	4P
22.5	95	59	4.8	2.50									
28.3	76	47	4.4	3.15									
30.9	69	43	4.3	3.45									
38.0	57	35	3.8	4.20									
22.5	95	59	3.0	1.35	B0 X2	4P	7.1	373	187	11.6	3.35		
30.9	69	43	3.0	2.00									
38.0	57	35	2.9	2.00									
45.9	47	29	2.9	2.95									
57.8	37	23	2.4	2.95									
78.2	27	17	2.3	4.05									
88.7	24	15	2.2	4.05									
30.9	69	43	1.2	0.95	B09 X1	4P	8.1	329	165	11.6	3.60		
38.0	57	35	1.2	1.35									
45.9	47	29	1.2	1.35									
57.8	37	23	1.0	1.35									
78.2	27	17	1.0	1.95									
88.7	24	15	1.0	1.95									
102.3	21	13	0.8	1.95									
120.9	18	11	0.8	1.95									
147.8	15	9	0.8	2.60									
11.0	163	121	5.2	1.40									
13.4	133	99	5.2	1.70									
0.37 kW							0.37 kW						
0.22	2500	6177	15.7	○	B41 X63	4P	0.26	2500	5133	15.7	○	B10 X32	4P
0.26	2500	5133	15.7	○									
0.32	2500	4189	15.7	○									
0.38	2500	3481	15.7	○									
0.44	2500	3053	15.7	○									
0.52	2500	2537	15.7	○									
0.64	2500	2065	15.7	○									
0.72	2500	1849	15.7	○									
0.81	2500	1633	15.7	○									
0.88	2500	1505	15.7	○									
0.98	2500	1357	15.7	○									
1.1	2441	1225	15.7	○									
1.3	1999	1003	15.7	1.00									
1.6	1676	841	15.7	1.20									
1.8	1457	731	15.7	1.40									
2.0	1293	649	15.7	1.60									
2.2	1186	595	15.7	1.75									
2.7	982	493	15.7	2.10									
3.4	779	391	15.7	2.65									
4.2	636	319	15.7	3.25									
4.6	576	289	15.7	3.60									
5.3	504	253	15.7	4.10									
0.22	2500	6177	15.7	○	B41 X63	4P	0.26	2500	5133	15.7	○	B10 X32	4P
0.32	2500	4189	15.7	○									
0.38	2500	3481	15.7	○									
0.44	2500	3053	15.7	○									
0.52	2500	2537	15.7	○									
0.64	2500	2065	15.7	○									
0.72	2500	1849	15.7	○									
0.81	2500	1633	15.7	○									
0.88	2500	1505	15.7	○									
0.98	2500	1357	15.7	○									
1.1	2441	1225	15.7	○									
1.3	1999	1003	15.7	1.00									
1.6	1676	841	15.7	1.20									
1.8	1457	731	15.7	1.40									
2.0	1293	649	15.7	1.60									
2.2	1186	595	15.7	1.75									
2.7	982	493	15.7	2.10									
3.4	779	391	15.7	2.65									
4.2	636	319	15.7	3.25									
4.6	576	289	15.7	3.60									
5.3	504	253	15.7	4.10									

**Schedule is subject to change as appropriate



CYCLO Series

na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole	na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0.37 kW							0.55 kW																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
3.4	240	391	5.2	o	B10 X32	4P	1.9	2072	731	33.1	2.40	B53* X85*	4P																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
4.2	240	319	5.2	o			4.6	240	289	5.2	o			5.3	240	253	5.2	o	7.1	240	187	5.2	o	8.1	240	165	5.2	o	9.3	240	143	5.2	o	11.0	240	121	5.2	o	13.4	197	99	5.2	1.15	18.7	170	71	5.2	1.40	22.5	141	59	4.8	1.70	B1 X3	4P	0.18	5000	7569	33.1	o	B52 X84	4P	28.3	112	47	4.4	2.10	30.9	103	43	4.3	2.30	38.0	84	35	3.8	2.85	45.9	69	29	3.2	3.45	57.8	55	23	3.8	4.35	22.5	141	59	3.0	0.90	30.9	103	43	3.0	1.35	38.0	84	35	2.9	1.35	45.9	69	29	2.9	2.00	57.8	55	23	2.4	2.00	B0 X2	4P	0.92	4265	1505	33.1	1.15	78.2	41	17	2.3	2.70	88.7	36	15	2.2	2.70	102.3	31	13	2.0	2.70	120.9	26	11	1.9	2.70	147.8	22	9	1.9	2.70	190.0	17	7	1.5	2.70	0.18	2500	7569	15.7	o	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569	33.1	o	B53* X85*	4P	0.23	8800	6177	52.9	o	0.27	8800	5133	52.9	o	0.33	8800	4189	52.9	o	0.40	8800	3481	52.9	o	0.46	8652	3053	52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																				
4.6	240	289	5.2	o			5.3	240	253	5.2	o			7.1	240	187	5.2	o	8.1	240	165	5.2	o	9.3	240	143	5.2	o	11.0	240	121	5.2	o	13.4	197	99	5.2	1.15	18.7	170	71	5.2	1.40	22.5	141	59	4.8	1.70	B1 X3	4P	0.18	5000	7569			33.1	o	B52 X84	4P	28.3			112	47	4.4	2.10	30.9	103	43	4.3	2.30	38.0	84	35	3.8	2.85	45.9	69	29	3.2	3.45	57.8	55	23	3.8	4.35	22.5	141	59	3.0	0.90	30.9	103	43	3.0	1.35	38.0	84	35	2.9	1.35	45.9	69	29	2.9	2.00	57.8	55	23	2.4	2.00	B0 X2			4P	0.92	4265	1505	33.1	1.15	78.2	41	17	2.3	2.70	88.7	36	15	2.2	2.70	102.3	31	13	2.0	2.70	120.9	26	11	1.9	2.70	147.8	22	9	1.9	2.70	190.0	17	7	1.5	2.70	0.18	2500	7569	15.7	o	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9			o	B63* X95*	4P	0.18	5000			7569	33.1	o	B53* X85*	4P	0.23	8800	6177	52.9	o	0.27	8800	5133	52.9	o	0.33	8800	4189	52.9	o	0.40	8800	3481	52.9	o	0.46	8652	3053	52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																															
5.3	240	253	5.2	o			7.1	240	187	5.2	o			8.1	240	165	5.2	o	9.3	240	143	5.2	o	11.0	240	121	5.2	o	13.4	197	99	5.2	1.15	18.7	170	71	5.2	1.40	22.5	141	59	4.8	1.70	B1 X3	4P	0.18	5000	7569			33.1	o	B52 X84			4P	28.3			112			47	4.4	2.10	30.9	103	43	4.3	2.30	38.0	84	35	3.8	2.85	45.9	69	29	3.2	3.45	57.8	55	23	3.8	4.35	22.5	141	59	3.0	0.90	30.9	103	43	3.0	1.35	38.0	84	35	2.9	1.35	45.9	69	29	2.9	2.00	57.8	55	23	2.4	2.00	B0 X2					4P	0.92	4265	1505	33.1	1.15	78.2	41	17	2.3	2.70	88.7	36	15	2.2	2.70	102.3	31	13	2.0	2.70	120.9	26	11	1.9	2.70	147.8	22	9	1.9	2.70	190.0	17	7	1.5	2.70	0.18	2500	7569	15.7	o	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569			52.9			o	B63* X95*			4P	0.18	5000			7569	33.1	o	B53* X85*	4P	0.23	8800	6177	52.9	o	0.27	8800	5133	52.9	o	0.33	8800	4189	52.9	o	0.40	8800	3481	52.9	o	0.46	8652	3053	52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																										
7.1	240	187	5.2	o			8.1	240	165	5.2	o			9.3	240	143	5.2	o	11.0	240	121	5.2	o	13.4	197	99	5.2	1.15	18.7	170	71	5.2	1.40	22.5	141	59	4.8	1.70	B1 X3	4P	0.18	5000	7569			33.1	o	B52 X84			4P	28.3					112			47			4.4	2.10	30.9	103	43	4.3	2.30	38.0	84	35	3.8	2.85	45.9	69	29	3.2	3.45	57.8	55	23	3.8	4.35	22.5	141	59	3.0	0.90	30.9	103	43	3.0	1.35	38.0	84	35	2.9	1.35	45.9	69	29	2.9	2.00	57.8	55	23	2.4	2.00	B0 X2							4P	0.92	4265	1505	33.1	1.15	78.2	41	17	2.3	2.70	88.7	36	15	2.2	2.70	102.3	31	13	2.0	2.70	120.9	26	11	1.9	2.70	147.8	22	9	1.9	2.70	190.0	17	7	1.5	2.70	0.18	2500	7569	15.7	o	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800			7569			52.9					o	B63* X95*			4P	0.18	5000			7569	33.1	o	B53* X85*	4P	0.23	8800	6177	52.9	o	0.27	8800	5133	52.9	o	0.33	8800	4189	52.9	o	0.40	8800	3481	52.9	o	0.46	8652	3053	52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																					
8.1	240	165	5.2	o			9.3	240	143	5.2	o			11.0	240	121	5.2	o	13.4	197	99	5.2	1.15	18.7	170	71	5.2	1.40	22.5	141	59	4.8	1.70	B1 X3	4P	0.18	5000	7569			33.1	o	B52 X84			4P	28.3					112					47			4.4			2.10	30.9	103	43	4.3	2.30	38.0	84	35	3.8	2.85	45.9	69	29	3.2	3.45	57.8	55	23	3.8	4.35	22.5	141	59	3.0	0.90	30.9	103	43	3.0	1.35	38.0	84	35	2.9	1.35	45.9	69	29	2.9	2.00	57.8	55	23	2.4	2.00	B0 X2									4P	0.92	4265	1505	33.1	1.15	78.2	41	17	2.3	2.70	88.7	36	15	2.2	2.70	102.3	31	13	2.0	2.70	120.9	26	11	1.9	2.70	147.8	22	9	1.9	2.70	190.0	17	7	1.5	2.70	0.18	2500	7569	15.7	o	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18			8800			7569					52.9					o	B63* X95*			4P	0.18	5000			7569	33.1	o	B53* X85*	4P	0.23	8800	6177	52.9	o	0.27	8800	5133	52.9	o	0.33	8800	4189	52.9	o	0.40	8800	3481	52.9	o	0.46	8652	3053	52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																
9.3	240	143	5.2	o			11.0	240	121	5.2	o			13.4	197	99	5.2	1.15	18.7	170	71	5.2	1.40	22.5	141	59	4.8	1.70	B1 X3	4P	0.18	5000	7569			33.1	o	B52 X84			4P	28.3					112					47					4.4			2.10			30.9	103	43	4.3	2.30	38.0	84	35	3.8	2.85	45.9	69	29	3.2	3.45	57.8	55	23	3.8	4.35	22.5	141	59	3.0	0.90	30.9	103	43	3.0	1.35	38.0	84	35	2.9	1.35	45.9	69	29	2.9	2.00	57.8	55	23	2.4	2.00	B0 X2											4P	0.92	4265	1505	33.1	1.15	78.2	41	17	2.3	2.70	88.7	36	15	2.2	2.70	102.3	31	13	2.0	2.70	120.9	26	11	1.9	2.70	147.8	22	9	1.9	2.70	190.0	17	7	1.5	2.70	0.18	2500	7569	15.7	o	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW									0.18			8800					7569					52.9					o	B63* X95*			4P	0.18	5000			7569	33.1	o	B53* X85*	4P	0.23	8800	6177	52.9	o	0.27	8800	5133	52.9	o	0.33	8800	4189	52.9	o	0.40	8800	3481	52.9	o	0.46	8652	3053	52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05											
11.0	240	121	5.2	o			13.4	197	99	5.2	1.15			18.7	170	71	5.2	1.40	22.5	141	59	4.8	1.70	B1 X3	4P	0.18	5000	7569			33.1	o	B52 X84			4P	28.3					112					47					4.4					2.10			30.9			103	43	4.3	2.30	38.0	84	35	3.8	2.85	45.9	69	29	3.2	3.45	57.8	55	23	3.8	4.35	22.5	141	59	3.0	0.90	30.9	103	43	3.0	1.35	38.0	84	35	2.9	1.35	45.9	69	29	2.9	2.00	57.8	55	23	2.4	2.00	B0 X2													4P	0.92	4265	1505	33.1	1.15	78.2	41	17	2.3	2.70	88.7	36	15	2.2	2.70	102.3	31	13	2.0	2.70	120.9	26	11	1.9	2.70	147.8	22	9	1.9	2.70	190.0	17	7	1.5	2.70	0.18	2500	7569	15.7	o	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW								0.18			8800					7569					52.9					o					B63* X95*	4P			0.18	5000	7569			33.1	o	B53* X85*	4P	0.23	8800	6177	52.9	o	0.27	8800	5133	52.9	o	0.33	8800	4189	52.9	o	0.40	8800	3481	52.9	o	0.46	8652	3053	52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05							
13.4	197	99	5.2	1.15			18.7	170	71	5.2	1.40			22.5	141	59	4.8	1.70	B1 X3	4P	0.18	5000	7569			33.1	o	B52 X84			4P	28.3					112					47					4.4					2.10					30.9			103			43	4.3	2.30	38.0	84	35	3.8	2.85	45.9	69	29	3.2	3.45	57.8	55	23	3.8	4.35	22.5	141	59	3.0	0.90	30.9	103	43	3.0	1.35	38.0	84	35	2.9	1.35	45.9	69	29	2.9	2.00	57.8	55	23	2.4	2.00	B0 X2															4P	0.92	4265	1505	33.1	1.15	78.2	41	17	2.3	2.70	88.7	36	15	2.2	2.70	102.3	31	13	2.0	2.70	120.9	26	11	1.9	2.70	147.8	22	9	1.9	2.70	190.0	17	7	1.5	2.70	0.18	2500	7569	15.7	o	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18			8800					7569					52.9					o									B63* X95*	4P	0.18			5000	7569			33.1	o	B53* X85*	4P	0.23	8800	6177	52.9	o	0.27	8800	5133	52.9	o	0.33	8800	4189	52.9	o	0.40	8800	3481	52.9	o	0.46	8652	3053	52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05			
18.7	170	71	5.2	1.40			22.5	141	59	4.8	1.70			B1 X3	4P	0.18	5000	7569			33.1	o	B52 X84			4P	28.3					112					47					4.4					2.10					30.9					103			43			4.3	2.30	38.0	84	35	3.8	2.85	45.9	69	29	3.2	3.45	57.8	55	23	3.8	4.35	22.5	141	59	3.0	0.90	30.9	103	43	3.0	1.35	38.0	84	35	2.9	1.35	45.9	69	29	2.9	2.00	57.8	55	23	2.4	2.00	B0 X2																	4P	0.92	4265	1505	33.1	1.15	78.2	41	17	2.3	2.70	88.7	36	15	2.2	2.70	102.3	31	13	2.0	2.70	120.9	26	11	1.9	2.70	147.8	22	9	1.9	2.70	190.0	17	7	1.5	2.70	0.18	2500	7569	15.7	o	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW									0.18					8800					7569					52.9											o			B63* X95*	4P			0.18	5000			7569	33.1	o	B53* X85*	4P	0.23	8800	6177	52.9	o	0.27	8800	5133	52.9	o	0.33	8800	4189	52.9	o	0.40	8800	3481	52.9	o	0.46	8652	3053	52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841
22.5	141	59	4.8	1.70	B1 X3	4P	0.18	5000	7569	33.1	o	B52 X84	4P																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
28.3	112	47	4.4	2.10			30.9	103	43	4.3	2.30					38.0	84	35			3.8	2.85					45.9					69					29					3.2					3.45					57.8		55	23		3.8			4.35	22.5	141	59	3.0	0.90	30.9	103	43	3.0	1.35	38.0	84	35	2.9	1.35	45.9	69	29	2.9	2.00	57.8	55	23	2.4	2.00	B0 X2	4P	0.92	4265	1505	33.1	1.15	78.2	41	17	2.3	2.70	88.7	36	15	2.2	2.70	102.3	31									13	2.0									2.70	120.9	26	11	1.9	2.70	147.8	22	9	1.9	2.70	190.0	17	7	1.5	2.70	0.18	2500	7569	15.7	o	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569	33.1	o	B53* X85*	4P	0.23	8800			6177			52.9					o					0.27					8800											5133							52.9	o			0.33	8800	4189			52.9	o	0.40	8800	3481	52.9	o	0.46	8652	3053	52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05											
30.9	103	43	4.3	2.30			38.0	84	35	3.8	2.85					45.9	69	29			3.2	3.45					57.8					55					23					3.8					4.35		22.5	141		59		3.0	0.90		30.9	103	43	3.0	1.35	38.0	84	35	2.9	1.35	45.9	69	29	2.9	2.00	57.8	55	23	2.4	2.00	B0 X2	4P	0.92	4265	1505	33.1	1.15	78.2	41			17	2.3	2.70	88.7	36	15	2.2	2.70	102.3	31	13	2.0	2.70	120.9	26	11	1.9								2.70	147.8	22	9								1.9	2.70	190.0	17	7	1.5	2.70	0.18	2500	7569	15.7	o	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569	33.1	o	B53* X85*	4P			0.23	8800	6177	52.9	o			0.27	8800			5133			52.9					o					0.33					8800											4189							52.9	o			0.40	8800	3481			52.9	o	0.46	8652	3053	52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																
38.0	84	35	3.8	2.85			45.9	69	29	3.2	3.45					57.8	55	23			3.8	4.35					22.5					141					59					3.0		0.90	30.9		103		43	3.0		1.35	38.0	84	35	2.9	1.35	45.9	69	29	2.9	2.00	57.8	55	23	2.4	2.00	B0 X2	4P	0.92	4265	1505	33.1	1.15	78.2	41			17	2.3	2.70	88.7	36	15	2.2			2.70	102.3	31	13	2.0	2.70	120.9	26	11	1.9	2.70	147.8	22	9	1.9	2.70	190.0							17	7	1.5	2.70	0.18	2500							7569	15.7	o	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569	33.1	o	B53* X85*	4P			0.23	8800	6177	52.9	o					0.27	8800	5133	52.9	o			0.33	8800			4189			52.9					o					0.40					8800											3481							52.9	o			0.46	8652	3053			52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																					
45.9	69	29	3.2	3.45			57.8	55	23	3.8	4.35					22.5	141	59			3.0	0.90					30.9					103					43		3.0	1.35		38.0		84	35		2.9	1.35	45.9	69	29	2.9	2.00	57.8	55	23	2.4	2.00	B0 X2	4P	0.92	4265	1505	33.1	1.15	78.2	41			17	2.3	2.70	88.7	36	15	2.2			2.70	102.3	31	13	2.0	2.70	120.9			26	11	1.9	2.70	147.8	22	9	1.9	2.70	190.0	17	7	1.5	2.70	0.18	2500	7569						15.7	o	0.23	2500	6177	15.7	o	0.27						2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569	33.1	o	B53* X85*	4P			0.23	8800	6177	52.9	o					0.27	8800	5133	52.9	o					0.33	8800	4189	52.9	o			0.40	8800			3481			52.9					o					0.46					8652											3053							52.9	1.00			0.55	7190	2537			52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																										
57.8	55	23	3.8	4.35			22.5	141	59	3.0	0.90					30.9	103	43			3.0	1.35					38.0					84		35	2.9		1.35		45.9	69		29	2.9	2.00	57.8	55	23	2.4	2.00	B0 X2	4P	0.92	4265	1505	33.1	1.15	78.2	41			17	2.3	2.70	88.7	36	15	2.2			2.70	102.3	31	13	2.0	2.70	120.9			26	11	1.9	2.70	147.8	22	9			1.9	2.70	190.0	17	7	1.5	2.70	0.18	2500	7569	15.7	o	0.23	2500	6177	15.7	o					0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o					0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569	33.1	o	B53* X85*	4P			0.23	8800	6177	52.9	o					0.27	8800	5133	52.9	o					0.33	8800	4189	52.9	o					0.40	8800	3481	52.9	o			0.46	8652			3053			52.9					1.00					0.55					7190											2537							52.9	1.20			0.67	5852	2065			52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																															
22.5	141	59	3.0	0.90			30.9	103	43	3.0	1.35					38.0	84	35			2.9	1.35					45.9		69	29		2.9		2.00	57.8		55	23	2.4	2.00	B0 X2	4P	0.92	4265	1505	33.1	1.15	78.2	41			17	2.3	2.70	88.7	36	15	2.2			2.70	102.3	31	13	2.0	2.70	120.9			26	11	1.9	2.70	147.8	22	9			1.9	2.70	190.0	17	7	1.5	2.70			0.18	2500	7569	15.7	o	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500				4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7				o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569	33.1	o	B53* X85*	4P			0.23	8800	6177	52.9	o					0.27	8800	5133	52.9	o					0.33	8800	4189	52.9	o					0.40	8800	3481	52.9	o					0.46	8652	3053	52.9	1.00			0.55	7190			2537			52.9					1.20					0.67					5852											2065							52.9	1.50			0.75	5240	1849			52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																				
30.9	103	43	3.0	1.35			38.0	84	35	2.9	1.35					45.9	69	29			2.9	2.00		57.8	55		23		2.4	2.00		B0 X2	4P	0.92	4265	1505	33.1	1.15	78.2	41			17	2.3	2.70	88.7	36	15	2.2			2.70	102.3	31	13	2.0	2.70	120.9			26	11	1.9	2.70	147.8	22	9			1.9	2.70	190.0	17	7	1.5	2.70			0.18	2500	7569	15.7	o	0.23	2500			6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7			o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065			15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569	33.1	o	B53* X85*	4P			0.23	8800	6177	52.9	o					0.27	8800	5133	52.9	o					0.33	8800	4189	52.9	o					0.40	8800	3481	52.9	o					0.46	8652	3053	52.9	1.00					0.55	7190	2537	52.9	1.20			0.67	5852			2065			52.9					1.50					0.75					5240											1849							52.9	1.65			0.85	4628	1633			52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																									
38.0	84	35	2.9	1.35			45.9	69	29	2.9	2.00					57.8	55	23	2.4	2.00	B0 X2	4P		0.92	4265		1505	33.1	1.15	78.2	41			17	2.3	2.70	88.7	36	15	2.2			2.70	102.3	31	13	2.0	2.70	120.9			26	11	1.9	2.70	147.8	22	9			1.9	2.70	190.0	17	7	1.5	2.70			0.18	2500	7569	15.7	o	0.23	2500			6177	15.7	o	0.27	2500	5133	15.7			o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55		2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500		1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569	33.1	o	B53* X85*	4P			0.23	8800	6177	52.9	o					0.27	8800	5133	52.9	o					0.33	8800	4189	52.9	o					0.40	8800	3481	52.9	o					0.46	8652	3053	52.9	1.00					0.55	7190	2537	52.9	1.20					0.67	5852	2065	52.9	1.50			0.75	5240			1849			52.9					1.65					0.85					4628											1633							52.9	1.90			0.92	4265	1505			52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																														
45.9	69	29	2.9	2.00			57.8	55	23	2.4	2.00			B0 X2	4P	0.92	4265	1505	33.1	1.15			78.2	41	17	2.3	2.70	88.7	36	15	2.2			2.70	102.3	31	13	2.0	2.70	120.9			26	11	1.9	2.70	147.8	22	9			1.9	2.70	190.0	17	7	1.5	2.70			0.18	2500	7569	15.7	o	0.23	2500			6177	15.7	o	0.27	2500	5133	15.7			o	0.33	2500	4189	15.7	o	0.40			2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569	33.1	o	B53* X85*	4P			0.23	8800	6177	52.9	o					0.27	8800	5133	52.9	o					0.33	8800	4189	52.9	o					0.40	8800	3481	52.9	o					0.46	8652	3053	52.9	1.00					0.55	7190	2537	52.9	1.20					0.67	5852	2065	52.9	1.50					0.75	5240	1849	52.9	1.65			0.85	4628			1633			52.9					1.90					0.92					4265											1505							52.9	2.05			1.0	3846	1357			52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																			
57.8	55	23	2.4	2.00	B0 X2	4P	0.92	4265	1505	33.1	1.15																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
78.2	41	17	2.3	2.70			88.7	36	15	2.2	2.70	102.3	31			13	2.0	2.70	120.9	26			11	1.9	2.70	147.8	22	9	1.9	2.70	190.0			17	7	1.5	2.70	0.18	2500	7569			15.7	o	0.23	2500	6177	15.7	o			0.27	2500	5133	15.7	o	0.33	2500			4189	15.7	o	0.40	2500	3481	15.7			o	0.46	2500	3053	15.7	o	0.55			2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569	33.1	o	B53* X85*	4P	0.23	8800	6177	52.9	o	0.27	8800	5133	52.9	o			0.33	8800	4189	52.9	o					0.40	8800	3481	52.9	o					0.46	8652	3053	52.9	1.00					0.55	7190	2537	52.9	1.20					0.67	5852	2065	52.9	1.50					0.75	5240	1849	52.9	1.65					0.85	4628	1633	52.9	1.90					0.92	4265	1505	52.9	2.05					1.0	3846	1357	52.9	2.25			1.1	3472	1225	52.9	2.50			1.3		2843	1003		52.9					3.05					1.6											2383							841	52.9			3.65	1.9	2072			731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																						
88.7	36	15	2.2	2.70			102.3	31	13	2.0	2.70	120.9	26			11	1.9	2.70	147.8	22			9	1.9	2.70	190.0	17	7	1.5	2.70	0.18			2500	7569	15.7	o	0.23	2500	6177			15.7	o	0.27	2500	5133	15.7	o			0.33	2500	4189	15.7	o	0.40	2500			3481	15.7	o	0.46	2500	3053	15.7			o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569	33.1	o			B53* X85*	4P	0.23	8800	6177			52.9	o	0.27	8800	5133	52.9	o	0.33	8800	4189			52.9	o	0.40	8800	3481					52.9	o	0.46	8652	3053					52.9	1.00	0.55	7190	2537					52.9	1.20	0.67	5852	2065					52.9	1.50	0.75	5240	1849					52.9	1.65	0.85	4628	1633					52.9	1.90	0.92	4265	1505					52.9	2.05	1.0	3846	1357					52.9	2.25	1.1	3472	1225			52.9	2.50	1.3	2843	1003	52.9	3.05	1.6		2383	841		52.9		3.65	1.9		2072					731											52.9							4.20	2.1			1839	649	52.9			4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																													
102.3	31	13	2.0	2.70			120.9	26	11	1.9	2.70	147.8	22			9	1.9	2.70	190.0	17			7	1.5	2.70	0.18	2500	7569	15.7	o	0.23			2500	6177	15.7	o	0.27	2500	5133			15.7	o	0.33	2500	4189	15.7	o			0.40	2500	3481	15.7	o	0.46	2500			3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569	33.1	o			B53* X85*	4P	0.23	8800	6177					52.9	o	0.27			8800	5133	52.9	o	0.33	8800	4189	52.9	o	0.40			8800	3481	52.9	o	0.46					8652	3053	52.9	1.00	0.55					7190	2537	52.9	1.20	0.67					5852	2065	52.9	1.50	0.75					5240	1849	52.9	1.65	0.85					4628	1633	52.9	1.90	0.92					4265	1505	52.9	2.05	1.0					3846	1357	52.9	2.25	1.1					3472	1225	52.9	2.50	1.3			2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9		4.20	2.1		1839		649	52.9		4.75											2.3							1686	595			52.9	5.20	0.18			5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																				
120.9	26	11	1.9	2.70			147.8	22	9	1.9	2.70	190.0	17			7	1.5	2.70	0.18	2500			7569	15.7	o	0.23	2500	6177	15.7	o	0.27			2500	5133	15.7	o	0.33	2500	4189			15.7	o	0.40	2500	3481	15.7	o			0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569	33.1	o			B53* X85*	4P	0.23	8800	6177					52.9	o	0.27					8800	5133	52.9			o	0.33	8800	4189	52.9	o	0.40	8800	3481	52.9			o	0.46	8652	3053	52.9					1.00	0.55	7190	2537	52.9					1.20	0.67	5852	2065	52.9					1.50	0.75	5240	1849	52.9					1.65	0.85	4628	1633	52.9					1.90	0.92	4265	1505	52.9					2.05	1.0	3846	1357	52.9					2.25	1.1	3472	1225	52.9					2.50	1.3	2843	1003	52.9			3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686		595	52.9		5.20		0.18	5000								7569							33.1	o			0.23	5000	6177			33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																											
147.8	22	9	1.9	2.70			190.0	17	7	1.5	2.70	0.18	2500			7569	15.7	o	0.23	2500			6177	15.7	o	0.27	2500	5133	15.7	o	0.33			2500	4189	15.7	o	0.40	2500	3481			15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569	33.1	o			B53* X85*	4P	0.23	8800	6177					52.9	o	0.27					8800	5133	52.9					o	0.33	8800			4189	52.9	o	0.40	8800	3481	52.9	o	0.46	8652			3053	52.9	1.00	0.55	7190					2537	52.9	1.20	0.67	5852					2065	52.9	1.50	0.75	5240					1849	52.9	1.65	0.85	4628					1633	52.9	1.90	0.92	4265					1505	52.9	2.05	1.0	3846					1357	52.9	2.25	1.1	3472					1225	52.9	2.50	1.3	2843					1003	52.9	3.05	1.6	2383			841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o		0.23	5000				6177	33.1			o							0.27	5000			5133	33.1	o			0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																		
190.0	17	7	1.5	2.70			0.18	2500	7569	15.7	o	0.23	2500			6177	15.7	o	0.27	2500			5133	15.7	o	0.33	2500	4189	15.7	o	0.40			2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569	33.1	o			B53* X85*	4P	0.23	8800	6177					52.9	o	0.27					8800	5133	52.9					o	0.33	8800					4189	52.9	o			0.40	8800	3481	52.9	o	0.46	8652	3053	52.9	1.00			0.55	7190	2537	52.9	1.20					0.67	5852	2065	52.9	1.50					0.75	5240	1849	52.9	1.65					0.85	4628	1633	52.9	1.90					0.92	4265	1505	52.9	2.05					1.0	3846	1357	52.9	2.25					1.1	3472	1225	52.9	2.50					1.3	2843	1003	52.9	3.05					1.6	2383	841	52.9	3.65			1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000			5133	33.1			o	0.33	5000					4189	33.1			o	0.40	5000			3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																									
0.18	2500	7569	15.7	o			0.23	2500	6177	15.7	o	0.27	2500			5133	15.7	o	0.33	2500			4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569	33.1	o			B53* X85*	4P	0.23	8800	6177					52.9	o	0.27					8800	5133	52.9					o	0.33	8800					4189	52.9	o					0.40	8800	3481			52.9	o	0.46	8652	3053	52.9	1.00	0.55	7190	2537			52.9	1.20	0.67	5852	2065					52.9	1.50	0.75	5240	1849					52.9	1.65	0.85	4628	1633					52.9	1.90	0.92	4265	1505					52.9	2.05	1.0	3846	1357					52.9	2.25	1.1	3472	1225					52.9	2.50	1.3	2843	1003					52.9	3.05	1.6	2383	841					52.9	3.65	1.9	2072	731			52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1			o	0.40	5000			3481	33.1	o	0.46			5000	3053	33.1			o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																
0.23	2500	6177	15.7	o			0.27	2500	5133	15.7	o	0.33	2500			4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569	33.1	o			B53* X85*	4P	0.23	8800	6177					52.9	o	0.27					8800	5133	52.9					o	0.33	8800					4189	52.9	o					0.40	8800	3481					52.9	o	0.46			8652	3053	52.9	1.00	0.55	7190	2537	52.9	1.20	0.67			5852	2065	52.9	1.50	0.75					5240	1849	52.9	1.65	0.85					4628	1633	52.9	1.90	0.92					4265	1505	52.9	2.05	1.0					3846	1357	52.9	2.25	1.1					3472	1225	52.9	2.50	1.3					2843	1003	52.9	3.05	1.6					2383	841	52.9	3.65	1.9					2072	731	52.9	4.20	2.1			1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000			3053	33.1	o	0.55	5000	2537	33.1	o	0.67			5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																							
0.27	2500	5133	15.7	o			0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569	33.1	o			B53* X85*	4P	0.23	8800	6177					52.9	o	0.27					8800	5133	52.9					o	0.33	8800					4189	52.9	o					0.40	8800	3481					52.9	o	0.46					8652	3053	52.9			1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9			1.50	0.75	5240	1849	52.9					1.65	0.85	4628	1633	52.9					1.90	0.92	4265	1505	52.9					2.05	1.0	3846	1357	52.9					2.25	1.1	3472	1225	52.9					2.50	1.3	2843	1003	52.9					3.05	1.6	2383	841	52.9					3.65	1.9	2072	731	52.9					4.20	2.1	1839	649	52.9			4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																														
0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569	33.1	o			B53* X85*	4P	0.23	8800	6177					52.9	o	0.27					8800	5133	52.9					o	0.33	8800					4189	52.9	o					0.40	8800	3481					52.9	o	0.46					8652	3053	52.9					1.00	0.55	7190			2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240			1849	52.9	1.65	0.85	4628					1633	52.9	1.90	0.92	4265					1505	52.9	2.05	1.0	3846					1357	52.9	2.25	1.1	3472					1225	52.9	2.50	1.3	2843					1003	52.9	3.05	1.6	2383					841	52.9	3.65	1.9	2072					731	52.9	4.20	2.1	1839					649	52.9	4.75	2.3	1686			595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																	
0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*	4P	0.23					8800	6177	52.9					o	0.27	8800					5133	52.9	o					0.33	8800	4189					52.9	o	0.40					8800	3481	52.9					o	0.46	8652					3053	52.9	1.00					0.55	7190	2537			52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849			52.9	1.65	0.85	4628	1633					52.9	1.90	0.92	4265	1505					52.9	2.05	1.0	3846	1357					52.9	2.25	1.1	3472	1225					52.9	2.50	1.3	2843	1003					52.9	3.05	1.6	2383	841					52.9	3.65	1.9	2072	731					52.9	4.20	2.1	1839	649			52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																						
0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23			8800					6177	52.9	o					0.27	8800	5133					52.9	o	0.33					8800	4189	52.9					o	0.40	8800					3481	52.9	o					0.46	8652	3053					52.9	1.00	0.55					7190	2537	52.9			1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9			1.65	0.85	4628	1633	52.9					1.90	0.92	4265	1505	52.9					2.05	1.0	3846	1357	52.9					2.25	1.1	3472	1225	52.9					2.50	1.3	2843	1003	52.9					3.05	1.6	2383	841	52.9					3.65	1.9	2072	731	52.9			4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																											
0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800			6177					52.9	o	0.27					8800	5133	52.9					o	0.33	8800					4189	52.9	o					0.40	8800	3481					52.9	o	0.46					8652	3053	52.9					1.00	0.55	7190					2537	52.9	1.20			0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65			0.85	4628	1633	52.9	1.90					0.92	4265	1505	52.9	2.05					1.0	3846	1357	52.9	2.25					1.1	3472	1225	52.9	2.50					1.3	2843	1003	52.9	3.05					1.6	2383	841	52.9	3.65			1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																
0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177			52.9					o	0.27	8800					5133	52.9	o					0.33	8800	4189					52.9	o	0.40					8800	3481	52.9					o	0.46	8652					3053	52.9	1.00					0.55	7190	2537					52.9	1.20	0.67			5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85			4628	1633	52.9	1.90	0.92					4265	1505	52.9	2.05	1.0					3846	1357	52.9	2.25	1.1					3472	1225	52.9	2.50	1.3					2843	1003	52.9	3.05	1.6			2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																					
0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9			o					0.27	8800	5133					52.9	o	0.33					8800	4189	52.9					o	0.40	8800					3481	52.9	o					0.46	8652	3053					52.9	1.00	0.55					7190	2537	52.9					1.20	0.67	5852			2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628			1633	52.9	1.90	0.92	4265					1505	52.9	2.05	1.0	3846					1357	52.9	2.25	1.1	3472					1225	52.9	2.50	1.3	2843			1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																										
0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o			0.27					8800	5133	52.9					o	0.33	8800					4189	52.9	o					0.40	8800	3481					52.9	o	0.46					8652	3053	52.9					1.00	0.55	7190					2537	52.9	1.20					0.67	5852	2065			52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633			52.9	1.90	0.92	4265	1505					52.9	2.05	1.0	3846	1357					52.9	2.25	1.1	3472	1225			52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																															
0.92	2500	1505	15.7	o	1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27			8800					5133	52.9	o					0.33	8800	4189					52.9	o	0.40					8800	3481	52.9					o	0.46	8652					3053	52.9	1.00					0.55	7190	2537					52.9	1.20	0.67					5852	2065	52.9			1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9			1.90	0.92	4265	1505	52.9					2.05	1.0	3846	1357	52.9			2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																				
1.02	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800			5133					52.9	o	0.33					8800	4189	52.9					o	0.40	8800					3481	52.9	o					0.46	8652	3053					52.9	1.00	0.55					7190	2537	52.9					1.20	0.67	5852					2065	52.9	1.50			0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90			0.92	4265	1505	52.9	2.05			1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																									
1.1	2500	1225	15.7	o	1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133			52.9					o	0.33	8800					4189	52.9	o					0.40	8800	3481					52.9	o	0.46					8652	3053	52.9					1.00	0.55	7190					2537	52.9	1.20					0.67	5852	2065					52.9	1.50	0.75			5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																														
1.3	2843	1003	15.7	o	1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9			o					0.33	8800	4189					52.9	o	0.40					8800	3481	52.9					o	0.46	8652					3053	52.9	1.00					0.55	7190	2537					52.9	1.20	0.67					5852	2065	52.9					1.50	0.75	5240			1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																															
1.6	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o			0.33					8800	4189	52.9					o	0.40	8800					3481	52.9	o					0.46	8652	3053					52.9	1.00	0.55					7190	2537	52.9					1.20	0.67	5852					2065	52.9	1.50	0.75	5240			1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																				
1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o					0.33			8800					4189	52.9	o					0.40	8800	3481					52.9	o	0.46					8652	3053	52.9					1.00	0.55	7190					2537	52.9	1.20					0.67	5852	2065	52.9	1.50			0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																									
2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o					0.33					8800			4189					52.9	o	0.40					8800	3481	52.9					o	0.46	8652					3053	52.9	1.00					0.55	7190	2537					52.9	1.20	0.67	5852	2065			52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																														
2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o					0.33					8800					4189			52.9					o	0.40	8800					3481	52.9	o					0.46	8652	3053					52.9	1.00	0.55					7190	2537	52.9	1.20	0.67			5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																			
2.8	1397	493	15.7	1.75	3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o					0.33					8800					4189					52.9			o					0.40	8800	3481					52.9	o	0.46					8652	3053	52.9					1.00	0.55	7190	2537	52.9			1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																								
3.5	1108	391	15.7	2.25	4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o					0.33					8800					4189					52.9					o			0.40					8800	3481	52.9					o	0.46	8652					3053	52.9	1.00	0.55	7190			2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																													
4.3	904	319	15.7	2.75	4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o					0.33					8800					4189					52.9					o					0.40			8800					3481	52.9	o					0.46	8652	3053	52.9	1.00			0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																		
4.8	819	289	15.7	3.05	5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o					0.33					8800					4189					52.9					o					0.40					8800			3481					52.9	o	0.46	8652	3053			52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																							
5.4	717	253	15.7	3.45	7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o					0.33					8800					4189					52.9					o					0.40					8800					3481			52.9	o	0.46			8652	3053	52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																												
7.4	530	187	15.7	4.70	8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o					0.33					8800					4189					52.9					o					0.40					8800					3481		52.9	o		0.46			8652	3053	52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																	
8.4	468	165	15.7	5.30	0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o					0.33					8800					4189					52.9					o					0.40					8800					3481		52.9	o		0.46		8652	3053		52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																						
0.23	2500	6177	15.7	o	0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o					0.33					8800					4189					52.9					o					0.40					8800					3481		52.9	o		0.46		8652	3053		52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																											
0.27	2500	5133	15.7	o	0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o					0.33					8800					4189					52.9					o					0.40					8800					3481		52.9	o		0.46		8652	3053		52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																
0.33	2500	4189	15.7	o	0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o					0.33					8800					4189					52.9					o					0.40					8800					3481		52.9	o		0.46		8652	3053		52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																					
0.40	2500	3481	15.7	o	0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o					0.33					8800					4189					52.9					o					0.40					8800					3481		52.9	o		0.46		8652	3053		52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																										
0.46	2500	3053	15.7	o	0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o					0.33					8800					4189					52.9					o					0.40					8800					3481		52.9	o		0.46		8652	3053		52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																															
0.55	2500	2537	15.7	o	0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o					0.33					8800					4189					52.9					o					0.40					8800					3481		52.9	o		0.46		8652	3053		52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																				
0.67	2500	2065	15.7	o	0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o					0.33					8800					4189					52.9					o					0.40					8800					3481		52.9	o		0.46		8652	3053		52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																									
0.75	2500	1849	15.7	o	0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o					0.33					8800					4189					52.9					o					0.40					8800					3481		52.9	o		0.46		8652	3053		52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																														
0.85	2500	1633	15.7	o	0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o					0.33					8800					4189					52.9					o					0.40					8800					3481		52.9	o		0.46		8652	3053		52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																			
0.92	2500	1505	15.7	o	1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o					0.33					8800					4189					52.9					o					0.40					8800					3481		52.9	o		0.46		8652	3053		52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																								
1.0	2500	1357	15.7	o	1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o					0.33					8800					4189					52.9					o					0.40					8800					3481		52.9	o		0.46		8652	3053		52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																													
1.1	2500	1225	15.7	o	1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o					0.33					8800					4189					52.9					o					0.40					8800					3481		52.9	o		0.46		8652	3053		52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																		
1.4	2500	1003	15.7	o	1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o					0.33					8800					4189					52.9					o					0.40					8800					3481		52.9	o		0.46		8652	3053		52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																							
1.7	2383	841	15.7	1.00	1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o					0.33					8800					4189					52.9					o					0.40					8800					3481		52.9	o		0.46		8652	3053		52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																												
1.9	2072	731	15.7	1.20	2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o					0.33					8800					4189					52.9					o					0.40					8800					3481		52.9	o		0.46		8652	3053		52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																	
2.1	1839	649	15.7	1.35	2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o					0.33					8800					4189					52.9					o					0.40					8800					3481		52.9	o		0.46		8652	3053		52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																						
2.3	1686	595	15.7	1.45	2.8	1397	493	15.7	1.75	0.55 kW							0.55 kW							0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569			33.1	o	B53* X85*			4P	0.23					8800					6177					52.9					o					0.27					8800					5133					52.9					o					0.33					8800					4189					52.9					o					0.40					8800					3481		52.9	o		0.46		8652	3053		52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																											
2.8	1397	493	15.7	1.75																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
0.55 kW							0.55 kW																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
0.18	8800	7569	52.9	o	B63* X95*	4P	0.18	5000	7569	33.1	o	B53* X85*	4P																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0.23	8800	6177	52.9	o			0.27	8800	5133	52.9	o			0.33	8800	4189	52.9	o	0.40	8800	3481	52.9	o	0.46	8652	3053	52.9	1.00			0.55	7190	2537			52.9	1.20					0.67					5852					2065					52.9					1.50					0.75					5240					1849					52.9					1.65					0.85					4628					1633					52.9		1.90	0.92		4265		1505	52.9		2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																									
0.27	8800	5133	52.9	o			0.33	8800	4189	52.9	o			0.40	8800	3481	52.9	o	0.46	8652	3053	52.9	1.00	0.55	7190	2537	52.9	1.20			0.67	5852	2065			52.9	1.50					0.75					5240					1849					52.9					1.65					0.85					4628					1633					52.9					1.90					0.92					4265					1505		52.9	2.05		1.0		3846	1357		52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																		
0.33	8800	4189	52.9	o			0.40	8800	3481	52.9	o			0.46	8652	3053	52.9	1.00	0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50			0.75	5240	1849			52.9	1.65					0.85					4628					1633					52.9					1.90					0.92					4265					1505					52.9					2.05					1.0					3846		1357	52.9		2.25		1.1	3472		1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																											
0.40	8800	3481	52.9	o			0.46	8652	3053	52.9	1.00			0.55	7190	2537	52.9	1.20	0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65			0.85	4628	1633			52.9	1.90					0.92					4265					1505					52.9					2.05					1.0					3846					1357					52.9					2.25					1.1		3472	1225		52.9		2.50	1.3		2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																				
0.46	8652	3053	52.9	1.00			0.55	7190	2537	52.9	1.20			0.67	5852	2065	52.9	1.50	0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90			0.92	4265	1505			52.9	2.05					1.0					3846					1357					52.9					2.25					1.1					3472					1225					52.9					2.50		1.3	2843		1003		52.9	3.05		1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																													
0.55	7190	2537	52.9	1.20			0.67	5852	2065	52.9	1.50			0.75	5240	1849	52.9	1.65	0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05			1.0	3846	1357			52.9	2.25					1.1					3472					1225					52.9					2.50					1.3					2843					1003					52.9		3.05	1.6		2383		841	52.9		3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																																						
0.67	5852	2065	52.9	1.50			0.75	5240	1849	52.9	1.65			0.85	4628	1633	52.9	1.90	0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25			1.1	3472	1225			52.9	2.50					1.3					2843					1003					52.9					3.05					1.6					2383					841		52.9	3.65		1.9		2072	731		52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																																															
0.75	5240	1849	52.9	1.65			0.85	4628	1633	52.9	1.90			0.92	4265	1505	52.9	2.05	1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50			1.3	2843	1003			52.9	3.05					1.6					2383					841					52.9					3.65					1.9					2072		731	52.9		4.20		2.1	1839		649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																																																								
0.85	4628	1633	52.9	1.90			0.92	4265	1505	52.9	2.05			1.0	3846	1357	52.9	2.25	1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05			1.6	2383	841			52.9	3.65					1.9					2072					731					52.9					4.20					2.1		1839	649		52.9		4.75	2.3		1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																																																																	
0.92	4265	1505	52.9	2.05			1.0	3846	1357	52.9	2.25			1.1	3472	1225	52.9	2.50	1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65			1.9	2072	731			52.9	4.20					2.1					1839					649					52.9					4.75		2.3	1686		595		52.9	5.20		0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																																																																										
1.0	3846	1357	52.9	2.25			1.1	3472	1225	52.9	2.50			1.3	2843	1003	52.9	3.05	1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20			2.1	1839	649			52.9	4.75					2.3					1686					595					52.9		5.20	0.18		5000		7569	33.1		o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1.1	3472	1225	52.9	2.50			1.3	2843	1003	52.9	3.05			1.6	2383	841	52.9	3.65	1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75			2.3	1686	595			52.9	5.20					0.18					5000					7569		33.1	o		0.23		5000	6177		33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
1.3	2843	1003	52.9	3.05			1.6	2383	841	52.9	3.65			1.9	2072	731	52.9	4.20	2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20			0.18	5000	7569			33.1	o					0.23					5000		6177	33.1		o		0.27	5000		5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
1.6	2383	841	52.9	3.65			1.9	2072	731	52.9	4.20			2.1	1839	649	52.9	4.75	2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o			0.23	5000	6177			33.1	o					0.27		5000	5133		33.1		o	0.33		5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
1.9	2072	731	52.9	4.20			2.1	1839	649	52.9	4.75			2.3	1686	595	52.9	5.20	0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o			0.27	5000	5133			33.1	o		0.33	5000		4189		33.1	o		0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
2.1	1839	649	52.9	4.75			2.3	1686	595	52.9	5.20			0.18	5000	7569	33.1	o	0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o			0.33	5000	4189	33.1	o	0.40	5000		3481	33.1		o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
2.3	1686	595	52.9	5.20			0.18	5000	7569	33.1	o			0.23	5000	6177	33.1	o	0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
0.18	5000	7569	33.1	o			0.23	5000	6177	33.1	o			0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
0.23	5000	6177	33.1	o			0.27	5000	5133	33.1	o			0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
0.27	5000	5133	33.1	o	0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
0.33	5000	4189	33.1	o	0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
0.40	5000	3481	33.1	o	0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
0.46	5000	3053	33.1	o	0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
0.55	5000	2537	33.1	o	0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
0.67	5000	2065	33.1	o	0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
0.75	5000	1849	33.1	o	0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
0.85	4628	1633	33.1	1.05	0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
0.92	4265	1505	33.1	1.15	1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
1.0	3846	1357	33.1	1.30	1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
1.1	3472	1225	33.1	1.40	1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
1.3	2843	1003	33.1	1.75	1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
1.6	2383	841	33.1	2.05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								

**Schedule is subject to change as appropriate

CYCLO Series



na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole	na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole
0.55 kW							0.55 kW						
3.6	1108	391	15.7	2.25	B41 X63	4P	1.4	240	1003	5.2	○	B10 X32	4P
4.4	904	319	15.7	2.75			1.7	240	841	5.2	○		
4.8	819	289	15.7	3.05			1.9	240	731	5.2	○		
5.5	717	253	15.7	3.45			2.1	240	649	5.2	○		
7.4	530	187	15.7	4.70			2.3	240	595	5.2	○		
8.4	468	165	15.7	5.30			2.8	240	493	5.2	○		
0.23	1250	6177	11.6	○			3.6	240	391	5.2	○		
0.27	1250	5133	11.6	○			4.4	240	319	5.2	○		
0.33	1250	4189	11.6	○	4.8	240	289	5.2	○				
0.40	1250	3481	11.6	○	5.5	240	253	5.2	○				
0.46	1250	3053	11.6	○	7.4	240	187	5.2	○				
0.55	1250	2537	11.6	○	8.4	240	165	5.2	○				
0.67	1250	2065	11.6	○	9.7	240	143	5.2	○				
0.75	1250	1849	11.6	○	11.5	240	121	5.2	○				
0.85	1250	1633	11.6	○	14.0	240	99	5.2	○				
0.92	1250	1505	11.6	○	16.0	296	87	11.6	3.65	B3* X5*	4P		
1.0	1250	1357	11.6	○	19.6	241	71	11.6	3.65				
1.1	1250	1225	11.6	○	23.6	201	59	10.8	5.05				
1.4	1250	1003	11.6	○	16.0	296	87	8.0	1.80	B2 X4	4P		
1.7	1250	841	11.6	○	19.6	241	71	8.0	1.80				
1.9	1250	731	11.6	○	23.6	201	59	7.4	2.70				
2.1	1250	649	11.6	○	29.6	160	47	6.8	3.65				
2.3	1250	595	11.6	○	32.3	146	43	6.7	3.65				
2.8	1250	493	11.6	○	39.7	119	35	6.0	3.65				
3.6	1108	391	11.6	1.10	19.6	241	71	5.2	0.90	B1 X3	4P		
4.4	904	319	11.6	1.35	23.6	201	59	4.8	1.25				
4.8	819	289	11.6	1.50	29.6	160	47	4.4	1.50				
5.5	717	253	11.6	1.70	32.3	146	43	4.3	1.60				
7.4	530	187	11.6	2.35	39.7	119	35	3.8	2.00				
8.4	468	165	11.6	2.40	47.9	99	29	3.8	2.40				
9.7	405	143	11.6	2.40	60.4	78	23	3.2	3.05				
11.5	343	121	11.6	2.40	81.8	58	17	3.0	3.65				
14.0	281	99	11.6	3.10	92.7	51	15	2.9	3.65				
0.27	600	5133	8.0	○	106.9	44	13	2.8	3.65				
0.33	600	4189	8.0	○	126.4	37	11	2.6	5.40				
0.40	600	3481	8.0	○	154.4	31	9	2.6	5.40				
0.46	600	3053	8.0	○	198.6	24	7	2.5	5.40				
0.55	600	2537	8.0	○	32.3	146	43	3.0	0.90	B0 X2	4P		
0.67	600	2065	8.0	○	39.7	119	35	2.9	0.90				
0.75	600	1849	8.0	○	47.9	99	29	2.9	1.35				
0.85	600	1633	8.0	○	60.4	78	23	2.4	1.35				
0.92	600	1505	8.0	○	81.8	58	17	2.3	1.80				
1.0	600	1357	8.0	○	92.7	51	15	2.2	1.80				
1.1	600	1225	8.0	○	106.9	44	13	2.0	1.80				
1.4	600	1003	8.0	○	126.4	37	11	1.9	1.80				
1.7	600	841	8.0	○	154.4	31	9	1.9	1.80				
1.9	600	731	8.0	○	198.6	24	7	1.8	1.80				
2.1	600	649	8.0	○	81.8	58	17	1.0	0.90	B09 X1	4P		
2.3	600	595	8.0	○	92.7	51	15	1.0	0.90				
2.8	600	493	8.0	○	106.9	44	13	0.8	0.90				
3.6	600	391	8.0	○	126.4	37	11	0.8	0.90				
4.4	600	319	8.0	○	154.4	31	9	0.8	1.20				
4.8	600	289	8.0	○	0.75 kW								
5.5	600	253	8.0	○	0.18	8800	7569	52.9	○	B63* X95*	4P		
7.4	530	187	8.0	1.10	0.23	8800	6177	52.9	○				
8.4	468	165	8.0	1.20	0.27	8800	5133	52.9	○				
9.7	405	143	8.0	1.20	0.33	8800	4189	52.9	○				
11.5	343	121	8.0	1.20	0.40	8800	3481	52.9	○				
14.0	281	99	8.0	1.50	0.46	8800	3053	52.9	○				
0.33	240	4189	5.2	○	0.55	8800	2537	52.9	○				
0.40	240	3481	5.2	○	0.67	7981	2065	52.9	1.10				
0.46	240	3053	5.2	○	0.75	7146	1849	52.9	1.20				
0.55	240	2537	5.2	○	0.85	6311	1633	52.9	1.35				
0.67	240	2065	5.2	○	0.92	5816	1505	52.9	1.50				
0.75	240	1849	5.2	○	1.0	5244	1357	52.9	1.65				
0.85	240	1633	5.2	○	1.1	4734	1225	52.9	1.85				
0.92	240	1505	5.2	○	1.4	3876	1003	52.9	2.25				
1.0	240	1357	5.2	○	1.7	3250	841	52.9	2.70				
1.1	240	1225	5.2	○									

**Schedule is subject to change as appropriate

CYCLO Series



na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole	na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
0.75 kW							0.75 kW																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
1.9	2825	731	52.9	3.10	B63* X95*	4P	3.6	1511	391	15.7	1.65	B42 X64 X74	4P																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
2.1	2508	649	52.9	3.50			2.3	2299	595	52.9	3.80			2.8	1905	493	52.9	4.60	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30
2.3	2299	595	52.9	3.80			2.8	1905	493	52.9	4.60			0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30					
2.8	1905	493	52.9	4.60			0.18	5000	7569	33.1	○			0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30										
0.18	5000	7569	33.1	○			0.23	5000	6177	33.1	○			0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30															
0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																								
0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																													
0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																		
0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																							
0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																												
0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																	
0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																						
0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																											
0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																
0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																					
1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																										
1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																															
1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																				
1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																									
1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																														
2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																			
2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																								
2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																													
3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																		
4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																							
4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																												
5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																	
0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																						
0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																											
0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																
0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																					
0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																										
0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																															
0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																				
0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																									
0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																														
0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																			
0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																								
1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																													
1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																		
1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																							
1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																												
1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																	
2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																						
2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																											
2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																
3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																					
4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																										
4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																															
5.5	978	253	33.1	5.10	0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																				
0.18	5000	7569	33.1	○	0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																									
0.23	5000	6177	33.1	○	0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																														
0.27	5000	5133	33.1	○	0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																			
0.33	5000	4189	33.1	○	0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																								
0.40	5000	3481	33.1	○	0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																													
0.46	5000	3053	33.1	○	0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																		
0.55	5000	2537	33.1	○	0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																							
0.67	5000	2065	33.1	○	0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																												
0.75	5000	1849	33.1	○	0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																	
0.85	5000	1633	33.1	○	0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																						
0.92	5000	1505	33.1	○	1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																											
1.0	5000	1357	33.1	○	1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																
1.1	4734	1225	33.1	1.05	1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																					
1.4	3876	1003	33.1	1.25	1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																										
1.7	3250	841	33.1	1.50	1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																															
1.9	2825	731	33.1	1.75	2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																				
2.1	2508	649	33.1	1.95	2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																									
2.3	2299	595	33.1	2.15	2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																														
2.8	1905	493	33.1	2.60	3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																																			
3.6	1511	391	33.1	3.30	4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																																								
4.4	1233	319	33.1	4.05	4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																																													
4.8	1117	289	33.1	4.45	5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																																																		
5.5	978	253	33.1	5.10	0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																																																							
0.18	2500	7569	15.7	○	0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																																																												
0.23	2500	6177	15.7	○	0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																																																																	
0.27	2500	5133	15.7	○	0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																																																																						
0.33	2500	4189	15.7	○	0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																																																																											
0.40	2500	3481	15.7	○	0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																																																																																
0.46	2500	3053	15.7	○	0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																																																																																					
0.55	2500	2537	15.7	○	0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																																																																																										
0.67	2500	2065	15.7	○	0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																																																																																															
0.75	2500	1849	15.7	○	0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																																																																																																				
0.85	2500	1633	15.7	○	0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																																																																																																									
0.92	2500	1505	15.7	○	1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																																																																																																														
1.0	2500	1357	15.7	○	1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																																																																																																																			
1.1	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																																																																																																																								
1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																																																																																																																													
1.7	2500	841	15.7	○	1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																																																																																																																																		
1.9	2500	731	15.7	○	2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																																																																																																																																							
2.1	2500	649	15.7	○	2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																																																																																																																																												
2.3	2299	595	15.7	○	2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
2.8	1905	493	15.7	1.05	3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
3.6	1511	391	15.7	1.30																																																																																																																																																																																																																																																																																																																																																																																																																																																																											

**Schedule is subject to change as appropriate

CYCLO Series



na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole	na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole
0.75 kW							1.1 kW						
0.85	600	1633	1633	○	B20 X42	4P	1.7	4733	841	52.9	1.85	B63 X95	4P
0.92	600	1505	1505	○			1.9	4114	731	52.9	2.10		
1.0	600	1357	1357	○			2.2	3652	649	52.9	2.40		
1.1	600	1225	1225	○			2.4	3348	595	52.9	2.60		
1.4	600	1003	1003	○			2.8	2774	493	52.9	3.15		
1.7	600	841	841	○			3.6	2200	391	52.9	3.95		
1.9	600	731	731	○			4.4	1795	319	52.9	4.90		
2.1	600	649	649	○			4.8	1626	289	52.9	5.40		
2.3	600	595	595	○			0.18	5000	7569	33.1	○		
2.8	600	493	493	○			0.23	5000	6177	33.1	○		
3.6	600	391	391	○			0.27	5000	5133	33.1	○		
4.4	600	319	319	○			0.33	5000	4189	33.1	○		
4.8	600	289	289	○			0.40	5000	3481	33.1	○		
5.5	600	253	253	○			0.46	5000	3053	33.1	○		
7.4	600	187	187	○	0.55	5000	2537	33.1	○				
8.4	600	165	165	○	0.68	5000	2065	33.1	○				
9.7	553	143	143	0.90	0.76	5000	1849	33.1	○				
11.5	468	121	121	0.90	0.86	5000	1633	33.1	○				
14.0	383	99	99	1.10	0.93	5000	1505	33.1	○				
16.0	403	87	87	2.70	1.0	5000	1357	33.1	○				
19.6	329	71	71	2.70	1.1	5000	1225	33.1	○				
23.6	274	59	59	3.70	1.4	5000	1003	33.1	○				
29.6	182	47	47	5.40	1.7	4733	841	33.1	1.05				
32.3	166	43	43	5.40	1.9	4114	731	33.1	1.20				
16.0	403	87	87	1.35	2.2	3652	649	33.1	1.35				
19.6	329	71	71	1.35	2.4	3348	595	33.1	1.45				
23.6	274	59	59	1.95	2.8	2774	493	33.1	1.80				
29.6	218	47	47	2.70	3.6	2200	391	33.1	2.25				
32.3	199	43	43	2.70	4.4	1795	319	33.1	2.75				
39.7	162	35	35	2.70	4.8	1626	289	33.1	3.05				
47.9	134	29	29	3.95	5.5	1424	253	33.1	3.50				
60.4	107	23	23	5.40	7.5	1052	187	33.1	4.75				
23.6	274	59	59	0.85	8.5	929	165	33.1	5.35				
29.6	218	47	47	1.10	0.18	5000	7569	33.1	○				
32.3	199	43	43	1.20	0.23	5000	6177	33.1	○				
39.7	162	35	35	1.45	0.27	5000	5133	33.1	○				
47.9	134	29	29	1.75	0.33	5000	4189	33.1	○				
60.4	107	23	23	2.25	0.40	5000	3481	33.1	○				
81.8	79	17	17	2.70	0.46	5000	3053	33.1	○				
92.7	70	15	15	2.70	0.55	5000	2537	33.1	○				
106.9	60	13	13	2.70	0.68	5000	2065	33.1	○				
126.4	51	11	2.6	3.95	0.76	5000	1849	33.1	○				
154.4	42	9	2.6	3.95	0.86	5000	1633	33.1	○				
198.6	32	7	2.5	3.95	0.93	5000	1505	33.1	○				
47.9	134	29	2.9	0.95	1.0	5000	1357	33.1	○				
60.4	107	23	2.4	0.95	1.1	5000	1225	33.1	○				
81.8	79	17	2.3	1.35	1.4	5000	1003	33.1	○				
92.7	70	15	2.2	1.35	1.7	4733	841	33.1	1.05				
106.9	60	13	2.0	1.35	1.9	4114	731	33.1	1.20				
126.4	51	11	1.9	1.35	2.2	3652	649	33.1	1.35				
154.4	42	9	1.9	1.35	2.4	3348	595	33.1	1.45				
198.6	32	7	1.8	1.35	2.8	2774	493	33.1	1.80				
154.4	42	9	0.8	0.85	3.6	2200	391	33.1	2.25				
1.1 kW							4.4	1795	319	33.1	2.75	B53 X85	4P
0.18	8800	7569	52.9	○	4.8	1626	289	33.1	3.05				
0.23	8800	6177	52.9	○	5.5	1424	253	33.1	3.50				
0.27	8800	5133	52.9	○	7.5	1052	187	33.1	4.75				
0.33	8800	4189	52.9	○	8.5	929	165	33.1	4.90				
0.40	8800	3481	52.9	○	0.18	2500	7569	15.7	○				
0.46	8800	3053	52.9	○	0.23	2500	6177	15.7	○				
0.55	8800	2537	52.9	○	0.27	2500	5133	15.7	○				
0.68	8800	2065	52.9	○	0.33	2500	4189	15.7	○				
0.76	8800	1849	52.9	○	0.40	2500	3481	15.7	○				
0.86	8800	1633	52.9	○	0.46	2500	3053	15.7	○				
0.93	8470	1505	52.9	1.00	0.55	2500	2537	15.7	○				
1.0	7637	1357	52.9	1.15	0.68	2500	2065	15.7	○				
1.1	6894	1225	52.9	1.25	0.76	2500	1849	15.7	○				
1.4	5645	1003	52.9	1.55	0.86	2500	1633	15.7	○				
					0.93	2500	1505	15.7	○				

**Schedule is subject to change as appropriate

CYCLO Series



na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole	na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole
1.1 kW							1.1 kW						
1.0	2500	1357	15.7	o	B42 X64 X74	4P	2.4	600	595	8.0	o	B20 X42	4P
1.1	2500	1225	15.7	o									
1.4	2500	1003	15.7	o									
1.7	2500	841	15.7	o									
1.9	2500	731	15.7	o									
2.2	2500	649	15.7	o									
2.4	2500	595	15.7	o									
2.8	2500	493	15.7	o									
3.6	2200	391	15.7	1.10									
4.4	1795	319	15.7	1.35									
4.8	1626	289	15.7	1.50									
5.5	1424	253	15.7	1.75									
7.5	1052	187	15.7	2.35									
8.5	929	165	15.7	2.65									
9.8	805	143	15.7	3.10									
11.6	681	121	15.7	3.65									
14.1	557	99	15.7	4.45									
0.23	2500	6177	15.7	o	B41 X63	4P	16.1	588	87	8.0	0.90	B2 X4	4P
0.27	2500	5133	15.7	o									
0.33	2500	4189	15.7	o									
0.40	2500	3481	15.7	o									
0.46	2500	3053	15.7	o									
0.55	2500	2537	15.7	o									
0.68	2500	2065	15.7	o									
0.76	2500	1849	15.7	o									
0.86	2500	1633	15.7	o									
0.93	2500	1505	15.7	o									
1.0	2500	1357	15.7	o									
1.1	2500	1225	15.7	o									
1.4	2500	1003	15.7	o									
1.7	2500	841	15.7	o									
1.9	2500	731	15.7	o									
2.2	2500	649	15.7	o									
2.4	2500	595	15.7	o									
2.8	2500	493	15.7	o									
3.6	2200	391	15.7	1.10									
4.4	1795	319	15.7	1.35									
4.8	1626	289	15.7	1.50									
5.5	1424	253	15.7	1.75									
7.5	1052	187	15.7	2.35									
8.5	929	165	15.7	2.65									
9.8	805	143	15.7	2.70									
11.6	681	121	15.7	2.70									
14.1	557	99	15.7	2.70									
0.23	1250	6177	11.6	o	B31 X53	4P	32.6	290	43	4.3	0.80	B1 X3	4P
0.27	1250	5133	11.6	o									
0.33	1250	4189	11.6	o									
0.40	1250	3481	11.6	o									
0.46	1250	3053	11.6	o									
0.55	1250	2537	11.6	o									
0.68	1250	2065	11.6	o									
0.76	1250	1849	11.6	o									
0.86	1250	1633	11.6	o									
0.93	1250	1505	11.6	o									
1.0	1250	1357	11.6	o									
1.1	1250	1225	11.6	o									
1.4	1250	1003	11.6	o									
1.7	1250	841	11.6	o									
1.9	1250	731	11.6	o									
2.2	1250	649	11.6	o									
2.4	1250	595	11.6	o									
2.8	1250	493	11.6	o									
3.6	1250	391	11.6	o									
4.4	1250	319	11.6	o									
4.8	1250	289	11.6	o									
5.5	1250	253	11.6	o									
7.5	1052	187	11.6	1.15									
8.5	929	165	11.6	1.20									
9.8	805	143	11.6	1.20									
11.6	681	121	11.6	1.20									
14.1	557	99	11.6	1.55									
0.27	600	5133	8.0	o	B20 X42	4P	82.4	115	17	2.3	0.90	B0 X2	4P
0.33	600	4189	8.0	o									
0.40	600	3481	8.0	o									
0.46	600	3053	8.0	o									
0.55	600	2537	8.0	o									
0.68	600	2065	8.0	o									
0.76	600	1849	8.0	o									
0.86	600	1633	8.0	o									
0.93	600	1505	8.0	o									
1.0	600	1357	8.0	o									
1.1	600	1225	8.0	o									
1.4	600	1003	8.0	o									
1.7	600	841	8.0	o									
1.9	600	731	8.0	o									
2.2	600	649	8.0	o									
0.18	8800	7569	52.9	o	1.5 kW								
0.23	8800	6177	52.9	o									
0.27	8800	5133	52.9	o									
0.33	8800	4189	52.9	o									
0.40	8000	3481	52.9	o									
0.46	8800	3053	52.9	o									
0.55	8800	2537	52.9	o									
0.68	8800	2065	52.9	o									
0.76	8800	1849	52.9	o									
0.86	8800	1633	52.9	o									
0.93	8800	1505	52.9	o									
1.0	8800	1357	52.9	o									
1.1	8800	1225	52.9	o									
1.4	7697	1003	52.9	1.10									
1.7	6454	841	52.9	1.35									
1.9	5610	731	52.9	1.55									
2.2	4980	649	52.9	1.75									
2.4	4566	595	52.9	1.90									
2.8	3783	493	52.9	2.30									
3.6	3001	391	52.9	2.90									
4.4	2448	319	52.9	3.55									
4.8	2218	289	52.9	3.95									
5.5	1942	253	52.9	4.50									
0.18	5000	7569	33.1	o	B53 X85	4P	0.18	8800	7569	52.9	o	B63 X95	4P
0.23	5000	6177	33.1	o									
0.27	5000	5133	33.1	o									
0.33	5000	4189	33.1	o									
0.40	5000	3481	33.1	o									
0.46	5000	3053	33.1	o									
0.55	5000	2537	33.1	o									
0.68	5000	2065	33.1	o									
0.76	5000	1849	33.1	o									
0.86	5000	1633	33.1	o									
0.93	5000	1505	33.1	o									
1.0	5000	1357	33.1	o									
1.1	5000	1225	33.1	o									

**Schedule is subject to change as appropriate



CYCLO Series

na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole	na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole
1.5 kW							1.5 kW						
1.4	5000	1003	33.1	o	B53 X85	4P	0.68	2500	2065	15.7	o	B41 X63	4P
1.7	5000	841	33.1	o			0.76	2500	1849	15.7	o		
1.9	5000	731	33.1	o			0.86	2500	1633	15.7	o		
2.2	4980	649	33.1	1.00			0.93	2500	1505	15.7	o		
2.4	4566	595	33.1	1.05			1.0	2500	1357	15.7	o		
2.8	3783	493	33.1	1.30			1.1	2500	1225	15.7	o		
3.6	3001	391	33.1	1.65			1.4	2500	1003	15.7	o		
4.4	2448	319	33.1	2.00			1.7	2500	841	15.7	o		
4.8	2218	289	33.1	2.25			1.9	2500	731	15.7	o		
5.5	1942	253	33.1	2.55			2.2	2500	649	15.7	o		
7.5	1435	187	33.1	3.45			2.4	2500	595	15.7	o		
8.5	1266	165	33.1	3.90			2.8	2500	493	15.7	o		
9.8	1097	143	33.1	4.55			3.6	2500	391	15.7	o		
0.18	5000	7569	33.1	o			4.4	2448	319	15.7	1.00		
0.23	5000	6177	33.1	o	4.8	2218	289	15.7	1.10				
0.27	5000	5133	33.1	o	5.5	1942	253	15.7	1.25				
0.33	5000	4189	33.1	o	7.5	1435	187	15.7	1.70				
0.40	5000	3481	33.1	o	8.5	1266	165	15.7	1.95				
0.46	5000	3053	33.1	o	9.8	1097	143	15.7	1.95				
0.55	5000	2537	33.1	o	11.6	929	121	15.7	1.95				
0.68	5000	2065	33.1	o	14.1	760	99	15.7	1.95				
0.76	5000	1849	33.1	o	0.23	1250	6177	11.6	o	B31 X53	4P		
0.86	5000	1633	33.1	o	0.27	1250	5133	11.6	o				
0.93	5000	1505	33.1	o	0.33	1250	4189	11.6	o				
1.0	5000	1357	33.1	o	0.40	1250	3481	11.6	o				
1.1	5000	1225	33.1	o	0.46	1250	3053	11.6	o				
1.4	5000	1003	33.1	o	0.55	1250	2537	11.6	o				
1.7	5000	841	33.1	o	0.68	1250	2065	11.6	o				
1.9	5000	731	33.1	o	0.76	1250	1849	11.6	o				
2.2	4980	649	33.1	1.00	0.86	1250	1633	11.6	o				
2.4	4566	595	33.1	1.05	0.93	1250	1505	11.6	o				
2.8	3783	493	33.1	1.30	1.0	1250	1357	11.6	o				
3.6	3001	391	33.1	1.65	1.1	1250	1225	11.6	o				
4.4	2448	319	33.1	2.00	1.4	1250	1003	11.6	o				
4.8	2218	289	33.1	2.25	1.7	1250	841	11.6	o				
5.5	1942	253	33.1	2.55	1.9	1250	731	11.6	o				
7.5	1435	187	33.1	3.45	2.2	1250	649	11.6	o				
8.5	1266	165	33.1	3.60	2.4	1250	595	11.6	o				
9.8	1097	143	33.1	3.60	2.8	1250	493	11.6	o				
11.6	929	121	33.1	3.60	3.6	1250	391	11.6	o				
14.1	760	99	33.1	3.60	4.4	1250	319	11.6	o				
0.18	2500	7569	15.7	o	4.8	1250	289	11.6	o	B42 X64 X74	4P		
0.23	2500	6177	15.7	o	5.5	1250	253	11.6	o				
0.27	2500	5133	15.7	o	7.5	1250	187	11.6	o				
0.33	2500	4189	15.7	o	8.5	1250	165	11.6	o				
0.40	2500	3481	15.7	o	9.8	1097	143	11.6	0.95				
0.46	2500	3053	15.7	o	11.6	929	121	11.6	0.95				
0.55	2500	2537	15.7	o	14.1	760	99	11.6	1.15				
0.68	2500	2065	15.7	o	16.1	801	87	11.6	1.35				
0.76	2500	1849	15.7	o	19.7	654	71	11.6	1.35				
0.86	2500	1633	15.7	o	23.7	543	59	10.8	1.85				
0.93	2500	1505	15.7	o	29.8	433	47	9.8	2.70			B3 X5	4P
1.0	2500	1357	15.7	o	32.6	396	43	9.6	2.70				
1.1	2500	1225	15.7	o	40.0	322	35	8.5	3.60				
1.4	2500	1003	15.7	o	48.3	267	29	8.5	4.40				
1.7	2500	841	15.7	o	23.7	543	59	7.4	0.95	B2 X4	4P		
1.9	2500	731	15.7	o	29.8	433	47	6.8	1.35				
2.2	2500	649	15.7	o	32.6	396	43	6.7	1.35				
2.4	2500	595	15.7	o	40.0	322	35	6.0	1.35				
2.8	2500	493	15.7	o	48.3	267	29	6.0	1.95				
3.6	2500	391	15.7	o	60.9	212	23	5.0	2.70				
4.4	2448	319	15.7	1.00	82.4	157	17	4.8	3.60				
4.8	2218	289	15.7	1.10	93.3	138	15	4.7	3.60				
5.5	1942	253	15.7	1.25	107.7	120	13	4.6	3.60				
7.5	1435	187	15.7	1.70	127.3	101	11	4.1	3.60				
8.5	1266	165	15.7	1.95	155.6	83	9	4.0	3.60				
9.8	1097	143	15.7	2.25	200.0	64	7	3.8	3.60				
11.6	929	121	15.7	2.65	48.3	267	29	3.8	0.85			B1 X3	4P
14.1	760	99	15.7	3.25	60.9	212	23	3.2	1.10				
0.23	2500	6177	15.7	o	82.4	157	17	3.0	1.35				
0.27	2500	5133	15.7	o	93.3	138	15	2.9	1.35				
0.33	2500	4189	15.7	o	107.7	120	13	2.8	1.35				
0.40	2500	3481	15.7	o	127.3	101	11	2.6	1.95				
0.46	2500	3053	15.7	o	155.6	83	9	2.6	1.95				
0.55	2500	2537	15.7	o	200.0	64	7	2.5	1.95				

**Schedule is subject to change as appropriate

CYCLO Series



na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole	na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole		
2.2 kW							2.2 kW								
0.19	29400	7569	158.4	○	B95* X128*	4P	2.9	5432	493	72.5	2.20	B74 X106	4P		
0.23	29400	6177	158.4	○			3.7	4309	391	72.5	2.75				
0.28	29400	5133	158.4	○			4.5	3515	319	72.5	3.40				
0.34	29400	4189	158.4	○			4.9	3185	289	72.5	3.75				
0.41	29400	3481	158.4	○			5.7	2788	253	72.5	4.30				
0.47	29400	3053	158.4	○			8.7	1818	165	52.9	4.80				
0.56	27956	2537	158.4	1.05			10.0	1576	143	52.9	5.55			B64 X96	4P
0.69	22755	2065	158.4	1.25			11.8	1333	121	52.9	6.60				
0.77	20375	1849	158.4	1.40			14.4	1091	99	52.9	6.75				
0.88	17994	1633	158.4	1.60			0.19	8800	7569	52.9	○			B63 X95	4P
1.0	16584	1505	158.4	1.75			0.23	8800	6177	52.9	○				
1.1	14953	1357	158.4	1.95			0.28	8800	5133	52.9	○				
1.2	13499	1225	158.4	2.15			0.34	8800	4189	52.9	○				
1.4	11052	1003	158.4	2.65			0.41	8800	3481	52.9	○				
1.7	9267	841	158.4	3.15	0.47	8800	3053	52.9	○						
2.0	8055	731	158.4	3.60	0.56	8800	2537	52.9	○						
2.2	7151	649	158.4	4.10	0.69	8800	2065	52.9	○						
0.19	21500	7569	91.7	○	0.77	8800	1849	52.9	○						
0.23	21500	6177	91.7	○	0.88	8800	1633	52.9	○						
0.28	21500	5133	91.7	○	1.0	8800	1505	52.9	○						
0.34	21500	4189	91.7	○	1.1	8800	1357	52.9	○						
0.41	21500	3481	91.7	○	1.2	8800	1225	52.9	○						
0.47	21500	3053	91.7	○	1.4	8800	1003	52.9	○						
0.56	21500	2537	91.7	○	1.7	8800	841	52.9	○						
0.69	21500	2065	91.7	○	2.0	8055	731	52.9	1.05						
0.77	20375	1849	91.7	1.05	2.2	7151	649	52.9	1.20						
0.88	17994	1633	91.7	1.15	2.4	6556	595	52.9	1.30						
1.0	16584	1505	91.7	1.25	2.9	5432	493	52.9	1.60						
1.1	14953	1357	91.7	1.40	3.7	4309	391	52.9	2.00						
1.2	13499	1225	91.7	1.55	4.5	3515	319	52.9	2.50						
1.4	11052	1003	91.7	1.90	4.9	3185	289	52.9	2.75						
1.7	9267	841	91.7	2.30	5.7	2788	253	52.9	3.15						
2.0	8055	731	91.7	2.65	7.6	2061	187	52.9	4.25						
2.2	7151	649	91.7	3.00	8.7	1818	165	52.9	4.60						
2.4	6556	595	91.7	3.25	10.0	1576	143	52.9	4.60						
2.9	5432	493	91.7	3.95	11.8	1333	121	52.9	4.60						
3.7	4309	391	91.7	4.95	14.4	1091	99	52.9	4.60						
0.19	21500	7569	91.7	○	B85* X118*	4P	0.19	5000	7569	33.1	○	B63 X95	4P		
0.23	21500	6177	91.7	○			0.23	5000	6177	33.1	○				
0.28	21500	5133	91.7	○			0.28	5000	5133	33.1	○				
0.34	21500	4189	91.7	○			0.34	5000	4189	33.1	○				
0.41	21500	3481	91.7	○			0.41	5000	3481	33.1	○				
0.47	21500	3053	91.7	○			0.47	5000	3053	33.1	○				
0.56	21500	2537	91.7	○			0.56	5000	2537	33.1	○				
0.69	21500	2065	91.7	○			0.69	5000	2065	33.1	○				
0.77	20375	1849	91.7	1.05			0.77	5000	1849	33.1	○				
0.88	17994	1633	91.7	1.15			0.88	5000	1633	33.1	○				
1.0	16584	1505	91.7	1.25			1.0	5000	1505	33.1	○				
1.1	14953	1357	91.7	1.40			1.1	5000	1357	33.1	○				
1.2	13499	1225	91.7	1.55			1.2	5000	1225	33.1	○				
1.4	11052	1003	91.7	1.90			1.4	5000	1003	33.1	○				
1.7	9267	841	91.7	2.30	1.7	5000	841	33.1	○						
2.0	8055	731	91.7	2.65	2.0	5000	731	33.1	○						
2.2	7151	649	91.7	3.00	2.2	5000	649	33.1	○						
2.4	6556	595	91.7	3.25	2.4	5000	595	33.1	○						
2.9	5432	493	91.7	3.95	2.9	5000	493	33.1	○						
3.7	4309	391	91.7	4.95	3.7	4309	391	33.1	1.15						
0.19	12000	7569	72.5	○	B84 X117	4P	4.5	3515	319	33.1	1.40	B53 X85	4P		
0.23	12000	6177	72.5	○			4.9	3185	289	33.1	1.55				
0.28	12000	5133	72.5	○			5.7	2788	253	33.1	1.75				
0.34	12000	4189	72.5	○			7.6	2061	187	33.1	2.40				
0.41	12000	3481	72.5	○			8.7	1818	165	33.1	2.75				
0.47	12000	3053	72.5	○			10.0	1576	143	33.1	3.15				
0.56	12000	2537	72.5	○			11.8	1333	121	33.1	3.75				
0.69	12000	2065	72.5	○			14.4	1091	99	33.1	4.55				
0.77	12000	1849	72.5	○			0.19	5000	7569	33.1	○			B52 X84	4P
0.88	12000	1633	72.5	○			0.23	5000	6177	33.1	○				
1.0	12000	1505	72.5	○			0.28	5000	5133	33.1	○				
1.1	12000	1357	72.5	○			0.34	5000	4189	33.1	○				
1.2	12000	1225	72.5	○			0.41	5000	3481	33.1	○				
1.4	11052	1003	72.5	1.05			0.47	5000	3053	33.1	○				
1.7	9267	841	72.5	1.25	0.56	5000	2537	33.1	○						
2.0	8055	731	72.5	1.45	0.69	5000	2065	33.1	○						
2.2	7151	649	72.5	1.65	0.77	5000	1849	33.1	○						
2.4	6556	595	72.5	1.80	0.88	5000	1633	33.1	○						

***Schedule is subject to change as appropriate



CYCLO Series

na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole	na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole
2.2 kW							2.2 kW						
1.0	5000	1505	33.1	o	B52 X84	4P	0.34	1250	4189	11.6	o	B31 X53	4P
1.1	5000	1357	33.1	o									
1.2	5000	1225	33.1	o									
1.4	5000	1003	33.1	o									
1.7	5000	841	33.1	o									
2.0	5000	731	33.1	o									
2.2	5000	649	33.1	o									
2.4	5000	595	33.1	o									
2.9	5000	493	33.1	o									
3.7	4309	391	33.1	1.15									
4.5	3515	319	33.1	1.40									
4.9	3185	289	33.1	1.55									
5.7	2788	253	33.1	1.75									
7.6	2061	187	33.1	2.40									
8.7	1818	165	33.1	2.45									
10.0	1576	143	33.1	2.45									
11.8	1333	121	33.1	2.45									
14.4	1091	99	33.1	2.45									
0.19	2500	7569	15.7	o	B42 X64 X74	4P	4.9	1250	289	11.6	o	B3 X5	4P
0.23	2500	6177	15.7	o									
0.28	2500	5133	15.7	o									
0.34	2500	4189	15.7	o									
0.41	2500	3481	15.7	o									
0.47	2500	3053	15.7	o									
0.56	2500	2537	15.7	o									
0.69	2500	2065	15.7	o									
0.77	2500	1849	15.7	o									
0.88	2500	1633	15.7	o									
1.0	2500	1505	15.7	o									
1.1	2500	1357	15.7	o									
1.2	2500	1225	15.7	o									
1.4	2500	1003	15.7	o									
1.7	2500	841	15.7	o									
2.0	2500	731	15.7	o									
2.2	2500	649	15.7	o									
2.4	2500	595	15.7	o									
2.9	2500	493	15.7	o									
3.7	2500	391	15.7	o									
4.5	2500	319	15.7	o									
4.9	2500	289	15.7	o									
5.7	2500	253	15.7	o									
7.6	2061	187	15.7	1.20									
8.7	1818	165	15.7	1.35									
10.0	1576	143	15.7	1.55									
11.8	1333	121	15.7	1.85									
14.4	1091	99	15.7	2.25									
0.23	2500	6177	15.7	o	B41 X63	4P	30.4	621	47	6.8	0.90	B2 X4	4P
0.28	2500	5133	15.7	o									
0.34	2500	4189	15.7	o									
0.41	2500	3481	15.7	o									
0.47	2500	3053	15.7	o									
0.56	2500	2537	15.7	o									
0.69	2500	2065	15.7	o									
0.77	2500	1849	15.7	o									
0.88	2500	1633	15.7	o									
1.0	2500	1505	15.7	o									
1.1	2500	1357	15.7	o									
1.2	2500	1225	15.7	o									
1.4	2500	1003	15.7	o									
1.7	2500	841	15.7	o									
2.0	2500	731	15.7	o									
2.2	2500	649	15.7	o									
2.4	2500	595	15.7	o									
2.9	2500	493	15.7	o									
3.7	2500	391	15.7	o									
4.5	2500	319	15.7	o									
4.9	2500	289	15.7	o									
5.7	2500	253	15.7	o									
7.6	2061	187	15.7	1.20									
8.7	1818	165	15.7	1.35									
10.0	1576	143	15.7	1.35									
11.8	1333	121	15.7	1.35									
14.4	1091	99	15.7	1.35									
0.23	1250	6177	11.6	o	B31 X53	4P	0.77	27783	1849	158.4	1.05		
0.28	1250	5133	11.6	o									
0.88	1250	1633	11.6	o									
							3 kW						
0.19	29400	7569	158.4	o			0.19	29400	7569	158.4	o	B95* X128*	4P
0.23	29400	6177	158.4	o									
0.28	29400	5133	158.4	o									
0.34	29400	4189	158.4	o									
0.41	29400	3481	158.4	o									
0.47	29400	3053	158.4	o									
0.56	29400	2537	158.4	o									
0.69	29400	2065	158.4	o									
0.77	27783	1849	158.4	1.05									
0.88	24538	1633	158.4	1.15									

**Schedule is subject to change as appropriate



CYCLO Series

na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole	na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole
3 kW							3 kW						
1.0	22614	1505	158.4	1.30	B95* X128*	4P	8.4	2562	170.5	72.5	4.65	B74 X106	4P
1.1	20391	1357	158.4	1.40			8.7	2479	165	52.9	3.50	B64 X96	4P
1.2	18407	1225	158.4	1.55			10.0	2149	143	52.9	4.05		
1.4	15071	1003	158.4	1.95			11.8	1818	121	52.9	4.80		
1.7	12637	841	158.4	2.30			14.4	1488	99	52.9	4.95		
2.0	10984	731	158.4	2.65			0.19	8800	7569	52.9	o	B63 X95	4P
2.2	9752	649	158.4	3.00			0.23	8800	6177	52.9	o		
2.4	8941	595	158.4	3.25			0.28	8800	5133	52.9	o		
2.9	7408	493	158.4	3.95			0.34	8800	4189	52.9	o		
0.19	21500	7569	91.7	o			0.41	8800	3481	52.9	o		
0.23	21500	6177	91.7	o	0.47	8800	3053	52.9	o				
0.28	21500	5133	91.7	o	0.56	8800	2537	52.9	o				
0.34	21500	4189	91.7	o	0.69	8800	2065	52.9	o				
0.41	21500	3481	91.7	o	0.77	8800	1849	52.9	o				
0.47	21500	3053	91.7	o	0.88	8800	1633	52.9	o				
0.56	21500	2537	91.7	o	1.0	8800	1505	52.9	o				
0.69	21500	2065	91.7	o	1.1	8800	1357	52.9	o				
0.77	21500	1849	91.7	o	1.2	8800	1225	52.9	o				
0.88	21500	1633	91.7	o	1.4	8800	1003	52.9	o				
1.0	21500	1505	91.7	o	1.7	8800	841	52.9	o				
1.1	20391	1357	91.7	1.05	2.0	8800	731	52.9	o				
1.2	18407	1225	91.7	1.15	2.2	8800	649	52.9	o				
1.4	15071	1003	91.7	1.40	2.4	8800	595	52.9	o				
1.7	12637	841	91.7	1.70	2.9	7408	493	52.9	1.15				
2.0	10984	731	91.7	1.95	3.7	5875	391	52.9	1.45				
2.2	9752	649	91.7	2.20	4.5	4793	319	52.9	1.80				
2.4	8941	595	91.7	2.40	4.9	4343	289	52.9	2.00				
2.9	7408	493	91.7	2.90	5.7	3802	253	52.9	2.30				
3.7	5875	391	91.7	3.65	7.6	2810	187	52.9	3.10				
4.5	4793	319	91.7	4.45	8.7	2479	165	52.9	3.35				
0.19	21500	7569	91.7	o	10.0	2149	143	52.9	3.35				
0.23	21500	6177	91.7	o	11.8	1818	121	52.9	3.35				
0.28	21500	5133	91.7	o	14.4	1488	99	52.9	3.35				
0.34	21500	4189	91.7	o	0.19	5000	7569	33.1	o				
0.41	21500	3481	91.7	o	0.23	5000	6177	33.1	o				
0.47	21500	3053	91.7	o	0.28	5000	5133	33.1	o				
0.56	21500	2537	91.7	o	0.34	5000	4189	33.1	o				
0.69	21500	2065	91.7	o	0.41	5000	3481	33.1	o				
0.77	21500	1849	91.7	o	0.47	5000	3053	33.1	o				
0.88	21500	1633	91.7	o	0.56	5000	2537	33.1	o				
1.0	21500	1505	91.7	o	0.69	5000	2065	33.1	o				
1.1	20391	1357	91.7	1.05	0.77	5000	1849	33.1	o				
1.2	18407	1225	91.7	1.15	0.88	5000	1633	33.1	o				
1.4	15071	1003	91.7	1.40	1.0	5000	1505	33.1	o				
1.7	12637	841	91.7	1.70	1.1	5000	1357	33.1	o				
2.0	10984	731	91.7	1.95	1.2	5000	1225	33.1	o				
2.2	9752	649	91.7	2.20	1.4	5000	1003	33.1	o				
2.4	8941	595	91.7	2.40	1.7	5000	841	33.1	o				
2.9	7408	493	91.7	2.90	2.0	5000	731	33.1	o				
3.7	5875	391	91.7	3.65	2.2	5000	649	33.1	o				
4.5	4793	319	91.7	4.45	2.4	5000	595	33.1	o				
0.2	12000	7569	72.5	o	2.9	5000	493	33.1	o				
0.2	12000	6177	72.5	o	3.7	5000	391	33.1	o				
0.3	12000	5133	72.5	o	4.5	4793	319	33.1	1.00				
0.3	12000	4189	72.5	o	4.9	4343	289	33.1	1.15				
0.4	12000	3481	72.5	o	5.7	3802	253	33.1	1.30				
0.5	12000	3053	72.5	o	7.6	2810	187	33.1	1.75				
0.6	12000	2537	72.5	o	8.7	2479	165	33.1	2.00				
0.7	12000	2065	72.5	o	10.0	2149	143	33.1	2.30				
0.8	12000	1849	72.5	o	11.8	1818	121	33.1	2.75				
0.9	12000	1633	72.5	o	14.4	1488	99	33.1	3.35				
1.0	12000	1505	72.5	o	0.19	5000	7569	33.1	o				
1.1	12000	1357	72.5	o	0.23	5000	6177	33.1	o				
1.2	12000	1225	72.5	o	0.28	5000	5133	33.1	o				
1.4	12000	1003	72.5	o	0.34	5000	4189	33.1	o				
1.7	12000	841	72.5	o	0.41	5000	3481	33.1	o				
2.0	10984	731	72.5	1.05	0.47	5000	3053	33.1	o				
2.2	9752	649	72.5	1.20	0.56	5000	2537	33.1	o				
2.4	8941	595	72.5	1.30	0.69	5000	2065	33.1	o				
2.9	7408	493	72.5	1.60	0.77	5000	1849	33.1	o				
3.7	5875	391	72.5	2.00	0.88	5000	1633	33.1	o				
4.5	4793	319	72.5	2.50	1.0	5000	1505	33.1	o				
4.9	4343	289	72.5	2.75	1.1	5000	1357	33.1	o				
5.7	3802	253	72.5	3.15	1.2	5000	1225	33.1	o				
7.6	2810	187	72.5	4.25	1.4	5000	1003	33.1	o				

**Schedule is subject to change as appropriate



CYCLO Series

na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole	na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
3 kW							3 kW																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
1.7	5000	841	33.1	○	B52 X84	4P	84.1	307	17	4.8	1.80	B2 X4	4P																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
2.0	5000	731	33.1	○			2.2	5000	649	33.1	○			2.4	5000	595	33.1	○	2.9	5000	493	33.1	○	3.7	5000	391	33.1	○	4.5	4793	319	33.1	1.00	4.9	4343	289	33.1	1.15	5.7	3802	253	33.1	1.30	7.6	2810	187	33.1	1.75	8.7	2479	165	33.1	1.80	10.0	2149	143	33.1	1.80	11.8	1818	121	33.1	1.80	14.4	1488	99	33.1	1.80	4 kW							4 kW							0.19	2500	7569	15.7	○	B42 X64 X74	4P	0.19	29400	7569	158.4	○	B95* X128*	4P	0.23	2500	6177	15.7	○	0.28	2500	5133	15.7	○	0.34	2500	4189	15.7	○	0.41	2500	3481	15.7	○	0.47	2500	3053	15.7	○	0.56	2500	2537	15.7	○	0.69	2500	2065	15.7	○	0.77	2500	1849	15.7	○	0.88	2500	1633	15.7	○	1.0	2500	1505	15.7	○	1.1	2500	1357	15.7	○	1.2	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	2.0	2500	731	15.7	○	2.2	2500	649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569	91.7	○	B85* X118*	4P	20.1	1280	71	30.2	3.10	24.2	1064	59	28.1	3.35	30.4	847	47	27.0	4.95	33.3	775	43	26.4	4.95	33.3	775	43	26.4	4.95	16.4	1569	87	15.7	1.35	20.1	1280	71	15.7	1.35	24.2	1064	59	14.5	1.80	30.4	847	47	13.2	2.45	33.3	775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																							
2.2	5000	649	33.1	○			2.4	5000	595	33.1	○			2.9	5000	493	33.1	○	3.7	5000	391	33.1	○	4.5	4793	319	33.1	1.00	4.9	4343	289	33.1	1.15	5.7	3802	253	33.1	1.30	7.6	2810	187	33.1	1.75	8.7	2479	165	33.1	1.80	10.0	2149	143	33.1	1.80	11.8	1818	121	33.1	1.80	14.4	1488	99	33.1	1.80	4 kW							4 kW							0.19	2500	7569	15.7	○	B42 X64 X74	4P	0.19	29400	7569			158.4	○	B95* X128*	4P	0.23			2500	6177	15.7	○	0.28	2500	5133	15.7	○	0.34	2500	4189	15.7	○	0.41	2500	3481	15.7	○	0.47	2500	3053	15.7	○	0.56	2500	2537	15.7	○	0.69	2500	2065	15.7	○	0.77	2500	1849	15.7	○	0.88	2500	1633	15.7	○	1.0	2500	1505	15.7	○	1.1	2500	1357	15.7	○	1.2	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	2.0	2500	731	15.7	○	2.2	2500	649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*			4P	0.19	21500	7569	91.7			○	B85* X118*	4P	20.1	1280	71	30.2	3.10	24.2	1064	59	28.1	3.35	30.4	847	47	27.0	4.95	33.3	775	43	26.4	4.95	33.3	775	43	26.4	4.95	16.4	1569	87	15.7	1.35	20.1	1280	71	15.7	1.35	24.2	1064	59	14.5	1.80	30.4	847	47	13.2	2.45	33.3	775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																				
2.4	5000	595	33.1	○			2.9	5000	493	33.1	○			3.7	5000	391	33.1	○	4.5	4793	319	33.1	1.00	4.9	4343	289	33.1	1.15	5.7	3802	253	33.1	1.30	7.6	2810	187	33.1	1.75	8.7	2479	165	33.1	1.80	10.0	2149	143	33.1	1.80	11.8	1818	121	33.1	1.80	14.4	1488	99	33.1	1.80	4 kW							4 kW							0.19	2500	7569	15.7	○	B42 X64 X74	4P	0.19	29400	7569			158.4	○	B95* X128*			4P	0.23			2500			6177	15.7	○	0.28	2500	5133	15.7	○	0.34	2500	4189	15.7	○	0.41	2500	3481	15.7	○	0.47	2500	3053	15.7	○	0.56	2500	2537	15.7	○	0.69	2500	2065	15.7	○	0.77	2500	1849	15.7	○	0.88	2500	1633	15.7	○	1.0	2500	1505	15.7	○	1.1	2500	1357	15.7	○	1.2	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	2.0	2500	731	15.7	○	2.2	2500	649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*					4P	0.19	21500	7569			91.7			○	B85* X118*	4P	20.1	1280	71	30.2	3.10	24.2	1064	59	28.1	3.35	30.4	847	47	27.0	4.95	33.3	775	43	26.4	4.95	33.3	775	43	26.4	4.95	16.4	1569	87	15.7	1.35	20.1	1280	71	15.7	1.35	24.2	1064	59	14.5	1.80	30.4	847	47	13.2	2.45	33.3	775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																	
2.9	5000	493	33.1	○			3.7	5000	391	33.1	○			4.5	4793	319	33.1	1.00	4.9	4343	289	33.1	1.15	5.7	3802	253	33.1	1.30	7.6	2810	187	33.1	1.75	8.7	2479	165	33.1	1.80	10.0	2149	143	33.1	1.80	11.8	1818	121	33.1	1.80	14.4	1488	99	33.1	1.80	4 kW							4 kW							0.19	2500	7569	15.7	○	B42 X64 X74	4P	0.19	29400	7569			158.4	○	B95* X128*			4P	0.23					2500			6177			15.7	○	0.28	2500	5133	15.7	○	0.34	2500	4189	15.7	○	0.41	2500	3481	15.7	○	0.47	2500	3053	15.7	○	0.56	2500	2537	15.7	○	0.69	2500	2065	15.7	○	0.77	2500	1849	15.7	○	0.88	2500	1633	15.7	○	1.0	2500	1505	15.7	○	1.1	2500	1357	15.7	○	1.2	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	2.0	2500	731	15.7	○	2.2	2500	649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*							4P	0.19	21500			7569			91.7			○	B85* X118*	4P	20.1	1280	71	30.2	3.10	24.2	1064	59	28.1	3.35	30.4	847	47	27.0	4.95	33.3	775	43	26.4	4.95	33.3	775	43	26.4	4.95	16.4	1569	87	15.7	1.35	20.1	1280	71	15.7	1.35	24.2	1064	59	14.5	1.80	30.4	847	47	13.2	2.45	33.3	775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4														
3.7	5000	391	33.1	○			4.5	4793	319	33.1	1.00			4.9	4343	289	33.1	1.15	5.7	3802	253	33.1	1.30	7.6	2810	187	33.1	1.75	8.7	2479	165	33.1	1.80	10.0	2149	143	33.1	1.80	11.8	1818	121	33.1	1.80	14.4	1488	99	33.1	1.80	4 kW							4 kW							0.19	2500	7569	15.7	○	B42 X64 X74	4P	0.19	29400	7569			158.4	○	B95* X128*			4P	0.23					2500					6177			15.7			○	0.28	2500	5133	15.7	○	0.34	2500	4189	15.7	○	0.41	2500	3481	15.7	○	0.47	2500	3053	15.7	○	0.56	2500	2537	15.7	○	0.69	2500	2065	15.7	○	0.77	2500	1849	15.7	○	0.88	2500	1633	15.7	○	1.0	2500	1505	15.7	○	1.1	2500	1357	15.7	○	1.2	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	2.0	2500	731	15.7	○	2.2	2500	649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*									4P	0.19			21500			7569			91.7			○	B85* X118*	4P	20.1	1280	71	30.2	3.10	24.2	1064	59	28.1	3.35	30.4	847	47	27.0	4.95	33.3	775	43	26.4	4.95	33.3	775	43	26.4	4.95	16.4	1569	87	15.7	1.35	20.1	1280	71	15.7	1.35	24.2	1064	59	14.5	1.80	30.4	847	47	13.2	2.45	33.3	775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4											
4.5	4793	319	33.1	1.00			4.9	4343	289	33.1	1.15	5.7	3802	253	33.1	1.30	7.6	2810	187	33.1	1.75	8.7	2479	165	33.1	1.80	10.0	2149	143	33.1	1.80	11.8	1818	121	33.1	1.80	14.4	1488	99	33.1	1.80	4 kW							4 kW							0.19	2500	7569	15.7	○	B42 X64 X74	4P	0.19	29400	7569	158.4	○			B95* X128*	4P	0.23			2500	6177					15.7					○					0.28			2500			5133	15.7	○	0.34	2500	4189	15.7	○	0.41	2500	3481	15.7	○	0.47	2500	3053	15.7	○	0.56	2500	2537	15.7	○	0.69	2500	2065	15.7	○	0.77	2500	1849	15.7	○	0.88	2500	1633	15.7	○	1.0	2500	1505	15.7	○	1.1	2500	1357	15.7	○	1.2	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	2.0	2500	731	15.7	○	2.2	2500	649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19											21500			7569			91.7			○			B85* X118*			4P	20.1	1280	71	30.2	3.10	24.2	1064	59	28.1	3.35	30.4	847	47	27.0	4.95	33.3	775	43	26.4	4.95	33.3	775	43	26.4	4.95	16.4	1569	87	15.7	1.35	20.1	1280	71	15.7	1.35	24.2	1064	59	14.5	1.80	30.4	847	47	13.2	2.45	33.3	775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4										
4.9	4343	289	33.1	1.15			5.7	3802	253	33.1	1.30	7.6	2810	187	33.1	1.75	8.7	2479	165	33.1	1.80	10.0	2149	143	33.1	1.80	11.8	1818	121	33.1	1.80	14.4	1488	99	33.1	1.80	4 kW							4 kW							0.19	2500	7569	15.7	○	B42 X64 X74	4P	0.19	29400	7569			158.4	○	B95* X128*	4P	0.23					2500			6177	15.7					○					0.28					2500			5133			15.7	○	0.34	2500	4189	15.7	○	0.41	2500	3481	15.7	○	0.47	2500	3053	15.7	○	0.56	2500	2537	15.7	○	0.69	2500	2065	15.7	○	0.77	2500	1849	15.7	○	0.88	2500	1633	15.7	○	1.0	2500	1505	15.7	○	1.1	2500	1357	15.7	○	1.2	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	2.0	2500	731	15.7	○	2.2	2500	649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*			4P					0.19	21500					7569			91.7			○			B85* X118*							4P	20.1	1280	71	30.2	3.10	24.2	1064	59	28.1	3.35	30.4	847	47	27.0	4.95	33.3	775	43	26.4	4.95	33.3	775	43	26.4	4.95	16.4	1569	87	15.7	1.35	20.1	1280	71	15.7	1.35	24.2	1064	59	14.5	1.80	30.4	847	47	13.2	2.45	33.3	775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4									
5.7	3802	253	33.1	1.30			7.6	2810	187	33.1	1.75	8.7	2479	165	33.1	1.80	10.0	2149	143	33.1	1.80	11.8	1818	121	33.1	1.80	14.4	1488	99	33.1	1.80	4 kW							4 kW							0.19	2500	7569	15.7	○	B42 X64 X74	4P	0.19	29400	7569			158.4	○	B95* X128*			4P	0.23			2500					6177			15.7	○					0.28					2500					5133			15.7			○	0.34	2500	4189	15.7	○	0.41	2500	3481	15.7	○	0.47	2500	3053	15.7	○	0.56	2500	2537	15.7	○	0.69	2500	2065	15.7	○	0.77	2500	1849	15.7	○	0.88	2500	1633	15.7	○	1.0	2500	1505	15.7	○	1.1	2500	1357	15.7	○	1.2	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	2.0	2500	731	15.7	○	2.2	2500	649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*								4P	0.19	21500	7569				91.7			○			B85* X118*											4P	20.1	1280	71	30.2	3.10	24.2	1064	59	28.1	3.35	30.4	847	47	27.0	4.95	33.3	775	43	26.4	4.95	33.3	775	43	26.4	4.95	16.4	1569	87	15.7	1.35	20.1	1280	71	15.7	1.35	24.2	1064	59	14.5	1.80	30.4	847	47	13.2	2.45	33.3	775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4								
7.6	2810	187	33.1	1.75			8.7	2479	165	33.1	1.80	10.0	2149	143	33.1	1.80	11.8	1818	121	33.1	1.80	14.4	1488	99	33.1	1.80	4 kW							4 kW							0.19	2500	7569	15.7	○	B42 X64 X74	4P	0.19	29400	7569			158.4	○	B95* X128*			4P	0.23					2500			6177					15.7			○	0.28					2500					5133					15.7			○			0.34	2500	4189	15.7	○	0.41	2500	3481	15.7	○	0.47	2500	3053	15.7	○	0.56	2500	2537	15.7	○	0.69	2500	2065	15.7	○	0.77	2500	1849	15.7	○	0.88	2500	1633	15.7	○	1.0	2500	1505	15.7	○	1.1	2500	1357	15.7	○	1.2	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	2.0	2500	731	15.7	○	2.2	2500	649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*								4P		0.19	21500	7569	91.7			○			B85* X118*															4P	20.1	1280	71	30.2	3.10	24.2	1064	59	28.1	3.35	30.4	847	47	27.0	4.95	33.3	775	43	26.4	4.95	33.3	775	43	26.4	4.95	16.4	1569	87	15.7	1.35	20.1	1280	71	15.7	1.35	24.2	1064	59	14.5	1.80	30.4	847	47	13.2	2.45	33.3	775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4							
8.7	2479	165	33.1	1.80			10.0	2149	143	33.1	1.80	11.8	1818	121	33.1	1.80	14.4	1488	99	33.1	1.80	4 kW							4 kW							0.19	2500	7569	15.7	○	B42 X64 X74	4P	0.19	29400	7569			158.4	○	B95* X128*			4P	0.23					2500					6177			15.7					○			0.28	2500					5133					15.7					○			0.34			2500	4189	15.7	○	0.41	2500	3481	15.7	○	0.47	2500	3053	15.7	○	0.56	2500	2537	15.7	○	0.69	2500	2065	15.7	○	0.77	2500	1849	15.7	○	0.88	2500	1633	15.7	○	1.0	2500	1505	15.7	○	1.1	2500	1357	15.7	○	1.2	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	2.0	2500	731	15.7	○	2.2	2500	649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*								4P			0.19	21500	7569	91.7	○		B85* X118*																			4P	20.1	1280	71	30.2	3.10	24.2	1064	59	28.1	3.35	30.4	847	47	27.0	4.95	33.3	775	43	26.4	4.95	33.3	775	43	26.4	4.95	16.4	1569	87	15.7	1.35	20.1	1280	71	15.7	1.35	24.2	1064	59	14.5	1.80	30.4	847	47	13.2	2.45	33.3	775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4						
10.0	2149	143	33.1	1.80			11.8	1818	121	33.1	1.80	14.4	1488	99	33.1	1.80	4 kW							4 kW							0.19	2500	7569	15.7	○	B42 X64 X74	4P	0.19	29400	7569			158.4	○	B95* X128*			4P	0.23					2500					6177					15.7			○					0.28			2500	5133					15.7					○					0.34			2500			4189	15.7	○	0.41	2500	3481	15.7	○	0.47	2500	3053	15.7	○	0.56	2500	2537	15.7	○	0.69	2500	2065	15.7	○	0.77	2500	1849	15.7	○	0.88	2500	1633	15.7	○	1.0	2500	1505	15.7	○	1.1	2500	1357	15.7	○	1.2	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	2.0	2500	731	15.7	○	2.2	2500	649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*								4P				0.19	21500	7569	91.7	○	B85* X118*																					4P	20.1	1280	71	30.2	3.10	24.2	1064	59	28.1	3.35	30.4	847	47	27.0	4.95	33.3	775	43	26.4	4.95	33.3	775	43	26.4	4.95	16.4	1569	87	15.7	1.35	20.1	1280	71	15.7	1.35	24.2	1064	59	14.5	1.80	30.4	847	47	13.2	2.45	33.3	775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4					
11.8	1818	121	33.1	1.80			14.4	1488	99	33.1	1.80	4 kW							4 kW							0.19	2500	7569	15.7	○	B42 X64 X74	4P	0.19	29400	7569			158.4	○	B95* X128*			4P	0.23					2500					6177					15.7					○			0.28					2500			5133	15.7					○					0.34					2500			4189			15.7	○	0.41	2500	3481	15.7	○	0.47	2500	3053	15.7	○	0.56	2500	2537	15.7	○	0.69	2500	2065	15.7	○	0.77	2500	1849	15.7	○	0.88	2500	1633	15.7	○	1.0	2500	1505	15.7	○	1.1	2500	1357	15.7	○	1.2	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	2.0	2500	731	15.7	○	2.2	2500	649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*						4P	0.19						21500	7569	91.7	○	B85* X118*																							4P	20.1	1280	71	30.2	3.10	24.2	1064	59	28.1	3.35	30.4	847	47	27.0	4.95	33.3	775	43	26.4	4.95	33.3	775	43	26.4	4.95	16.4	1569	87	15.7	1.35	20.1	1280	71	15.7	1.35	24.2	1064	59	14.5	1.80	30.4	847	47	13.2	2.45	33.3	775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4				
14.4	1488	99	33.1	1.80			4 kW							4 kW							0.19	2500	7569	15.7	○	B42 X64 X74	4P	0.19	29400	7569			158.4	○	B95* X128*			4P	0.23					2500					6177					15.7					○					0.28			2500					5133			15.7	○					0.34					2500					4189			15.7			○	0.41	2500	3481	15.7	○	0.47	2500	3053	15.7	○	0.56	2500	2537	15.7	○	0.69	2500	2065	15.7	○	0.77	2500	1849	15.7	○	0.88	2500	1633	15.7	○	1.0	2500	1505	15.7	○	1.1	2500	1357	15.7	○	1.2	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	2.0	2500	731	15.7	○	2.2	2500	649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*						4P		0.19	21500					7569	91.7	○	B85* X118*																									4P	20.1	1280	71	30.2	3.10	24.2	1064	59	28.1	3.35	30.4	847	47	27.0	4.95	33.3	775	43	26.4	4.95	33.3	775	43	26.4	4.95	16.4	1569	87	15.7	1.35	20.1	1280	71	15.7	1.35	24.2	1064	59	14.5	1.80	30.4	847	47	13.2	2.45	33.3	775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4			
4 kW							4 kW																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
0.19	2500	7569	15.7	○	B42 X64 X74	4P	0.19	29400	7569	158.4	○	B95* X128*	4P																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
0.23	2500	6177	15.7	○			0.28	2500	5133	15.7	○			0.34	2500	4189	15.7	○	0.41	2500	3481	15.7	○	0.47	2500			3053	15.7	○			0.56	2500					2537					15.7					○					0.69					2500					2065			15.7					○			0.77	2500					1849		15.7	○		0.88		2500	1633		15.7	○	1.0	2500	1505	15.7	○	1.1	2500	1357	15.7	○	1.2	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	2.0	2500	731	15.7	○	2.2	2500	649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569	91.7	○	B85* X118*	4P	20.1	1280	71	30.2	3.10	24.2	1064	59	28.1	3.35	30.4	847	47	27.0	4.95	33.3	775	43	26.4	4.95	33.3	775	43	26.4	4.95	16.4				1569	87	15.7			1.35	20.1		1280	71	15.7	1.35	24.2	1064					59	14.5		1.80	30.4																		847	47	13.2	2.45	33.3	775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																												
0.28	2500	5133	15.7	○			0.34	2500	4189	15.7	○			0.41	2500	3481	15.7	○	0.47	2500	3053	15.7	○	0.56	2500			2537	15.7	○			0.69	2500					2065					15.7					○					0.77					2500					1849			15.7					○			0.88	2500		1633	15.7		○		1.0	2500		1505	15.7	○	1.1	2500	1357	15.7	○	1.2	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	2.0	2500	731	15.7	○	2.2	2500	649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569	91.7	○	B85* X118*	4P			20.1	1280	71	30.2	3.10			24.2	1064	59	28.1	3.35	30.4	847	47	27.0	4.95	33.3	775	43	26.4	4.95	33.3	775	43	26.4	4.95	16.4	1569	87	15.7	1.35	20.1			1280	71	15.7	1.35			24.2	1064	59	14.5	1.80	30.4	847	47	13.2					2.45	33.3		775	43		13.0	2.45															40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																					
0.34	2500	4189	15.7	○			0.41	2500	3481	15.7	○			0.47	2500	3053	15.7	○	0.56	2500	2537	15.7	○	0.69	2500			2065	15.7	○			0.77	2500					1849					15.7					○					0.88					2500					1633			15.7					○	1.0	2500	1505	15.7		○	1.1		2500	1357	15.7	○	1.2	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	2.0	2500	731	15.7	○	2.2	2500	649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569	91.7	○	B85* X118*	4P			20.1	1280	71	30.2	3.10					24.2	1064	59	28.1	3.35			30.4	847	47	27.0	4.95	33.3	775	43	26.4	4.95	33.3	775	43	26.4	4.95	16.4	1569	87	15.7	1.35	20.1	1280	71	15.7	1.35	24.2		1064	59	14.5	1.80	30.4		847	47	13.2	2.45	33.3	775	43	13.0	2.45	40.9					631	35		11.5	3.35		49.3	523		29	11.5												3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																														
0.41	2500	3481	15.7	○			0.47	2500	3053	15.7	○			0.56	2500	2537	15.7	○	0.69	2500	2065	15.7	○	0.77	2500			1849	15.7	○			0.88	2500					1633					15.7					○					1.0					2500					1505			15.7	○	1.1			2500	1357	15.7	○	1.2	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	2.0	2500	731	15.7	○	2.2	2500	649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569	91.7	○	B85* X118*	4P			20.1	1280	71	30.2	3.10					24.2	1064	59	28.1	3.35					30.4	847	47	27.0	4.95			33.3	775	43	26.4	4.95	33.3	775	43	26.4	4.95	16.4	1569	87	15.7	1.35	20.1	1280	71	15.7	1.35	24.2	1064	59	14.5	1.80	30.4	847	47	13.2	2.45	33.3	775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29					11.5	3.35		62.2	415		23	9.8		4.95	75.3		343	19									9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																							
0.47	2500	3053	15.7	○			0.56	2500	2537	15.7	○			0.69	2500	2065	15.7	○	0.77	2500	1849	15.7	○	0.88	2500			1633	15.7	○			1.0	2500					1505					15.7					○					1.1					2500		1357	15.7		○			1.2	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	2.0	2500	731	15.7	○	2.2	2500	649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569	91.7	○	B85* X118*	4P			20.1	1280	71	30.2	3.10					24.2	1064	59	28.1	3.35					30.4	847	47	27.0	4.95					33.3	775	43	26.4	4.95			33.3	775	43	26.4	4.95	16.4	1569	87	15.7	1.35	20.1	1280	71	15.7	1.35	24.2	1064	59	14.5	1.80	30.4	847	47	13.2	2.45	33.3	775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23					9.8	4.95		75.3	343		19	9.4		4.95	84.1	307	17	9.1	4.95								95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																														
0.56	2500	2537	15.7	○			0.69	2500	2065	15.7	○			0.77	2500	1849	15.7	○	0.88	2500	1633	15.7	○	1.0	2500			1505	15.7	○			1.1	2500					1357					15.7					○					1.2		2500	1225		15.7		○	1.4		2500	1003	15.7	○	1.7	2500	841	15.7	○	2.0	2500	731	15.7	○	2.2	2500	649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569	91.7	○	B85* X118*	4P			20.1	1280	71	30.2	3.10					24.2	1064	59	28.1	3.35					30.4	847	47	27.0	4.95					33.3	775	43	26.4	4.95					33.3	775	43	26.4	4.95			16.4	1569	87	15.7	1.35	20.1	1280	71	15.7	1.35	24.2	1064	59	14.5	1.80	30.4	847	47	13.2	2.45	33.3	775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19					9.4	4.95		84.1	307		17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234							13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																					
0.69	2500	2065	15.7	○			0.77	2500	1849	15.7	○			0.88	2500	1633	15.7	○	1.0	2500	1505	15.7	○	1.1	2500			1357	15.7	○			1.2	2500					1225					15.7					○		1.4	2500		1003		15.7	○		1.7	2500	841	15.7	○	2.0	2500	731	15.7	○	2.2	2500	649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569	91.7	○	B85* X118*	4P			20.1	1280	71	30.2	3.10					24.2	1064	59	28.1	3.35					30.4	847	47	27.0	4.95					33.3	775	43	26.4	4.95					33.3	775	43	26.4	4.95			16.4	1569	87	15.7	1.35	20.1	1280			71	15.7	1.35	24.2	1064	59	14.5	1.80	30.4	847	47	13.2	2.45	33.3	775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95					95.3	270		15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9						162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																														
0.77	2500	1849	15.7	○			0.88	2500	1633	15.7	○			1.0	2500	1505	15.7	○	1.1	2500	1357	15.7	○	1.2	2500			1225	15.7	○			1.4	2500					1003					15.7		○	1.7		2500		841	15.7		○	2.0	2500	731	15.7	○	2.2	2500	649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569	91.7	○	B85* X118*	4P			20.1	1280	71	30.2	3.10					24.2	1064	59	28.1	3.35					30.4	847	47	27.0	4.95					33.3	775	43	26.4	4.95					33.3	775	43	26.4	4.95			16.4	1569	87	15.7	1.35	20.1	1280			71	15.7	1.35	24.2	1064	59	14.5			1.80	30.4	847	47	13.2	2.45	33.3	775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234					13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90					30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																							
0.88	2500	1633	15.7	○			1.0	2500	1505	15.7	○			1.1	2500	1357	15.7	○	1.2	2500	1225	15.7	○	1.4	2500			1003	15.7	○			1.7	2500					841		15.7	○		2.0		2500	731		15.7	○	2.2	2500	649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569	91.7	○	B85* X118*	4P			20.1	1280	71	30.2	3.10					24.2	1064	59	28.1	3.35					30.4	847	47	27.0	4.95					33.3	775	43	26.4	4.95					33.3	775	43	26.4	4.95			16.4	1569	87	15.7	1.35	20.1	1280			71	15.7	1.35	24.2	1064	59	14.5			1.80	30.4	847	47	13.2	2.45	33.3			775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0				4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6				1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																
1.0	2500	1505	15.7	○			1.1	2500	1357	15.7	○			1.2	2500	1225	15.7	○	1.4	2500	1003	15.7	○	1.7	2500			841	15.7	○			2.0	2500		731	15.7		○		2.2	2500		649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569	91.7	○	B85* X118*	4P			20.1	1280	71	30.2	3.10					24.2	1064	59	28.1	3.35					30.4	847	47	27.0	4.95					33.3	775	43	26.4	4.95					33.3	775	43	26.4	4.95			16.4	1569	87	15.7	1.35	20.1	1280			71	15.7	1.35	24.2	1064	59	14.5			1.80	30.4	847	47	13.2	2.45	33.3			775	43	13.0	2.45	40.9	631	35			11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2			1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29			8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																									
1.1	2500	1357	15.7	○			1.2	2500	1225	15.7	○			1.4	2500	1003	15.7	○	1.7	2500	841	15.7	○	2.0	2500			731	15.7	○	2.2	2500	649	15.7		○	2.4		2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569	91.7	○	B85* X118*	4P			20.1	1280	71	30.2	3.10					24.2	1064	59	28.1	3.35					30.4	847	47	27.0	4.95					33.3	775	43	26.4	4.95					33.3	775	43	26.4	4.95			16.4	1569	87	15.7	1.35	20.1	1280			71	15.7	1.35	24.2	1064	59	14.5			1.80	30.4	847	47	13.2	2.45	33.3			775	43	13.0	2.45	40.9	631	35			11.5	3.35	49.3	523	29	11.5	3.35			62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47		9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343		19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																		
1.2	2500	1225	15.7	○			1.4	2500	1003	15.7	○			1.7	2500	841	15.7	○	2.0	2500	731	15.7	○	2.2	2500	649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569	91.7	○	B85* X118*	4P			20.1	1280	71	30.2	3.10					24.2	1064	59	28.1	3.35					30.4	847	47	27.0	4.95					33.3	775	43	26.4	4.95					33.3	775	43	26.4	4.95			16.4	1569	87	15.7	1.35	20.1	1280			71	15.7	1.35	24.2	1064	59	14.5			1.80	30.4	847	47	13.2	2.45	33.3			775	43	13.0	2.45	40.9	631	35			11.5	3.35	49.3	523	29	11.5	3.35			62.2	415	23	9.8	4.95	75.3	343			19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																											
1.4	2500	1003	15.7	○			1.7	2500	841	15.7	○			2.0	2500	731	15.7	○	2.2	2500	649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569			91.7	○	B85* X118*	4P	20.1					1280	71	30.2	3.10	24.2					1064	59	28.1	3.35	30.4					847	47	27.0	4.95	33.3					775	43	26.4	4.95	33.3			775	43	26.4	4.95	16.4	1569	87			15.7	1.35	20.1	1280	71	15.7	1.35			24.2	1064	59	14.5	1.80	30.4	847			47	13.2	2.45	33.3	775	43	13.0			2.45	40.9	631	35	11.5	3.35	49.3			523	29	11.5	3.35	62.2	415	23			9.8	4.95	75.3	343	19	9.4	4.95			84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																														
1.7	2500	841	15.7	○	2.0	2500	731	15.7	○	2.2	2500	649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569	91.7	○	B85* X118*	4P			20.1	1280	71			30.2	3.10			24.2					1064	59	28.1	3.35	30.4					847	47	27.0	4.95	33.3					775	43	26.4	4.95	33.3			775	43	26.4	4.95	16.4	1569	87			15.7	1.35	20.1	1280	71	15.7	1.35			24.2	1064	59	14.5	1.80	30.4	847			47	13.2	2.45	33.3	775	43	13.0			2.45	40.9	631	35	11.5	3.35	49.3			523	29	11.5	3.35	62.2	415	23			9.8	4.95	75.3	343	19	9.4	4.95			84.1	307	17	9.1	4.95	95.3	270			15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																					
2.0	2500	731	15.7	○	2.2	2500	649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569			91.7	○	B85* X118*	4P	20.1					1280	71	30.2			3.10	24.2			1064					59	28.1	3.35	30.4	847					47	27.0	4.95	33.3	775			43	26.4	4.95	33.3	775	43	26.4			4.95	16.4	1569	87	15.7	1.35	20.1			1280	71	15.7	1.35	24.2	1064	59			14.5	1.80	30.4	847	47	13.2	2.45			33.3	775	43	13.0	2.45	40.9	631			35	11.5	3.35	49.3	523	29	11.5			3.35	62.2	415	23	9.8	4.95	75.3			343	19	9.4	4.95	84.1	307	17			9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																										
2.2	2500	649	15.7	○	2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569			91.7	○	B85* X118*			4P	20.1			1280					71	30.2	3.10			24.2	1064			59					28.1	3.35	30.4	847	47			27.0	4.95	33.3	775	43	26.4	4.95			33.3	775	43	26.4	4.95	16.4	1569			87	15.7	1.35	20.1	1280	71	15.7			1.35	24.2	1064	59	14.5	1.80	30.4			847	47	13.2	2.45	33.3	775	43			13.0	2.45	40.9	631	35	11.5	3.35			49.3	523	29	11.5	3.35	62.2	415			23	9.8	4.95	75.3	343	19	9.4			4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																															
2.4	2500	595	15.7	○	2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569			91.7	○	B85* X118*			4P	20.1					1280			71					30.2	3.10	24.2			1064	59			28.1			3.35	30.4	847	47	27.0	4.95	33.3			775	43	26.4	4.95	33.3	775	43			26.4	4.95	16.4	1569	87	15.7	1.35			20.1	1280	71	15.7	1.35	24.2	1064			59	14.5	1.80	30.4	847	47	13.2			2.45	33.3	775	43	13.0	2.45	40.9			631	35	11.5	3.35	49.3	523	29			11.5	3.35	62.2	415	23	9.8	4.95			75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																				
2.9	2500	493	15.7	○	3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569			91.7	○	B85* X118*			4P	20.1					1280					71			30.2					3.10	24.2	1064	59	28.1	3.35	30.4			847			47	27.0	4.95	33.3	775	43	26.4			4.95	33.3	775	43	26.4	4.95	16.4			1569	87	15.7	1.35	20.1	1280	71			15.7	1.35	24.2	1064	59	14.5	1.80			30.4	847	47	13.2	2.45	33.3	775			43	13.0	2.45	40.9	631	35	11.5			3.35	49.3	523	29	11.5	3.35	62.2			415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																									
3.7	2500	391	15.7	○	4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569			91.7	○	B85* X118*			4P	20.1					1280					71					30.2			3.10			24.2	1064	59	28.1	3.35	30.4	847	47	27.0			4.95			33.3	775	43	26.4	4.95	33.3	775			43	26.4	4.95	16.4	1569	87	15.7			1.35	20.1	1280	71	15.7	1.35	24.2			1064	59	14.5	1.80	30.4	847	47			13.2	2.45	33.3	775	43	13.0	2.45			40.9	631	35	11.5	3.35	49.3	523			29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																														
4.5	2500	319	15.7	○	4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569			91.7	○	B85* X118*			4P	20.1					1280					71					30.2		3.10	24.2		1064			59			28.1	3.35	30.4	847	47	27.0	4.95	33.3	775			43			26.4	4.95	33.3	775	43	26.4	4.95			16.4	1569	87	15.7	1.35	20.1	1280			71	15.7	1.35	24.2	1064	59	14.5			1.80	30.4	847	47	13.2	2.45	33.3			775	43	13.0	2.45	40.9	631	35			11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																			
4.9	2500	289	15.7	○	5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569			91.7	○	B85* X118*			4P	20.1					1280					71					30.2		3.10	24.2		1064		59	28.1		3.35			30.4			847	47	27.0	4.95	33.3	775	43	26.4	4.95			33.3			775	43	26.4	4.95	16.4	1569	87			15.7	1.35	20.1	1280	71	15.7	1.35			24.2	1064	59	14.5	1.80	30.4	847			47	13.2	2.45	33.3	775	43	13.0			2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																								
5.7	2500	253	15.7	○	7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569			91.7	○	B85* X118*			4P	20.1					1280					71					30.2		3.10	24.2		1064		59	28.1		3.35		30.4	847		47			27.0			4.95	33.3	775	43	26.4	4.95	33.3	775	43			26.4			4.95	16.4	1569	87	15.7	1.35	20.1			1280	71	15.7	1.35	24.2	1064	59			14.5	1.80	30.4	847	47	13.2	2.45			33.3	775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																													
7.6	2500	187	15.7	○	8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569			91.7	○	B85* X118*			4P	20.1					1280					71					30.2		3.10	24.2		1064		59	28.1		3.35		30.4	847		47		27.0	4.95		33.3			775			43	26.4	4.95	33.3	775	43	26.4	4.95	16.4			1569			87	15.7	1.35	20.1	1280	71	15.7			1.35	24.2	1064	59	14.5	1.80	30.4			847	47	13.2	2.45	33.3	775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																		
8.7	2479	165	15.7	1.00	10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569			91.7	○	B85* X118*			4P	20.1					1280					71					30.2		3.10	24.2		1064		59	28.1		3.35		30.4	847		47		27.0	4.95		33.3		775	43		26.4			4.95			33.3	775	43	26.4	4.95	16.4	1569	87	15.7			1.35			20.1	1280	71	15.7	1.35	24.2	1064			59	14.5	1.80	30.4	847	47	13.2	2.45	33.3	775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																							
10.0	2149	143	15.7	1.15	11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569			91.7	○	B85* X118*			4P	20.1					1280					71					30.2		3.10	24.2		1064		59	28.1		3.35		30.4	847		47		27.0	4.95		33.3		775	43		26.4		4.95	33.3		775			43			26.4	4.95	16.4	1569	87	15.7	1.35	20.1	1280			71			15.7	1.35	24.2	1064	59	14.5	1.80	30.4	847	47	13.2	2.45	33.3	775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																												
11.8	1818	121	15.7	1.35	14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569			91.7	○	B85* X118*			4P	20.1					1280					71					30.2		3.10	24.2		1064		59	28.1		3.35		30.4	847		47		27.0	4.95		33.3		775	43		26.4		4.95	33.3		775		43	26.4		4.95			16.4			1569	87	15.7	1.35	20.1	1280	71	15.7	1.35			24.2	1064	59	14.5	1.80	30.4	847	47	13.2	2.45	33.3	775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																	
14.4	1488	99	15.7	1.65	16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569			91.7	○	B85* X118*			4P	20.1					1280					71					30.2		3.10	24.2		1064		59	28.1		3.35		30.4	847		47		27.0	4.95		33.3		775	43		26.4		4.95	33.3		775		43	26.4		4.95		16.4	1569		87			15.7			1.35	20.1	1280	71	15.7	1.35	24.2	1064	59	14.5	1.80	30.4	847	47	13.2	2.45	33.3	775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																						
16.4	1569	87	33.1	2.45	B5* X8*	4P	0.19	21500	7569			91.7	○	B85* X118*			4P																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
20.1	1280	71	30.2	3.10			24.2	1064	59			28.1	3.35					30.4					847					47		27.0	4.95		33.3		775	43		26.4		4.95	33.3		775		43	26.4		4.95		16.4	1569		87		15.7	1.35		20.1		1280	71		15.7		1.35	24.2		1064		59	14.5		1.80		30.4	847		47	13.2	2.45	33.3	775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																									
24.2	1064	59	28.1	3.35			30.4	847	47			27.0	4.95					33.3					775		43	26.4		4.95		33.3	775		43		26.4	4.95		16.4		1569	87		15.7		1.35	20.1		1280		71	15.7		1.35		24.2	1064		59		14.5	1.80		30.4		847	47		13.2		2.45	33.3		775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																		
30.4	847	47	27.0	4.95			33.3	775	43			26.4	4.95					33.3		775	43		26.4		4.95	16.4		1569		87	15.7		1.35		20.1	1280		71		15.7	1.35		24.2		1064	59		14.5		1.80	30.4		847		47	13.2		2.45		33.3	775		43		13.0	2.45		40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																											
33.3	775	43	26.4	4.95			33.3	775	43			26.4	4.95		16.4	1569		87		15.7	1.35		20.1		1280	71		15.7		1.35	24.2		1064		59	14.5		1.80		30.4	847		47		13.2	2.45		33.3		775	43		13.0		2.45	40.9		631		35	11.5		3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																				
33.3	775	43	26.4	4.95			16.4	1569	87	15.7	1.35	20.1	1280		71	15.7		1.35		24.2	1064		59		14.5	1.80		30.4		847	47		13.2		2.45	33.3		775		43	13.0		2.45		40.9	631		35		11.5	3.35		49.3		523	29		11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																													
16.4	1569	87	15.7	1.35	20.1	1280	71	15.7	1.35	24.2	1064	59	14.5		1.80	30.4		847		47	13.2		2.45		33.3	775		43		13.0	2.45		40.9		631	35		11.5		3.35	49.3		523		29	11.5		3.35		62.2	415		23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																						
20.1	1280	71	15.7	1.35	24.2	1064	59	14.5	1.80	30.4	847	47	13.2		2.45	33.3		775		43	13.0		2.45		40.9	631		35		11.5	3.35		49.3		523	29		11.5		3.35	62.2		415		23	9.8		4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																													
24.2	1064	59	14.5	1.80	30.4	847	47	13.2	2.45	33.3	775	43	13.0		2.45	40.9		631		35	11.5		3.35		49.3	523		29		11.5	3.35		62.2		415	23		9.8		4.95	75.3		343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																																				
30.4	847	47	13.2	2.45	33.3	775	43	13.0	2.45	40.9	631	35	11.5		3.35	49.3		523		29	11.5		3.35		62.2	415		23		9.8	4.95		75.3		343	19		9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																																											
33.3	775	43	13.0	2.45	40.9	631	35	11.5	3.35	49.3	523	29	11.5		3.35	62.2		415		23	9.8		4.95		75.3	343		19		9.4	4.95		84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																																																		
40.9	631	35	11.5	3.35	49.3	523	29	11.5	3.35	62.2	415	23	9.8		4.95	75.3		343		19	9.4		4.95		84.1	307		17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																																																									
49.3	523	29	11.5	3.35	62.2	415	23	9.8	4.95	75.3	343	19	9.4		4.95	84.1		307		17	9.1		4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																																																																
62.2	415	23	9.8	4.95	75.3	343	19	9.4	4.95	84.1	307	17	9.1		4.95	95.3		270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																																																																							
75.3	343	19	9.4	4.95	84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																																																																														
84.1	307	17	9.1	4.95	95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																																																																																			
95.3	270	15	8.8	4.95	110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																																																																																								
110.0	234	13	8.4	4.95	130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																																																																																													
130.0	198	11	8.0	4.95	158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																																																																																																		
158.9	162	9	6.6	4.95	24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																																																																																																							
24.2	1064	59	10.8	0.90	30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																																																																																																												
30.4	847	47	9.8	1.35	33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																																																																																																																	
33.3	775	43	9.6	1.35	40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																																																																																																																						
40.9	631	35	8.5	1.80	49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																																																																																																																											
49.3	523	29	8.5	2.00	62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																																																																																																																																
62.2	415	23	7.3	2.45	75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																																																																																																																																					
75.3	343	19	7.2	3.25	84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																																																																																																																																										
84.1	307	17	6.7	3.25	95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																																																																																																																																															
95.3	270	15	6.5	3.25	110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																																																																																																																																																				
110.0	234	13	6.2	3.35	130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																																																																																																																																																									
130.0	198	11	5.9	3.35	158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																																																																																																																																																														
158.9	162	9	5.5	3.35	49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																																																																																																																																																																			
49.3	523	29	6.0	0.95	62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																																																																																																																																																																								
62.2	415	23	5.0	1.35	B4 X6 X7							B4 X6 X7							B3 X5							B3 X5							B2 X4							B2 X4																																																																																																																																																																																																																																																																																																																																																																																																																																													
B4 X6 X7							B4 X6 X7																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
B3 X5							B3 X5																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
B2 X4							B2 X4																																																																																																																																																																																																																																																																																																																																																																																																																																																																														

**Schedule is subject to change as appropriate



CYCLO Series

na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole	na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole
4 kW							4 kW						
5.0	5750	289	91.7	3.70	B84 X117	4P	1.1	5000	1357	33.1	○	B53 X85	4P
5.7	5034	253	91.7	3.70			1.2	5000	1225	33.1	○		
7.7	3721	187	91.7	3.70			1.4	5000	1003	33.1	○		
11.4	2517	126.5	91.7	3.70			1.7	5000	841	33.1	○		
13.9	2059	103.5	91.7	3.70			2.0	5000	731	33.1	○		
0.19	12000	7569	72.5	○			2.2	5000	649	33.1	○		
0.23	12000	6177	72.5	○	2.4	5000	595	33.1	○				
0.28	12000	5133	72.5	○	2.9	5000	493	33.1	○				
0.34	12000	4189	72.5	○	3.7	5000	391	33.1	○				
0.41	12000	3481	72.5	○	4.5	5000	319	33.1	○				
0.47	12000	3053	72.5	○	5.0	5000	289	33.1	○				
0.57	12000	2537	72.5	○	5.7	5000	253	33.1	○				
0.70	12000	2065	72.5	○	7.7	3721	187	33.1	1.30				
0.78	12000	1849	72.5	○	8.7	3283	165	33.1	1.50				
0.88	12000	1633	72.5	○	10.1	2845	143	33.1	1.75				
1.0	12000	1505	72.5	○	11.9	2407	121	33.1	2.05				
1.1	12000	1357	72.5	○	14.5	1970	99	33.1	2.50				
1.2	12000	1225	72.5	○	0.19	5000	7569	33.1	○				
1.4	12000	1003	72.5	○	0.23	5000	6177	33.1	○				
1.7	12000	841	72.5	○	0.28	5000	5133	33.1	○				
2.0	12000	731	72.5	○	0.34	5000	4189	33.1	○				
2.2	12000	649	72.5	○	0.41	5000	3481	33.1	○				
2.4	11838	595	72.5	1.00	0.47	5000	3053	33.1	○				
2.9	9809	493	72.5	1.20	0.57	5000	2537	33.1	○				
3.7	7779	391	72.5	1.50	0.70	5000	2065	33.1	○				
4.5	6347	319	72.5	1.85	0.78	5000	1849	33.1	○				
5.0	5750	289	72.5	2.05	0.88	5000	1633	33.1	○				
5.7	5034	253	72.5	2.35	1.0	5000	1505	33.1	○				
7.7	3721	187	72.5	3.20	1.1	5000	1357	33.1	○				
8.4	3392	170.5	72.5	3.50	1.2	5000	1225	33.1	○				
11.4	2517	126.5	72.5	3.70	1.4	5000	1003	33.1	○				
13.9	2059	103.5	72.5	3.70	1.7	5000	841	33.1	○				
8.7	3283	165	52.9	2.65	2.0	5000	731	33.1	○				
10.1	2845	143	52.9	3.05	2.2	5000	649	33.1	○				
11.9	2407	121	52.9	3.65	2.4	5000	595	33.1	○				
14.5	1970	99	52.9	3.70	2.9	5000	493	33.1	○				
0.2	8800	7569	52.9	○	3.7	5000	391	33.1	○				
0.2	8800	6177	52.9	○	4.5	5000	319	33.1	○				
0.3	8800	5133	52.9	○	5.0	5000	289	33.1	○				
0.3	8800	4189	52.9	○	5.7	5000	253	33.1	○				
0.4	8800	3481	52.9	○	7.7	3721	187	33.1	1.30				
0.5	8800	3053	52.9	○	8.7	3283	165	33.1	1.35				
0.6	8800	2537	52.9	○	10.1	2845	143	33.1	1.35				
0.7	8800	2065	52.9	○	11.9	2407	121	33.1	1.35				
0.8	8800	1849	52.9	○	14.5	1970	99	33.1	1.35				
0.9	8800	1633	52.9	○	16.6	2077	87	33.1	1.85				
1.0	8800	1505	52.9	○	20.3	1695	71	30.2	2.30				
1.1	8800	1357	52.9	○	24.4	1409	59	28.1	2.50				
1.2	8800	1225	52.9	○	30.6	1122	47	27.0	3.70				
1.4	8800	1003	52.9	○	33.5	1027	43	26.4	3.70				
1.7	8800	841	52.9	○	41.1	836	35	26.4	4.65				
2.0	8800	731	52.9	○	49.7	692	29	25.2	5.00				
2.2	8800	649	52.9	○	16.6	2077	87	15.7	1.00				
2.4	8800	595	52.9	○	20.3	1695	71	15.7	1.00				
2.9	8800	493	52.9	○	24.4	1409	59	14.5	1.35				
3.7	7779	391	52.9	1.10	30.6	1122	47	13.2	1.85				
4.5	6347	319	52.9	1.35	33.5	1027	43	13.0	1.85				
5.0	5750	289	52.9	1.50	41.1	836	35	11.5	2.50				
5.7	5034	253	52.9	1.70	49.7	692	29	11.5	2.50				
7.7	3721	187	52.9	2.35	62.6	549	23	9.8	3.70				
8.7	3283	165	52.9	2.50	75.8	454	19	9.4	3.70				
10.1	2845	143	52.9	2.50	84.7	406	17	9.1	3.70				
11.9	2407	121	52.9	2.50	96.0	358	15	8.8	3.70				
14.5	1970	99	52.9	2.50	110.8	310	13	8.4	3.70				
0.19	5000	7569	33.1	○	130.9	263	11	8.0	3.70				
0.23	5000	6177	33.1	○	160.0	215	9	6.6	3.70				
0.28	5000	5133	33.1	○	30.6	1122	47	9.8	1.00				
0.34	5000	4189	33.1	○	33.5	1027	43	9.6	1.00				
0.41	5000	3481	33.1	○	41.1	836	35	8.5	1.35				
0.47	5000	3053	33.1	○	49.7	692	29	8.5	1.65				
0.57	5000	2537	33.1	○	62.6	549	23	7.3	1.85				
0.70	5000	2065	33.1	○	75.8	454	19	7.2	2.40				
0.78	5000	1849	33.1	○	84.7	406	17	6.7	2.40				
0.88	5000	1633	33.1	○	96.0	358	15	6.5	2.40				
1.0	5000	1505	33.1	○	110.8	310	13	6.2	2.50				
												B3 X5	4P

**Schedule is subject to change as appropriate

CYCLO Series



na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole	na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole
4 kW							5.5 kW						
130.9	263	11	5.9	2.50	B3	4P	2.4	16277	595	91.7	1.30		
160.0	215	9	5.5	2.50	X5		2.9	13487	493	91.7	1.55		
62.6	549	23	5.0	1.00			3.7	10696	391	91.7	2.00		
84.7	406	17	4.8	1.35			4.5	8727	319	91.7	2.45		
96.0	358	15	4.7	1.35	B2	4P	5.0	7906	289	91.7	2.70	B84	4P
110.8	310	13	4.6	1.35	X4		5.7	6921	253	91.7	2.70	X117	
130.9	263	11	4.1	1.35			7.7	5116	187	91.7	2.70		
160.0	215	9	4.0	1.35			11.4	3461	126.5	91.7	2.70		
205.7	167	7	3.8	1.35			13.9	2831	103.5	91.7	2.70		
5.5 kW							0.19	12000	7569	72.5	○		
0.19	29400	7569	158.4	○			0.23	12000	6177	72.5	○		
0.23	29400	6177	158.4	○			0.28	12000	5133	72.5	○		
0.28	29400	5133	158.4	○			0.34	12000	4189	72.5	○		
0.34	29400	4189	158.4	○			0.41	12000	3481	72.5	○		
0.41	29400	3481	158.4	○			0.47	12000	3053	72.5	○		
0.47	29400	3053	158.4	○			0.57	12000	2537	72.5	○		
0.57	29400	2537	158.4	○			0.70	12000	2065	72.5	○		
0.70	29400	2065	158.4	○			0.78	12000	1849	72.5	○		
0.78	29400	1849	158.4	○			0.88	12000	1633	72.5	○		
0.88	29400	1633	158.4	○			1.0	12000	1505	72.5	○		
1.0	29400	1505	158.4	○	B95	4P	1.1	12000	1357	72.5	○		
1.1	29400	1357	158.4	○	X128		1.2	12000	1225	72.5	○		
1.2	29400	1225	158.4	○			1.4	12000	1003	72.5	○		
1.4	27439	1003	158.4	1.05			1.7	12000	841	72.5	○		
1.7	23007	841	158.4	1.25			2.0	12000	731	72.5	○	B74	4P
2.0	19998	731	158.4	1.45			2.2	12000	649	72.5	○	X106	
2.2	17755	649	158.4	1.65			2.4	12000	595	72.5	○		
2.4	16277	595	158.4	1.80			2.9	12000	493	72.5	○		
2.9	13487	493	158.4	2.15			3.7	10696	391	72.5	1.10		
3.7	10696	391	158.4	2.70			4.5	8727	319	72.5	1.35		
4.5	8727	319	158.4	3.35			5.0	7906	289	72.5	1.50		
5.7	6921	253	158.4	4.20			5.7	6921	253	72.5	1.70		
0.19	21500	7569	91.7	○			7.7	5116	187	72.5	2.30		
0.23	21500	6177	91.7	○			8.4	4664	170.5	72.5	2.55		
0.28	21500	5133	91.7	○			11.4	3461	126.5	72.5	2.70		
0.34	21500	4189	91.7	○			13.9	2831	103.5	72.5	2.70		
0.41	21500	3481	91.7	○			8.7	4514	165	52.9	1.95		
0.47	21500	3053	91.7	○			10.1	3912	143	52.9	2.20	B64	4P
0.57	21500	2537	91.7	○			11.9	3310	121	52.9	2.65	X96	
0.70	21500	2065	91.7	○			14.5	2708	99	52.9	2.70		
0.78	21500	1849	91.7	○			0.19	8800	7569	52.9	○		
0.88	21500	1633	91.7	○			0.23	8800	6177	52.9	○		
1.0	21500	1505	91.7	○			0.28	8800	5133	52.9	○		
1.1	21500	1357	91.7	○			0.34	8800	4189	52.9	○		
1.2	21500	1225	91.7	○	B85	4P	0.41	8800	3481	52.9	○		
1.4	21500	1003	91.7	○	X118		0.47	8800	3053	52.9	○		
1.7	21500	841	91.7	○			0.57	8800	2537	52.9	○		
2.0	19998	731	91.7	1.05			0.70	8800	2065	52.9	○		
2.2	17755	649	91.7	1.20			0.78	8800	1849	52.9	○		
2.4	16277	595	91.7	1.30			0.88	8800	1633	52.9	○		
2.9	13487	493	91.7	1.55			1.0	8800	1505	52.9	○		
3.7	10696	391	91.7	2.00			1.1	8800	1357	52.9	○		
4.5	8727	319	91.7	2.45			1.2	8800	1225	52.9	○		
5.0	7906	289	91.7	2.70			1.4	8800	1003	52.9	○		
5.7	6921	253	91.7	3.10			1.7	8800	841	52.9	○	B63	4P
7.7	5116	187	91.7	4.20			2.0	8800	731	52.9	○	X95	
11.4	3461	126.5	91.7	4.50			2.2	8800	649	52.9	○		
0.19	21500	7569	91.7	○			2.4	8800	595	52.9	○		
0.23	21500	6177	91.7	○			2.9	8800	493	52.9	○		
0.28	21500	5133	91.7	○			3.7	8800	391	52.9	○		
0.34	21500	4189	91.7	○			4.5	8727	319	52.9	1.00		
0.41	21500	3481	91.7	○			5.0	7906	289	52.9	1.10		
0.47	21500	3053	91.7	○			5.7	6921	253	52.9	1.25		
0.57	21500	2537	91.7	○			7.7	5116	187	52.9	1.70		
0.70	21500	2065	91.7	○	B84	4P	8.7	4514	165	52.9	1.80		
0.78	21500	1849	91.7	○	X117		10.1	3912	143	52.9	1.80		
0.88	21500	1633	91.7	○			11.9	3310	121	52.9	1.80		
1.0	21500	1505	91.7	○			14.5	2708	99	52.9	1.80		
1.1	21500	1357	91.7	○			0.19	5000	7569	33.1	○		
1.2	21500	1225	91.7	○			0.23	5000	6177	33.1	○		
1.4	21500	1003	91.7	○			0.28	5000	5133	33.1	○	B53	4P
1.7	21500	841	91.7	○			0.34	5000	4189	33.1	○	X85	
2.0	19998	731	91.7	1.05			0.41	5000	3481	33.1	○		
2.2	17755	649	91.7	1.20			0.47	5000	3053	33.1	○		
							0.57	5000	2537	33.1	○		

**Schedule is subject to change as appropriate

CYCLO Series



na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole	na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole
5.5 kW							7.5 kW						
0.70	5000	2065	33.1	o	B53 X85	4P	1.1	29400	1357	158.4	o	B95 X128	4P
0.78	5000	1849	33.1	o									
0.88	5000	1633	33.1	o									
1.0	5000	1505	33.1	o									
1.1	5000	1357	33.1	o									
1.2	5000	1225	33.1	o									
1.4	5000	1003	33.1	o									
1.7	5000	841	33.1	o									
2.0	5000	731	33.1	o									
2.2	5000	649	33.1	o									
2.4	5000	595	33.1	o									
2.9	5000	493	33.1	o									
3.7	5000	391	33.1	o									
4.5	5000	319	33.1	o									
5.7	5000	253	33.1	o									
0.19	21500	7569	158.4	o									
0.23	21500	6177	158.4	o									
0.28	21500	5133	158.4	o									
0.34	21500	4189	158.4	o									
0.41	21500	3481	158.4	o									
0.47	21500	3053	158.4	o									
0.57	21500	2537	158.4	o									
0.70	21500	2065	158.4	o									
0.78	21500	1849	158.4	o									
0.88	21500	1633	158.4	o									
1.0	21500	1505	158.4	o									
1.1	21500	1357	158.4	o									
1.2	21500	1225	158.4	o									
1.4	21500	1003	158.4	o									
1.7	21500	841	158.4	o									
2.0	21500	731	158.4	o									
2.2	21500	649	158.4	o									
2.4	21500	595	158.4	o									
2.9	21500	493	158.4	o									
3.7	21500	391	158.4	o									
4.5	21500	319	158.4	o									
5.7	21500	253	158.4	o									
11.1	4240	87	52.9	1.75	B6* X9*	6P	1.1	21500	1357	91.7	o	B85 X118	4P
13.7	3460	71	52.9	1.75									
16.4	2875	59	49.6	1.80									
20.6	2291	47	49.6	2.70									
22.6	2096	43	49.6	2.70									
27.7	1706	35	46.9	3.65									
16.6	2856	87	33.1	1.35	B5 X8	4P	2.2	21500	649	91.7	o		
20.3	2331	71	30.2	1.70									
24.4	1937	59	28.1	1.80									
30.6	1543	47	27.0	2.70									
33.5	1412	43	26.4	2.70									
41.1	1149	35	26.4	3.40									
49.7	952	29	25.2	3.65									
62.6	755	23	22.2	4.50									
24.4	1937	59	14.5	0.95			B4 X6 X7	4P	7.7	6976	187	91.7	o
30.6	1543	47	13.2	1.35									
33.5	1412	43	13.0	1.35									
41.1	1149	35	11.5	1.80									
49.7	952	29	11.5	1.80									
62.6	755	23	9.8	2.70									
75.8	624	19	9.4	2.70									
84.7	558	17	9.1	2.70									
96.0	492	15	8.8	2.70									
110.8	427	13	8.4	2.70									
130.9	361	11	8.0	2.70									
160.0	295	9	6.6	2.70									
11.1	1149	35	8.5	0.95	B3 X5	4P			1.1	21500	1357	91.7	o
49.7	952	29	8.5	1.20									
62.6	755	23	7.3	1.35									
75.8	624	19	7.2	1.75									
84.7	558	17	6.7	1.75									
96.0	492	15	6.5	1.75									
110.8	427	13	6.2	1.80									
130.9	361	11	5.9	1.80									
160.0	295	9	5.5	1.80									
84.7	558	17	4.8	0.95			B2* X4*	4P	4.5	11900	319	91.7	o
96.0	492	15	4.7	0.95									
110.8	427	13	4.6	0.95									
130.9	361	11	4.1	0.95									
160.0	295	9	4.0	0.95									
205.7	230	7	3.8	0.95									
0.19	29400	7569	158.4	o	B95 X128	4P			13.9	3861	103.5	91.7	o
0.23	29400	6177	158.4	o									
0.28	29400	5133	158.4	o									
0.34	29400	4189	158.4	o									
0.41	29400	3481	158.4	o									
0.47	29400	3053	158.4	o									
0.57	29400	2537	158.4	o									
0.70	29400	2065	158.4	o									
0.78	29400	1849	158.4	o									
0.88	29400	1633	158.4	o									
1.0	29400	1505	158.4	o									
1.1	29400	1357	158.4	o									
1.2	29400	1225	158.4	o									
0.19	12000	7569	158.4	o			B74 X106	4P	0.23	12000	6177	72.5	o
0.23	12000	6177	158.4	o									
0.28	12000	5133	158.4	o									
0.34	12000	4189	158.4	o									
0.41	12000	3481	158.4	o									
0.47	12000	3053	158.4	o									
0.57	12000	2537	158.4	o									
0.70	12000	2065	158.4	o									
0.78	12000	1849	158.4	o									
0.88	12000	1633	158.4	o									
1.0	12000	1505	158.4	o									
1.1	12000	1357	158.4	o									
1.2	12000	1225	158.4	o									

**Schedule is subject to change as appropriate



CYCLO Series

na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole	na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole				
7.5 kW							7.5 kW										
1.4	12000	1003	72.5	0	B74 X106	4P	49.7	1298	29	11.5	1.35	B4 X6 X7	4P				
1.7	12000	841	72.5	0													
2.0	12000	731	72.5	0													
2.2	12000	649	72.5	0													
2.4	12000	595	72.5	0													
2.9	12000	493	72.5	0													
3.7	12000	391	72.5	0													
4.5	11900	319	72.5	1.00													
5.0	10781	289	72.5	1.10													
5.7	9438	253	72.5	1.25													
7.7	6976	187	72.5	1.70													
8.4	6360	170.5	72.5	1.85													
11.4	4719	126.5	72.5	1.95													
13.9	3861	103.5	72.5	1.95													
8.7	6155	165	52.9	1.40	B64 X96	4P	130.9	492	11	5.9	1.35	B3 X5	4P				
10.1	5335	143	52.9	1.65													
11.9	4514	121	52.9	1.95													
14.5	3693	99	52.9	1.95													
0.19	8800	7569	52.9	0													
0.23	8800	6177	52.9	0													
0.28	8800	5133	52.9	0	B63 X95	4P	0.19	29400	7569	158.4	0	B95 X128	4P				
0.34	8800	4189	52.9	0													
0.41	8800	3481	52.9	0													
0.47	8800	3053	52.9	0													
0.57	8800	2537	52.9	0													
0.70	8800	2065	52.9	0													
0.78	8800	1849	52.9	0													
0.88	8800	1633	52.9	0													
1.0	8800	1505	52.9	0													
1.1	8800	1357	52.9	0													
1.2	8800	1225	52.9	0													
1.4	8800	1003	52.9	0													
1.7	8800	841	52.9	0													
2.0	8800	731	52.9	0													
2.2	8800	649	52.9	0													
2.4	8800	595	52.9	0													
2.9	8800	493	52.9	0													
3.7	8800	391	52.9	0													
4.5	8800	319	52.9	0													
5.0	8800	289	52.9	0													
5.7	8800	253	52.9	0													
7.7	6976	187	52.9	1.25													
8.7	6155	165	52.9	1.35													
10.1	5335	143	52.9	1.35													
11.9	4514	121	52.9	1.35													
14.5	3693	99	52.9	1.35													
11.1	5782	87	72.5	1.65			B7* X10*	6P	0.58	21500	2537			91.7	0	B85 X118	4P
13.7	4718	71	72.5	2.30													
16.4	3921	59	66.5	2.80													
20.6	3123	47	63.4	3.20													
22.6	2858	43	62.2	3.80													
27.7	2326	35	58.9	3.80													
11.1	5782	87	52.9	1.30	B6* X9*	6P			1.2	21500	1225	91.7	0				
13.7	4718	71	52.9	1.30													
16.4	3921	59	49.6	1.35													
20.6	3123	47	49.6	1.95													
22.6	2858	43	49.6	1.95													
27.7	2326	35	46.9	2.70													
33.4	1927	29	44.8	3.20													
16.6	3895	87	33.1	0.95			B5 X8	4P	3.7	21100	391	91.7	1.00				
20.3	3178	71	30.2	1.25													
24.4	2641	59	28.1	1.35													
30.6	2104	47	27.0	1.95													
33.5	1925	43	26.4	1.95													
41.1	1567	35	26.4	2.50													
49.7	1298	29	25.2	2.70													
62.6	1030	23	22.2	3.30													
75.8	851	19	21.6	3.30													
84.7	761	17	20.9	3.30													
96.0	671	15	19.2	3.30													
110.8	582	13	16.8	3.30													
130.9	492	11	15.4	3.30													
30.6	2104	47	13.2	0.95	B4 X6 X7	4P	0.71	21500	2065	91.7	0	B84 X117	4P				
33.5	1925	43	13.0	0.95													
41.1	1567	35	11.5	1.35													
0.19	21500	7569	91.7	0													
0.24	21500	6177	91.7	0													
0.28	21500	5133	91.7	0													
0.35	21500	4189	91.7	0	B84 X117	4P	0.35	21500	4189	91.7	0						
0.42	21500	3481	91.7	0													
0.48	21500	3053	91.7	0													
0.58	21500	2537	91.7	0													
0.71	21500	2065	91.7	0													
0.79	21500	1849	91.7	0													
0.89	21500	1633	91.7	0													
1.0	21500	1505	91.7	0													
1.1	21500	1357	91.7	0													
1.2	21500	1225	91.7	0													
1.5	21500	1003	91.7	0													
1.7	21500	841	91.7	0													
2.0	21500	731	91.7	0													
2.2	21500	649	91.7	0													
2.5	21500	595	91.7	0													
3.0	21500	493	91.7	0													
3.7	21100	391	91.7	1.00													
4.6	17215	319	91.7	1.20													
5.1	15596	289	91.7	1.35													
5.8	13653	253	91.7	1.55													
7.8	10091	187	91.7	2.10													
11.5	6826	126.5	91.7	2.25													
0.19	21500	7569	91.7	0	B84 X117	4P	0.19	21500	7569	91.7	0						
0.24	21500	6177	91.7	0													
0.28	21500	5133	91.7	0													
0.35	21500	4189	91.7	0													
0.42	21500	3481	91.7	0													
0.48	21500	3053	91.7	0													
0.58	21500	2537	91.7	0													
0.71	21500	2065	91.7	0													
0.79	21500	1849	91.7	0													
0.89	21500	1633	91.7	0													

**Schedule is subject to change as appropriate

CYCLO Series



na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole	na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole	
11 kW							11 kW							
1.0	21500	1505	91.7	o	B84 X117	4P	22.6	4191	43	62.2	2.60	B7*	6P	
1.1	21500	1357	91.7	o			27.7	3411	35	58.9	2.60	X10*		
1.2	21500	1225	91.7	o			11.1	8480	87	52.9	0.85	B6* X9*		
1.5	21500	1003	91.7	o			13.7	6920	71	52.9	0.85			
1.7	21500	841	91.7	o			16.4	5751	59	49.6	0.90			
2.0	21500	731	91.7	o			20.6	4581	47	49.6	1.35			
2.2	21500	649	91.7	o			22.6	4191	43	49.6	1.35			
2.5	21500	595	91.7	o			27.7	3411	35	46.9	1.80			
3.0	21500	493	91.7	o			33.4	2827	29	44.8	2.15			
3.7	21100	391	91.7	1.00			42.2	2242	23	40.2	2.70			
4.6	17215	319	91.7	1.20			51.1	1852	19	37.2	2.70			
5.1	15596	289	91.7	1.35			57.1	1657	17	34.9	2.70			
5.8	13653	253	91.7	1.35			64.7	1462	15	34.2	2.70			
7.8	10091	187	91.7	1.35			74.6	1267	13	33.4	2.70			
11.5	6826	126.5	91.7	1.35	88.2	1072	11	32.6	2.70					
14.1	5585	103.5	91.7	1.35	20.6	4598	71	30.2	0.85	B5 X8	4P			
0.19	12000	7569	72.5	o	24.7	3821	59	28.1	0.90					
0.24	12000	6177	72.5	o	31.1	3044	47	27.0	1.35					
0.28	12000	5133	72.5	o	34.0	2785	43	26.4	1.35					
0.35	12000	4189	72.5	o	41.7	2266	35	26.4	1.70					
0.42	12000	3481	72.5	o	50.3	1878	29	25.2	1.80					
0.48	12000	3053	72.5	o	63.5	1489	23	22.2	2.25					
0.58	12000	2537	72.5	o	76.8	1230	19	21.6	2.25					
0.71	12000	2065	72.5	o	85.9	1101	17	20.9	2.25					
0.79	12000	1849	72.5	o	97.3	971	15	19.2	2.25					
0.89	12000	1633	72.5	o	112.3	842	13	16.8	2.25					
1.0	12000	1505	72.5	o	132.7	712	11	15.4	2.25					
1.1	12000	1357	72.5	o	41.7	2266	35	11.5	0.90			B4 X6 X7	4P	
1.2	12000	1225	72.5	o	50.3	1878	29	11.5	0.90					
1.5	12000	1003	72.5	o	63.5	1489	23	9.8	1.35					
1.7	12000	841	72.5	o	76.8	1230	19	9.4	1.35					
2.0	12000	731	72.5	o	85.9	1101	17	9.1	1.35					
2.2	12000	649	72.5	o	97.3	971	15	8.8	1.35					
2.5	12000	595	72.5	o	112.3	842	13	8.4	1.35					
3.0	12000	493	72.5	o	132.7	712	11	8.0	1.35					
3.7	12000	391	72.5	o	162.2	583	9	6.6	1.35					
4.6	12000	319	72.5	o	85.9	1101	17	6.7	0.85	B3* B5*	4P			
5.1	12000	289	72.5	o	97.3	971	15	6.5	0.85					
5.8	12000	253	72.5	o	112.3	842	13	6.2	0.90					
7.8	10091	187	72.5	1.15	132.7	712	11	5.9	0.90					
8.6	9201	170.5	72.5	1.30	162.2	583	9	5.5	0.90					
11.5	6826	126.5	72.5	1.35	15 kW									
14.1	5585	103.5	72.5	1.35	0.19	29400	7596	158.4	o			B95 X128	4P	
0.23	8800	6177	52.9	o	0.24	29400	6177	158.4	o					
0.28	8800	5133	52.9	o	0.28	29400	5133	158.4	o					
0.34	8800	4189	52.9	o	0.35	29400	4189	158.4	o					
0.41	8800	3481	52.9	o	0.42	29400	3481	158.4	o					
0.47	8800	3053	52.9	o	0.48	29400	3053	158.4	o					
0.57	8800	2537	52.9	o	0.58	29400	2537	158.4	o					
0.70	8800	2065	52.9	o	0.71	29400	2065	158.4	o					
0.78	8800	1849	52.9	o	0.79	29400	1849	158.4	o					
0.88	8800	1633	52.9	o	0.89	29400	1633	158.4	o					
1.0	8800	1505	52.9	o	1.0	29400	1505	158.4	o					
1.1	8800	1357	52.9	o	1.1	29400	1357	158.4	o					
1.2	8800	1225	52.9	o	1.2	29400	1225	158.4	o					
1.4	8800	1003	52.9	o	1.5	29400	1003	158.4	o					
1.7	8800	841	52.9	o	1.7	29400	841	158.4	o					
2.0	8800	731	52.9	o	2.0	29400	731	158.4	o					
2.2	8800	649	52.9	o	2.2	29400	649	158.4	o					
2.4	8800	595	52.9	o	2.5	29400	595	158.4	o					
2.9	8800	493	52.9	o	3.0	29400	493	158.4	o					
3.7	8800	391	52.9	o	3.7	28773	391	158.4	1.00					
4.5	8800	319	52.9	o	4.6	23474	319	158.4	1.25					
5.0	8800	289	52.9	o	5.8	18618	253	158.4	1.55					
5.7	8800	253	52.9	o	0.19	21500	7569	158.4	o	B85 X118	4P			
7.8	8800	187	52.9	o	0.24	21500	6177	158.4	o					
8.8	8800	165	52.9	o	0.28	21500	5133	158.4	o					
10.2	7717	143	52.9	1.10	0.35	21500	4189	158.4	o					
12.1	6530	121	52.9	1.30	0.42	21500	3481	158.4	o					
14.7	5342	99	52.9	1.35	0.48	21500	3053	158.4	o					
11.1	8480	87	72.5	1.15	0.58	21500	2537	158.4	o					
13.7	6920	71	72.5	1.55	0.71	21500	2065	158.4	o					
16.4	5751	59	66.5	1.90	0.79	21500	1849	158.4	o					
20.6	4581	47	63.4	2.25	0.89	21500	1633	158.4	o					

**Schedule is subject to change as appropriate



CYCLO Series

na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole	na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
15 kW							18.5 kW																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
1.0	21500	1505	158.4	o	B85 X118	4P	0.71	29400	2065	158.4	o	B95 X128	4P																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
1.1	21500	1357	158.4	o			1.2	21500	1225	158.4	o			1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.2	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	1.00	5.8	18618	253	158.4	1.15	7.8	13761	187	158.4	1.55	11.5	9309	126.5	158.4	1.65	0.89	21500	163.3	158.4	o	1.1	21500	1357	158.4	o	1.5	21500	1003	158.4	o	2.0	21500	731	158.4	o	2.2	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	0.95	5.8	18618	253	158.4	0.95	7.8	13761	187	158.4	0.95	11.5	9309	126.5	158.4	0.95	11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87	91.7	1.10	B8* X11*	6P	0.24	29400	6177	158.4	o	0.29	29400	5133	158.4	o	0.35	29400	4189	158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35
1.2	21500	1225	158.4	o			1.5	21500	1003	158.4	o			1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.2	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	1.00	5.8	18618	253	158.4	1.15	7.8	13761	187	158.4	1.55	11.5	9309	126.5	158.4	1.65	0.89	21500	163.3	158.4	o	1.1	21500	1357	158.4	o	1.5	21500	1003	158.4	o	2.0	21500	731	158.4	o	2.2	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	0.95	5.8	18618	253	158.4	0.95	7.8	13761	187	158.4	0.95	11.5	9309	126.5	158.4	0.95	11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*	6P	0.24			29400	6177	158.4	o	0.29	29400	5133	158.4	o	0.35	29400	4189	158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35	
1.5	21500	1003	158.4	o			1.7	21500	841	158.4	o			2.0	21500	731	158.4	o	2.2	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	1.00	5.8	18618	253	158.4	1.15	7.8	13761	187	158.4	1.55	11.5	9309	126.5	158.4	1.65	0.89	21500	163.3	158.4	o	1.1	21500	1357	158.4	o	1.5	21500	1003	158.4	o	2.0	21500	731	158.4	o	2.2	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	0.95	5.8	18618	253	158.4	0.95	7.8	13761	187	158.4	0.95	11.5	9309	126.5	158.4	0.95	11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24			29400			6177	158.4	o	0.29	29400	5133	158.4	o	0.35	29400	4189	158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35		
1.7	21500	841	158.4	o			2.0	21500	731	158.4	o			2.2	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	1.00	5.8	18618	253	158.4	1.15	7.8	13761	187	158.4	1.55	11.5	9309	126.5	158.4	1.65	0.89	21500	163.3	158.4	o	1.1	21500	1357	158.4	o	1.5	21500	1003	158.4	o	2.0	21500	731	158.4	o	2.2	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	0.95	5.8	18618	253	158.4	0.95	7.8	13761	187	158.4	0.95	11.5	9309	126.5	158.4	0.95	11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400			6177			158.4	o	0.29	29400	5133	158.4	o	0.35	29400	4189	158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35			
2.0	21500	731	158.4	o			2.2	21500	649	158.4	o			2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	1.00	5.8	18618	253	158.4	1.15	7.8	13761	187	158.4	1.55	11.5	9309	126.5	158.4	1.65	0.89	21500	163.3	158.4	o	1.1	21500	1357	158.4	o	1.5	21500	1003	158.4	o	2.0	21500	731	158.4	o	2.2	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	0.95	5.8	18618	253	158.4	0.95	7.8	13761	187	158.4	0.95	11.5	9309	126.5	158.4	0.95	11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177			158.4			o	0.29	29400	5133	158.4	o	0.35	29400	4189	158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35				
2.2	21500	649	158.4	o			2.5	21500	595	158.4	o			3.0	21500	493	158.4	o	3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	1.00	5.8	18618	253	158.4	1.15	7.8	13761	187	158.4	1.55	11.5	9309	126.5	158.4	1.65	0.89	21500	163.3	158.4	o	1.1	21500	1357	158.4	o	1.5	21500	1003	158.4	o	2.0	21500	731	158.4	o	2.2	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	0.95	5.8	18618	253	158.4	0.95	7.8	13761	187	158.4	0.95	11.5	9309	126.5	158.4	0.95	11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4			o			0.29	29400	5133	158.4	o	0.35	29400	4189	158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35					
2.5	21500	595	158.4	o			3.0	21500	493	158.4	o			3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	1.00	5.8	18618	253	158.4	1.15	7.8	13761	187	158.4	1.55	11.5	9309	126.5	158.4	1.65	0.89	21500	163.3	158.4	o	1.1	21500	1357	158.4	o	1.5	21500	1003	158.4	o	2.0	21500	731	158.4	o	2.2	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	0.95	5.8	18618	253	158.4	0.95	7.8	13761	187	158.4	0.95	11.5	9309	126.5	158.4	0.95	11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o			0.29			29400	5133	158.4	o	0.35	29400	4189	158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35						
3.0	21500	493	158.4	o			3.7	21500	391	158.4	o			4.6	21500	319	158.4	o	5.1	21267	289	158.4	1.00	5.8	18618	253	158.4	1.15	7.8	13761	187	158.4	1.55	11.5	9309	126.5	158.4	1.65	0.89	21500	163.3	158.4	o	1.1	21500	1357	158.4	o	1.5	21500	1003	158.4	o	2.0	21500	731	158.4	o	2.2	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	0.95	5.8	18618	253	158.4	0.95	7.8	13761	187	158.4	0.95	11.5	9309	126.5	158.4	0.95	11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29			29400			5133	158.4	o	0.35	29400	4189	158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35							
3.7	21500	391	158.4	o			4.6	21500	319	158.4	o			5.1	21267	289	158.4	1.00	5.8	18618	253	158.4	1.15	7.8	13761	187	158.4	1.55	11.5	9309	126.5	158.4	1.65	0.89	21500	163.3	158.4	o	1.1	21500	1357	158.4	o	1.5	21500	1003	158.4	o	2.0	21500	731	158.4	o	2.2	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	0.95	5.8	18618	253	158.4	0.95	7.8	13761	187	158.4	0.95	11.5	9309	126.5	158.4	0.95	11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400			5133			158.4	o	0.35	29400	4189	158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35								
4.6	21500	319	158.4	o			5.1	21267	289	158.4	1.00			5.8	18618	253	158.4	1.15	7.8	13761	187	158.4	1.55	11.5	9309	126.5	158.4	1.65	0.89	21500	163.3	158.4	o	1.1	21500	1357	158.4	o	1.5	21500	1003	158.4	o	2.0	21500	731	158.4	o	2.2	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	0.95	5.8	18618	253	158.4	0.95	7.8	13761	187	158.4	0.95	11.5	9309	126.5	158.4	0.95	11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133			158.4			o	0.35	29400	4189	158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35									
5.1	21267	289	158.4	1.00			5.8	18618	253	158.4	1.15			7.8	13761	187	158.4	1.55	11.5	9309	126.5	158.4	1.65	0.89	21500	163.3	158.4	o	1.1	21500	1357	158.4	o	1.5	21500	1003	158.4	o	2.0	21500	731	158.4	o	2.2	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	0.95	5.8	18618	253	158.4	0.95	7.8	13761	187	158.4	0.95	11.5	9309	126.5	158.4	0.95	11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35			29400	4189	158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35														
5.8	18618	253	158.4	1.15			7.8	13761	187	158.4	1.55			11.5	9309	126.5	158.4	1.65	0.89	21500	163.3	158.4	o	1.1	21500	1357	158.4	o	1.5	21500	1003	158.4	o	2.0	21500	731	158.4	o	2.2	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	0.95	5.8	18618	253	158.4	0.95	7.8	13761	187	158.4	0.95	11.5	9309	126.5	158.4	0.95	11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																			
7.8	13761	187	158.4	1.55			11.5	9309	126.5	158.4	1.65			0.89	21500	163.3	158.4	o	1.1	21500	1357	158.4	o	1.5	21500	1003	158.4	o	2.0	21500	731	158.4	o	2.2	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	0.95	5.8	18618	253	158.4	0.95	7.8	13761	187	158.4	0.95	11.5	9309	126.5	158.4	0.95	11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																								
11.5	9309	126.5	158.4	1.65	0.89	21500	163.3	158.4	o	1.1	21500	1357	158.4	o	1.5	21500	1003	158.4	o	2.0	21500	731	158.4	o	2.2	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	0.95	5.8	18618	253	158.4	0.95	7.8	13761	187	158.4	0.95	11.5	9309	126.5	158.4	0.95	11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87	91.7	1.10	B8* X11*	6P			0.24	29400	6177			158.4	o					0.29					29400					5133					158.4					o					0.35					29400		4189	158.4		o		0.42	29400		3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																	
0.89	21500	163.3	158.4	o	1.1	21500	1357	158.4	o	1.5	21500	1003	158.4	o	2.0	21500	731	158.4	o	2.2	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	0.95	5.8	18618	253	158.4	0.95	7.8	13761	187	158.4	0.95	11.5	9309	126.5	158.4	0.95	11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*	6P	0.24					29400	6177	158.4			o	0.29					29400					5133					158.4					o					0.35					29400		4189	158.4		o		0.42	29400		3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																						
1.1	21500	1357	158.4	o	1.5	21500	1003	158.4	o	2.0	21500	731	158.4	o	2.2	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	0.95	5.8	18618	253	158.4	0.95	7.8	13761	187	158.4	0.95	11.5	9309	126.5	158.4	0.95	11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24			29400					6177	158.4	o			0.29	29400					5133					158.4					o					0.35					29400		4189	158.4		o		0.42	29400		3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																											
1.5	21500	1003	158.4	o	2.0	21500	731	158.4	o	2.2	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	0.95	5.8	18618	253	158.4	0.95	7.8	13761	187	158.4	0.95	11.5	9309	126.5	158.4	0.95	11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400			6177					158.4	o	0.29			29400	5133					158.4					o					0.35					29400		4189	158.4		o		0.42	29400		3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																
2.0	21500	731	158.4	o	2.2	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	0.95	5.8	18618	253	158.4	0.95	7.8	13761	187	158.4	0.95	11.5	9309	126.5	158.4	0.95	11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177			158.4					o	0.29	29400			5133	158.4					o					0.35					29400		4189	158.4		o		0.42	29400		3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																					
2.2	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	0.95	5.8	18618	253	158.4	0.95	7.8	13761	187	158.4	0.95	11.5	9309	126.5	158.4	0.95	11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4			o					0.29	29400	5133			158.4	o					0.35					29400		4189	158.4		o		0.42	29400		3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																										
2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	0.95	5.8	18618	253	158.4	0.95	7.8	13761	187	158.4	0.95	11.5	9309	126.5	158.4	0.95	11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o			0.29					29400	5133	158.4			o	0.35					29400		4189	158.4		o		0.42	29400		3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																															
3.0	21500	493	158.4	o	3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	0.95	5.8	18618	253	158.4	0.95	7.8	13761	187	158.4	0.95	11.5	9309	126.5	158.4	0.95	11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29			29400					5133	158.4	o			0.35	29400		4189	158.4		o		0.42	29400		3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																				
3.7	21500	391	158.4	o	4.6	21500	319	158.4	o	5.1	21267	289	158.4	0.95	5.8	18618	253	158.4	0.95	7.8	13761	187	158.4	0.95	11.5	9309	126.5	158.4	0.95	11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400			5133					158.4	o	0.35	29400	4189	158.4	o		0.42	29400		3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																									
4.6	21500	319	158.4	o	5.1	21267	289	158.4	0.95	5.8	18618	253	158.4	0.95	7.8	13761	187	158.4	0.95	11.5	9309	126.5	158.4	0.95	11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133			158.4			o	0.35	29400	4189	158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																														
5.1	21267	289	158.4	0.95	5.8	18618	253	158.4	0.95	7.8	13761	187	158.4	0.95	11.5	9309	126.5	158.4	0.95	11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35			29400	4189	158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																			
5.8	18618	253	158.4	0.95	7.8	13761	187	158.4	0.95	11.5	9309	126.5	158.4	0.95	11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																								
7.8	13761	187	158.4	0.95	11.5	9309	126.5	158.4	0.95	11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																													
11.5	9309	126.5	158.4	0.95	11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																		
11.1	11563	87	72.5	0.80	13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																							
13.7	9437	71	72.5	1.15	16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																												
16.4	7842	59	66.5	1.40	20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																	
20.6	6247	47	63.4	1.65	22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																						
22.6	5715	43	62.2	1.90	27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																											
27.7	4652	35	58.9	1.90	33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																
33.4	3854	29	56.2	2.60	42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																					
42.2	3057	23	47.8	3.20	57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																										
57.1	2260	17	47.8	3.20	62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																															
62.2	2060	15.5	44.4	3.20	84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																				
84.3	1528	11.5	40.9	3.20	20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																									
20.6	6247	47	49.6	0.95	22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																														
22.6	5715	43	49.6	0.95	27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																																			
27.7	4652	35	46.9	1.35	33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																																								
33.4	3854	29	44.8	1.60	42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																																													
42.2	3057	23	40.2	1.95	51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																																																		
51.1	2525	19	37.2	1.95	57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																																																							
57.1	2260	17	34.9	1.95	64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																																																												
64.7	1994	15	34.2	1.95	74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																																																																	
74.6	1728	13	33.4	1.95	88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																																																																						
88.2	1462	11	32.6	1.95	31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																																																																											
31.1	4150	47	27.0	0.95	34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																																																																																
34.0	3797	43	26.4	0.95	41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																																																																																					
41.7	3091	35	26.4	1.25	50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																																																																																										
50.3	2561	29	25.2	1.35	63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																																																																																															
63.5	2031	23	22.2	1.65	76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																																																																																																				
76.8	1678	19	21.6	1.65	85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																																																																																																									
85.9	1501	17	20.9	1.65	97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																																																																																																														
97.3	1325	15	19.2	1.65	112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																																																																																																																			
112.3	1148	13	16.8	1.65	132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																																																																																																																								
132.7	971	11	15.4	1.65	63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																																																																																																																													
63.5	2031	23	9.8	0.95	76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																																																																																																																																		
76.8	1678	19	9.4	0.95	85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																																																																																																																																							
85.9	1501	17	9.1	0.95	97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																																																																																																																																												
97.3	1325	15	8.8	0.95	112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																																																																																																																																																	
112.3	1148	13	8.4	0.95	132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																																																																																																																																																						
132.7	971	11	8.0	0.95	162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																																																																																																																																																											
162.2	795	9	6.6	0.95	18.5 kW							22 kW							0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87			91.7	1.10	B8* X11*			6P	0.24					29400					6177					158.4					o					0.29					29400					5133		158.4	o		0.35		29400	4189		158.4	o	0.42	29400	3481	158.4	o	0.48	29400	3053	158.4	o	0.58	29400	2537	158.4	o	0.71	29400	2065	158.4	o	0.80	29400	1849	158.4	o	0.90	29400	1633	158.4	o	1.0	29400	1505	158.4	o	1.1	29400	1357	158.4	o	1.2	29400	1225	158.4	o	1.5	29400	1003	158.4	o	1.7	29400	841	158.4	o	2.0	29400	731	158.4	o	2.3	29400	649	158.4	o	2.5	29400	595	158.4	o	3.0	29400	493	158.4	o	3.8	29400	391	158.4	o	4.6	28755	319	158.4	1.00	5.8	22805	253	158.4	1.25	0.2	21500	7569	158.4	o	0.2	21500	6177	158.4	o	0.3	21500	5133	158.4	o	0.4	21500	4189	158.4	o	0.4	21500	3481	158.4	o	0.5	21500	3053	158.4	o	0.6	21500	2537	158.4	o	0.7	21500	2065	158.4	o	0.8	21500	1849	158.4	o	0.9	21500	1633	158.4	o	1.0	21500	1505	158.4	o	1.1	21500	1357	158.4	o	1.2	21500	1225	158.4	o	1.5	21500	1003	158.4	o	1.7	21500	841	158.4	o	2.0	21500	731	158.4	o	2.3	21500	649	158.4	o	2.5	21500	595	158.4	o	3.0	21500	493	158.4	o	3.8	21500	391	158.4	o	4.6	21500	319	158.4	o	5.8	21500	253	158.4	o	7.9	16856	187	158.4	1.25	11.6	11403	126.5	158.4	1.35	11.1	14261	87	91.7	1.30	13.7	11639	71	91.7	1.65	16.4	9672	59	84.1	2.00	22.6	7049	43	78.7	2.70	27.7	5737	35	74.5	3.25	13.7	11639	71	72.5	0.90	16.4	9672	59	66.5	1.15	20.6	7704	47	63.4	1.35	22.6	7049	43	62.2	1.50	27.7	5737	35	58.9	1.50	33.4	4754	29	56.2	2.10	42.2	3770	23	47.8	2.60	57.1	2787	17	47.8	2.60	62.6	2541	15.5	44.4	2.60	84.3	1885	11.5	40.9	2.60	22.6	7049	43	49.6	0.80	27.7	5737	35	46.9	1.05	33.4	4754	29	44.8	1.30	42.2	3770	23	40.2	1.60	51.1	3115	19	37.2	1.60	57.1	2787	17	34.9	1.60	64.7	2459	15	34.2	1.60	74.6	2131	13	33.4	1.60	88.2	1803	11	32.6	1.60	42.0	3786	35	26.4	1.00	50.7	3137	29	25.2	1.00	63.9	2488	23	22.2	1.35	77.4	2055	19	21.6	1.35	86.5	1839	17	20.9	1.35	98.0	1623	15	19.2	1.35	113.1	1406	13	16.8	1.35	133.6	1190	11	15.4	1.35																																																																																																																																																																																																																																																																																																
18.5 kW							22 kW																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
0.19	29400	7569	158.4	o	B95 X128	4P	11.1	16960	87	91.7	1.10	B8* X11*	6P																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
0.24	29400	6177	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
0.29	29400	5133	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
0.35	29400	4189	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
0.42	29400	3481	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
0.48	29400	3053	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
0.58	29400	2537	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
0.71	29400	2065	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
0.80	29400	1849	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
0.90	29400	1633	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
1.0	29400	1505	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
1.1	29400	1357	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
1.2	29400	1225	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
1.5	29400	1003	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
1.7	29400	841	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
2.0	29400	731	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
2.3	29400	649	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
2.5	29400	595	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
3.0	29400	493	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
3.8	29400	391	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
4.6	28755	319	158.4	1.00																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
5.8	22805	253	158.4	1.25																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
0.2	21500	7569	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
0.2	21500	6177	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
0.3	21500	5133	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
0.4	21500	4189	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
0.4	21500	3481	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
0.5	21500	3053	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
0.6	21500	2537	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
0.7	21500	2065	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
0.8	21500	1849	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
0.9	21500	1633	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
1.0	21500	1505	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
1.1	21500	1357	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
1.2	21500	1225	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
1.5	21500	1003	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
1.7	21500	841	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
2.0	21500	731	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
2.3	21500	649	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
2.5	21500	595	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
3.0	21500	493	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
3.8	21500	391	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
4.6	21500	319	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
5.8	21500	253	158.4	o																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
7.9	16856	187	158.4	1.25																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
11.6	11403	126.5	158.4	1.35																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
11.1	14261	87	91.7	1.30																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
13.7	11639	71	91.7	1.65																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
16.4	9672	59	84.1	2.00																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
22.6	7049	43	78.7	2.70																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
27.7	5737	35	74.5	3.25																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
13.7	11639	71	72.5	0.90																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
16.4	9672	59	66.5	1.15																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
20.6	7704	47	63.4	1.35																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
22.6	7049	43	62.2	1.50																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
27.7	5737	35	58.9	1.50																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
33.4	4754	29	56.2	2.10																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
42.2	3770	23	47.8	2.60																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
57.1	2787	17	47.8	2.60																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
62.6	2541	15.5	44.4	2.60																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
84.3	1885	11.5	40.9	2.60																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
22.6	7049	43	49.6	0.80																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
27.7	5737	35	46.9	1.05																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
33.4	4754	29	44.8	1.30																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
42.2	3770	23	40.2	1.60																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
51.1	3115	19	37.2	1.60																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
57.1	2787	17	34.9	1.60																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
64.7	2459	15	34.2	1.60																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
74.6	2131	13	33.4	1.60																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
88.2	1803	11	32.6	1.60																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
42.0	3786	35	26.4	1.00																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
50.7	3137	29	25.2	1.00																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
63.9	2488	23	22.2	1.35																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
77.4	2055	19	21.6	1.35																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
86.5	1839	17	20.9	1.35																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
98.0	1623	15	19.2	1.35																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
113.1	1406	13	16.8	1.35																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
133.6	1190	11	15.4	1.35																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	

**Schedule is subject to change as appropriate

CYCLO Series



na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole	na [r/min]	Ma [Nm]	i	Fra [kN]	fB	Type size	Pole																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
22 kW							37 kW																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
13.7	13841	71	91.7	1.40	B8* X11*	6P	11.3	28232	87	158.4	1.05	B9* X12*	6P																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
16.4	11501	59	84.1	1.70			22.6	8382	43	78.7	2.25			27.7	6823	35	74.5	2.75	33.4	5653	29	71.2	3.35	42.2	4438	23	64.4	3.35	57.1	3280	17	60.5	3.35	84.3	2219	11.5	54.0	3.35	16.4	11501	59	66.5	0.95	B7* X10*	6P	16.6	19146	59	84.1	1.00	B8* X11*	6P	20.6	9162	47	63.4	1.10	22.6	8382	43	62.2	1.30	27.7	6823	35	58.9	1.30	33.4	5653	29	56.2	1.75	42.2	4484	23	47.8	2.15	57.1	3314	17	47.8	2.15	62.6	3022	15.5	44.4	2.15	84.3	2242	11.5	40.9	2.15	27.7	6823	35	46.9	0.90	B6* X9*	6P	33.8	9411	29	56.2	1.00	B7* X10*	6P	33.4	5653	29	44.8	1.05	42.2	4484	23	40.2	1.35	51.1	3704	19	37.2	1.35	57.1	3314	17	34.9	1.35	64.7	2924	15	34.2	1.35	74.6	2534	13	33.4	1.35	88.2	2144	11	32.6	1.35	30 kW							45 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	13.8	28021	71	158.4	1.05	B9* X12*	6P	13.8	18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	16.6	23285	59	158.4	1.25	B8* B11*	6P	13.8	18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	11445	29	121.2	2.25	B7* X10*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	85.2	4539	11.5	54.0	1.65	B7* X10*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							55 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	16.6	28460	59	158.4	1.00	B9* X12*	6P	13.8	18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	22.8	20742	43	150.0	1.35	B8* X11*	6P	13.8	18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29	121.2	1.80	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	42.6	11095	23	121.2	1.80	B8* X11*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							75 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	23.0	27999	43	150.0	0.95	B9* X12*	6P	13.8	18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	28.3	22790	35	121.2	1.15	B9* X12*	6P	13.8	18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23	121.2	1.35	B9* X12*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																														
22.6	8382	43	78.7	2.25			27.7	6823	35	74.5	2.75			33.4	5653	29	71.2	3.35	42.2	4438	23	64.4	3.35	57.1	3280	17	60.5	3.35	84.3	2219	11.5	54.0	3.35	16.4	11501	59	66.5	0.95	B7* X10*	6P	16.6	19146	59			84.1	1.00	B8* X11*	6P	20.6			9162	47	63.4	1.10	22.6	8382	43	62.2	1.30	27.7	6823	35	58.9	1.30	33.4	5653	29	56.2	1.75	42.2	4484	23	47.8	2.15	57.1	3314	17	47.8	2.15	62.6	3022	15.5	44.4	2.15	84.3	2242	11.5	40.9	2.15	27.7	6823	35	46.9	0.90	B6* X9*			6P	33.8	9411	29	56.2			1.00	B7* X10*	6P	33.4	5653	29	44.8	1.05	42.2	4484	23	40.2	1.35	51.1	3704	19	37.2	1.35	57.1	3314	17	34.9	1.35	64.7	2924	15	34.2	1.35	74.6	2534	13	33.4	1.35	88.2	2144	11	32.6	1.35	30 kW							45 kW							11.3	22891			87	158.4	1.30	B9* X12*	6P			13.8	28021	71	158.4	1.05	B9* X12*	6P	13.8	18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23			121.2	3.35	11.3	22891	87			91.7	0.80	B8* X11*	6P	16.6	23285	59	158.4	1.25	B8* B11*	6P	13.8	18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5			2.45	85.2	3026	11.5	54.0			2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	11445	29	121.2	2.25	B7* X10*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60			63.2	4078	15.5	44.4	1.60			85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	85.2	4539	11.5	54.0	1.65	B7* X10*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95			30 kW							55 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	16.6	28460	59	158.4	1.00	B9* X12*	6P	13.8	18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0			2.45	28.0	9209	35	121.2			2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	22.8	20742	43	150.0	1.35	B8* X11*	6P	13.8	18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00			33.8	7630	29	71.2	2.45			42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29	121.2	1.80	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8			7630	29	56.2	1.30	42.6			6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	42.6	11095	23	121.2	1.80	B8* X11*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3			3947	15	34.2	0.95	75.4			3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							75 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	23.0	27999	43	150.0	0.95			B9* X12*	6P	13.8	18681	71			158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	28.3	22790	35	121.2	1.15	B9* X12*	6P	13.8	18681	71	91.7			1.00	16.6	15524	59	84.1			1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2			0.95	B7* X10*	6P	34.1	18883			29	121.2	1.35	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23	121.2	1.35	B9* X12*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																													
27.7	6823	35	74.5	2.75			33.4	5653	29	71.2	3.35			42.2	4438	23	64.4	3.35	57.1	3280	17	60.5	3.35	84.3	2219	11.5	54.0	3.35	16.4	11501	59	66.5	0.95	B7* X10*	6P	16.6	19146	59			84.1	1.00	B8* X11*			6P	20.6			9162			47	63.4	1.10	22.6	8382	43	62.2	1.30	27.7	6823	35	58.9	1.30	33.4	5653	29	56.2	1.75	42.2	4484	23	47.8	2.15	57.1	3314	17	47.8	2.15	62.6	3022	15.5	44.4	2.15	84.3	2242	11.5	40.9	2.15	27.7	6823	35	46.9	0.90	B6* X9*					6P	33.8	9411	29			56.2			1.00	B7* X10*	6P	33.4	5653	29	44.8	1.05	42.2	4484	23	40.2	1.35	51.1	3704	19	37.2	1.35	57.1	3314	17	34.9	1.35	64.7	2924	15	34.2	1.35	74.6	2534	13	33.4	1.35	88.2	2144	11	32.6	1.35	30 kW							45 kW								11.3	22891	87					158.4	1.30	B9* X12*	6P	13.8			28021	71	158.4	1.05	B9* X12*	6P	13.8	18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630			29	121.2	3.35	42.6	6052			23	121.2			3.35	11.3	22891	87	91.7			0.80	B8* X11*	6P	16.6	23285	59	158.4	1.25	B8* B11*	6P	13.8	18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2			2.45	42.6	6052	23	64.4			2.45	57.6	4473	17	60.5	2.45			85.2	3026	11.5	54.0	2.45			22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	11445	29	121.2	2.25	B7* X10*	6P	28.0	9209	35	58.9	0.95	33.8			7630	29	56.2	1.30	42.6			6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2			4078	15.5	44.4	1.60	85.2			3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	85.2	4539	11.5	54.0	1.65	B7* X10*	6P	51.6	4999	19	37.2	0.95	57.6	4473			17	34.9	0.95	65.3	3947			15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6			0.95	30 kW							55 kW							11.3	22891	87	158.4	1.30	B9* X12*			6P	16.6	28460	59	158.4			1.00	B9* X12*	6P	13.8	18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43			150.0	2.45	28.0	9209	35			121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	22.8			20742	43	150.0	1.35	B8* X11*			6P	13.8	18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5			2.00	33.8	7630	29	71.2			2.45	42.6	6052	23	64.4	2.45			57.6	4473	17	60.5	2.45			85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29	121.2	1.80	B9* X12*	6P	28.0	9209	35	58.9	0.95			33.8	7630	29	56.2	1.30			42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2			4078	15.5	44.4	1.60	85.2			3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	42.6	11095	23	121.2	1.80	B8* X11*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95			65.3	3947	15	34.2	0.95					75.4	3420	13			33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							75 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	23.0	27999	43	150.0			0.95	B9* X12*	6P	13.8	18681			71	158.4	1.60	16.6			15524	59	158.4	1.85	22.8			11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	28.3	22790	35	121.2	1.15	B9* X12*	6P	13.8	18681			71			91.7	1.00			16.6	15524	59			84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43			62.2	0.95	B7* X10*	6P	34.1			18883	29	121.2	1.35	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23	121.2	1.35	B9* X12*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																											
33.4	5653	29	71.2	3.35			42.2	4438	23	64.4	3.35			57.1	3280	17	60.5	3.35	84.3	2219	11.5	54.0	3.35	16.4	11501	59	66.5	0.95	B7* X10*	6P	16.6	19146	59			84.1	1.00	B8* X11*			6P	20.6					9162			47			63.4	1.10	22.6	8382	43	62.2	1.30	27.7	6823	35	58.9	1.30	33.4	5653	29	56.2	1.75	42.2	4484	23	47.8	2.15	57.1	3314	17	47.8	2.15	62.6	3022	15.5	44.4	2.15	84.3	2242	11.5	40.9	2.15	27.7	6823	35	46.9	0.90	B6* X9*							6P	33.8	9411			29			56.2			1.00	B7* X10*	6P	33.4	5653	29	44.8	1.05	42.2	4484	23	40.2	1.35	51.1	3704	19	37.2	1.35	57.1	3314	17	34.9	1.35	64.7	2924	15	34.2	1.35	74.6	2534	13	33.4	1.35	88.2	2144	11	32.6	1.35	30 kW							45 kW							11.3					22891	87			158.4			1.30	B9* X12*	6P	13.8			28021	71	158.4	1.05	B9* X12*	6P	13.8	18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0			9209	35	121.2	2.90	33.8			7630	29			121.2	3.35	42.6	6052	23			121.2			3.35	11.3	22891	87	91.7			0.80	B8* X11*	6P	16.6	23285	59	158.4	1.25	B8* B11*	6P	13.8	18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7			1.65	28.0	9209	35	74.5			2.00	33.8	7630	29	71.2	2.45			42.6	6052	23	64.4	2.45			57.6	4473	17	60.5	2.45			85.2	3026	11.5	54.0	2.45			22.8	11314	43	62.2	0.95	B7* X10*			6P	33.8	11445	29	121.2			2.25	B7* X10*	6P	28.0	9209	35	58.9	0.95	33.8	7630			29	56.2	1.30	42.6	6052			23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2			4078	15.5	44.4	1.60	85.2			3026	11.5	40.9	1.60	42.6	6052	23			40.2	0.95	B6* X9*	6P	85.2			4539	11.5	54.0	1.65	B7* X10*	6P	51.6	4999	19	37.2	0.95	57.6			4473	17	34.9	0.95	65.3			3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6					0.95	30 kW								55 kW							11.3	22891	87	158.4	1.30	B9* X12*			6P	16.6	28460	59	158.4			1.00	B9* X12*	6P	13.8	18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0			2.45			28.0	9209	35	121.2					2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	22.8			20742	43	150.0	1.35	B8* X11*			6P	13.8	18681	71	91.7	1.00			16.6	15524	59	84.1	1.25			22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00			33.8	7630	29	71.2	2.45			42.6	6052	23	64.4	2.45			57.6	4473	17	60.5	2.45			85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*			6P	33.8	13989	29	121.2			1.80	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8			7630	29	56.2	1.30	42.6			6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2			4078	15.5	44.4	1.60	85.2					3026	11.5	40.9			1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	42.6	11095	23	121.2	1.80	B8* X11*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3			3947	15	34.2	0.95			75.4			3420	13			33.4	0.95	89.1	2894			11	32.6	0.95	30 kW							75 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	23.0	27999	43	150.0	0.95	B9* X12*	6P			13.8	18681	71	158.4	1.60			16.6	15524			59			158.4	1.85			22.8	11314	43			150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	28.3	22790	35	121.2	1.15	B9* X12*	6P	13.8	18681	71	91.7			1.00	16.6			15524			59	84.1	1.25	22.8			11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*			6P	34.1	18883	29	121.2			1.35	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23	121.2	1.35	B9* X12*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																												
42.2	4438	23	64.4	3.35			57.1	3280	17	60.5	3.35			84.3	2219	11.5	54.0	3.35	16.4	11501	59	66.5	0.95	B7* X10*	6P	16.6	19146	59			84.1	1.00	B8* X11*			6P	20.6					9162					47			63.4			1.10	22.6	8382	43	62.2	1.30	27.7	6823	35	58.9	1.30	33.4	5653	29	56.2	1.75	42.2	4484	23	47.8	2.15	57.1	3314	17	47.8	2.15	62.6	3022	15.5	44.4	2.15	84.3	2242	11.5	40.9	2.15	27.7	6823	35	46.9	0.90	B6* X9*									6P	33.8			9411			29			56.2			1.00	B7* X10*	6P	33.4	5653	29	44.8	1.05	42.2	4484	23	40.2	1.35	51.1	3704	19	37.2	1.35	57.1	3314	17	34.9	1.35	64.7	2924	15	34.2	1.35	74.6	2534	13	33.4	1.35	88.2	2144	11	32.6	1.35	30 kW									45 kW							11.3	22891			87			158.4			1.30			B9* X12*	6P	13.8	28021			71	158.4	1.05	B9* X12*	6P	13.8	18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8			11314	43	150.0	2.45	28.0			9209	35			121.2	2.90	33.8	7630	29			121.2			3.35	42.6	6052	23	121.2			3.35			11.3	22891	87	91.7	0.80			B8* X11*	6P	16.6	23285	59	158.4	1.25	B8* B11*	6P	13.8	18681	71	91.7	1.00			16.6	15524	59	84.1	1.25			22.8	11314	43	78.7	1.65	28.0			9209	35	74.5	2.00	33.8			7630	29	71.2	2.45	42.6			6052	23	64.4	2.45	57.6			4473	17	60.5	2.45	85.2					3026	11.5	54.0	2.45			22.8			11314	43	62.2	0.95	B7* X10*	6P	33.8			11445	29	121.2	2.25	B7* X10*			6P	28.0	9209	35	58.9	0.95	33.8	7630	29			56.2	1.30	42.6	6052	23			47.8	1.60	57.6	4473	17	47.8	1.60			63.2	4078			15.5			44.4	1.60	85.2	3026			11.5	40.9	1.60	42.6	6052	23			40.2	0.95	B6* X9*	6P	85.2			4539	11.5	54.0	1.65	B7* X10*	6P	51.6	4999	19	37.2	0.95	57.6	4473					17	34.9	0.95	65.3			3947			15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6					0.95	30 kW								55 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P			16.6			28460	59	158.4	1.00					B9* X12*	6P	13.8	18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0			2.45			28.0	9209	35	121.2					2.90	33.8	7630	29	121.2			3.35	42.6	6052	23	121.2			3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	22.8	20742			43	150.0	1.35	B8* X11*	6P			13.8	18681	71	91.7	1.00			16.6	15524	59	84.1	1.25			22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00					33.8	7630	29	71.2			2.45			42.6	6052	23	64.4	2.45	57.6			4473	17	60.5	2.45	85.2			3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*			6P	33.8	13989	29	121.2					1.80	B9* X12*	6P			28.0	9209	35	58.9	0.95	33.8			7630	29	56.2	1.30	42.6			6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078			15.5	44.4	1.60	85.2			3026			11.5	40.9			1.60	42.6	6052	23			40.2	0.95	B6* X9*	6P	42.6			11095	23	121.2	1.80	B8* X11*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9			0.95	65.3	3947	15	34.2					0.95	75.4	3420	13	33.4			0.95	89.1			2894			11	32.6			0.95	30 kW							75 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	23.0	27999	43	150.0	0.95			B9* X12*	6P	13.8	18681	71			158.4	1.60	16.6	15524			59	158.4			1.85			22.8	11314	43	150.0			2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	28.3	22790	35	121.2	1.15	B9* X12*	6P	13.8	18681	71	91.7					1.00	16.6	15524	59			84.1			1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2			0.95	B7* X10*	6P	34.1	18883			29	121.2	1.35	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23	121.2	1.35	B9* X12*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																											
57.1	3280	17	60.5	3.35			84.3	2219	11.5	54.0	3.35			16.4	11501	59	66.5	0.95	B7* X10*	6P	16.6	19146	59			84.1	1.00	B8* X11*			6P	20.6					9162					47					63.4			1.10			22.6	8382	43	62.2	1.30	27.7	6823	35	58.9	1.30	33.4	5653	29	56.2	1.75	42.2	4484	23	47.8	2.15	57.1	3314	17	47.8	2.15	62.6	3022	15.5	44.4	2.15	84.3	2242	11.5	40.9	2.15	27.7	6823	35	46.9	0.90	B6* X9*											6P			33.8			9411			29			56.2			1.00	B7* X10*	6P	33.4	5653	29	44.8	1.05	42.2	4484	23	40.2	1.35	51.1	3704	19	37.2	1.35	57.1	3314	17	34.9	1.35	64.7	2924	15	34.2	1.35	74.6	2534	13	33.4	1.35	88.2	2144	11	32.6	1.35	30 kW							45 kW							11.3			22891			87			158.4					1.30	B9* X12*			6P	13.8	28021			71	158.4	1.05	B9* X12*	6P	13.8	18681	71	158.4	1.60	16.6			15524	59	158.4	1.85	22.8			11314	43			150.0	2.45	28.0	9209	35			121.2			2.90	33.8	7630	29	121.2			3.35			42.6	6052	23	121.2	3.35					11.3	22891	87	91.7	0.80			B8* X11*	6P	16.6	23285	59			158.4	1.25	B8* B11*	6P	13.8			18681	71	91.7	1.00	16.6	15524			59	84.1	1.25	22.8	11314			43	78.7	1.65	28.0	9209			35	74.5	2.00	33.8	7630			29	71.2	2.45	42.6	6052					23	64.4	2.45	57.6			4473			17	60.5	2.45	85.2			3026			11.5	54.0	2.45	22.8					11314	43	62.2	0.95	B7* X10*	6P	33.8	11445			29	121.2	2.25	B7* X10*	6P			28.0	9209	35	58.9	0.95	33.8	7630			29	56.2			1.30			42.6	6052	23	47.8			1.60	57.6	4473	17	47.8	1.60			63.2	4078			15.5			44.4	1.60	85.2	3026			11.5	40.9	1.60	42.6	6052	23	40.2					0.95	B6* X9*	6P	85.2			4539			11.5	54.0	1.65	B7* X10*	6P	51.6	4999	19	37.2	0.95	57.6	4473					17	34.9	0.95	65.3			3947			15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6					0.95			30 kW										55 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P			16.6			28460	59	158.4	1.00					B9* X12*	6P	13.8	18681	71			158.4	1.60	16.6	15524	59			158.4	1.85	22.8	11314	43	150.0			2.45	28.0			9209	35	121.2					2.90	33.8	7630	29	121.2			3.35	42.6	6052	23	121.2			3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	22.8	20742					43	150.0	1.35	B8* X11*			6P			13.8	18681	71	91.7	1.00	16.6			15524	59	84.1	1.25	22.8			11314	43	78.7	1.65	28.0	9209	35	74.5	2.00					33.8	7630	29	71.2					2.45					42.6	6052	23	64.4	2.45	57.6			4473	17	60.5	2.45	85.2			3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P			33.8	13989	29	121.2			1.80			B9* X12*	6P			28.0	9209	35	58.9			0.95	33.8			7630			29	56.2	1.30	42.6			6052	23	47.8	1.60	57.6	4473	17	47.8	1.60			63.2	4078	15.5	44.4	1.60					85.2	3026	11.5	40.9	1.60			42.6	6052			23			40.2	0.95			B6* X9*	6P	42.6			11095	23	121.2	1.80	B8* X11*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9			0.95	65.3	3947	15	34.2					0.95	75.4	3420			13	33.4	0.95	89.1			2894	11			32.6			0.95	30 kW							75 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	23.0	27999	43	150.0	0.95			B9* X12*	6P	13.8	18681	71			158.4	1.60	16.6	15524					59	158.4	1.85	22.8			11314			43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	28.3	22790	35	121.2	1.15	B9* X12*	6P	13.8	18681	71			91.7			1.00	16.6			15524	59	84.1			1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2			0.95	B7* X10*	6P	34.1	18883			29	121.2	1.35	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23	121.2	1.35	B9* X12*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																										
84.3	2219	11.5	54.0	3.35			16.4	11501	59	66.5	0.95			B7* X10*	6P	16.6	19146	59			84.1	1.00	B8* X11*			6P	20.6					9162					47					63.4					1.10			22.6			8382	43	62.2	1.30	27.7	6823	35	58.9	1.30	33.4	5653	29	56.2	1.75	42.2	4484	23	47.8	2.15	57.1	3314	17	47.8	2.15	62.6	3022	15.5	44.4	2.15	84.3	2242	11.5	40.9	2.15	27.7	6823	35	46.9	0.90	B6* X9*															6P			33.8			9411			29			56.2			1.00	B7* X10*	6P	33.4	5653	29	44.8	1.05	42.2	4484	23	40.2	1.35	51.1	3704	19	37.2	1.35	57.1	3314	17	34.9	1.35	64.7	2924	15	34.2	1.35	74.6	2534	13	33.4	1.35	88.2	2144	11	32.6	1.35	30 kW										45 kW							11.3			22891					87					158.4	1.30			B9* X12*	6P	13.8			28021	71	158.4	1.05	B9* X12*	6P			13.8	18681	71	158.4	1.60			16.6	15524			59	158.4	1.85	22.8	11314			43			150.0	2.45	28.0	9209	35			121.2			2.90	33.8	7630	29	121.2					3.35	42.6	6052	23	121.2					3.35	11.3	22891			87	91.7			0.80			B8* X11*	6P	16.6	23285	59	158.4			1.25	B8* B11*	6P	13.8	18681			71	91.7	1.00	16.6	15524			59	84.1	1.25	22.8	11314			43	78.7	1.65	28.0	9209					35	74.5	2.00	33.8			7630			29	71.2	2.45	42.6			6052			23	64.4	2.45	57.6					4473	17	60.5	2.45			85.2	3026			11.5	54.0	2.45					22.8	11314	43	62.2	0.95	B7* X10*	6P			33.8	11445			29			121.2	2.25	B7* X10*	6P			28.0	9209	35	58.9	0.95	33.8			7630	29			56.2			1.30	42.6	6052	23			47.8	1.60	57.6	4473	17	47.8	1.60					63.2			4078			15.5			44.4	1.60	85.2			3026	11.5	40.9	1.60	42.6	6052	23					40.2	0.95	B6* X9*	6P			85.2			4539	11.5	54.0	1.65	B7* X10*	6P	51.6	4999	19	37.2	0.95	57.6					4473			17	34.9	0.95	65.3							3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11					32.6			0.95	30 kW									55 kW							11.3	22891	87			158.4	1.30	B9* X12*	6P	16.6	28460			59	158.4			1.00	B9* X12*	6P					13.8	18681	71	158.4	1.60			16.6	15524	59	158.4	1.85			22.8	11314	43	150.0	2.45	28.0			9209	35					121.2	2.90	33.8							7630	29	121.2	3.35	42.6	6052			23	121.2	3.35	11.3	22891			87	91.7	0.80	B8* X11*	6P	22.8	20742	43	150.0					1.35	B8* X11*	6P	13.8					18681					71	91.7	1.00	16.6	15524	59			84.1	1.25	22.8	11314	43			78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630					29	71.2	2.45	42.6			6052							23	64.4	2.45	57.6			4473	17			60.5			2.45	85.2	3026	11.5			54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P			33.8	13989	29	121.2	1.80					B9* X12*	6P	28.0	9209	35			58.9	0.95			33.8			7630	29					56.2			1.30	42.6	6052	23			47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078			15.5	44.4	1.60	85.2	3026					11.5	40.9	1.60			42.6	6052	23	40.2			0.95	B6* X9*			6P			42.6	11095	23	121.2			1.80	B8* X11*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3			3947	15	34.2	0.95	75.4					3420	13	33.4			0.95	89.1	2894	11					32.6	0.95	30 kW							75 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	23.0	27999	43	150.0	0.95	B9* X12*	6P	13.8	18681			71	158.4	1.60	16.6	15524			59	158.4	1.85			22.8			11314	43			150.0	2.45	28.0			9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	28.3	22790	35	121.2	1.15	B9* X12*	6P	13.8	18681	71	91.7	1.00	16.6	15524			59			84.1	1.25			22.8	11314	43			78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1			18883	29	121.2	1.35	B9* X12*			6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23	121.2	1.35	B9* X12*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95													
16.4	11501	59	66.5	0.95	B7* X10*	6P	16.6	19146	59	84.1	1.00	B8* X11*	6P																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
20.6	9162	47	63.4	1.10			22.6	8382	43	62.2	1.30					27.7	6823	35			58.9	1.30					33.4					5653					29					56.2		1.75	42.2		4484			23	47.8	2.15	57.1	3314	17	47.8	2.15	62.6	3022	15.5	44.4	2.15	84.3	2242	11.5	40.9	2.15	27.7	6823	35	46.9	0.90	B6* X9*	6P	33.8	9411	29	56.2	1.00	B7* X10*	6P	33.4	5653	29	44.8	1.05	42.2	4484	23	40.2	1.35							51.1	3704						19	37.2				1.35			57.1			3314			17			34.9			1.35	64.7	2924	15	34.2	1.35	74.6	2534	13	33.4	1.35	88.2	2144	11	32.6	1.35	30 kW							45 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	13.8	28021	71	158.4			1.05	B9* X12*	6P	13.8			18681			71			158.4					1.60					16.6	15524					59			158.4	1.85	22.8	11314			43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29			121.2	3.35	42.6	6052	23			121.2			3.35	11.3	22891	87	91.7			0.80			B8* X11*	6P	16.6	23285	59					158.4	1.25	B8* B11*	6P	13.8					18681	71	91.7	1.00	16.6	15524	59			84.1	1.25	22.8			11314	43	78.7	1.65			28.0			9209	35			74.5	2.00	33.8	7630	29			71.2	2.45	42.6	6052	23			64.4	2.45	57.6	4473	17		60.5	2.45		85.2	3026	11.5	54.0	2.45	22.8	11314			43	62.2	0.95	B7* X10*			6P			33.8	11445	29	121.2					2.25	B7* X10*	6P	28.0			9209	35			58.9	0.95	33.8					7630	29	56.2	1.30	42.6			6052	23	47.8	1.60			57.6	4473	17	47.8	1.60					63.2	4078	15.5	44.4	1.60	85.2			3026	11.5			40.9			1.60	42.6	6052	23			40.2	0.95	B6* X9*	6P	85.2	4539	11.5		54.0	1.65		B7* X10*			6P	51.6	4999	19			37.2	0.95	57.6			4473	17	34.9	0.95	65.3	3947	15					34.2	0.95					75.4			3420	13	33.4	0.95			89.1	2894	11	32.6	0.95	30 kW							55 kW							11.3				22891	87	158.4	1.30	B9* X12*	6P	16.6	28460	59	158.4	1.00	B9* X12*					6P			13.8	18681	71	158.4							1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35			121.2	2.90			33.8	7630			29							121.2	3.35	42.6	6052	23			121.2	3.35	11.3	22891	87			91.7	0.80	B8* X11*	6P	22.8	20742			43	150.0		1.35	B8* X11*		6P	13.8	18681		71	91.7				1.00	16.6	15524	59	84.1	1.25			22.8	11314	43	78.7	1.65			28.0	9209	35			74.5	2.00	33.8	7630					29			71.2	2.45	42.6			6052			23	64.4	2.45	57.6	4473	17	60.5	2.45			85.2	3026	11.5	54.0	2.45			22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989					29	121.2	1.80	B9* X12*			6P							28.0	9209	35	58.9	0.95	33.8	7630	29			56.2	1.30	42.6	6052	23	47.8	1.60			57.6	4473	17	47.8	1.60	63.2	4078					15.5	44.4	1.60	85.2	3026							11.5	40.9	1.60			42.6	6052	23	40.2	0.95			B6* X9*	6P	42.6	11095			23			121.2	1.80	B8* X11*	6P			51.6	4999	19	37.2	0.95	57.6	4473	17	34.9			0.95	65.3	3947	15	34.2					0.95	75.4	3420			13	33.4	0.95	89.1			2894							11	32.6	0.95	30 kW							75 kW							11.3	22891	87			158.4	1.30	B9* X12*	6P	23.0					27999	43	150.0			0.95	B9* X12*	6P	13.8					18681	71	158.4	1.60			16.6			15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35			121.2	2.90	33.8	7630	29			121.2	3.35			42.6	6052	23	121.2	3.35			11.3	22891	87			91.7			0.80	B8* X11*			6P	28.3	22790			35	121.2	1.15	B9* X12*	6P	13.8	18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7			1.65	28.0	9209	35	74.5			2.00	33.8	7630	29	71.2	2.45	42.6			6052			23	64.4			2.45	57.6	4473			17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30			42.6			6052	23	47.8	1.60					57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23	121.2	1.35	B9* X12*	6P	51.6	4999	19	37.2	0.95	57.6			4473	17	34.9	0.95	65.3			3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																								
22.6	8382	43	62.2	1.30			27.7	6823	35	58.9	1.30					33.4	5653	29			56.2	1.75					42.2					4484					23		47.8	2.15		57.1		3314	17		47.8	2.15	62.6	3022	15.5	44.4	2.15	84.3	2242	11.5	40.9	2.15	27.7	6823	35	46.9	0.90	B6* X9*	6P	33.8	9411	29	56.2	1.00	B7* X10*	6P			33.4	5653	29	44.8	1.05			42.2	4484	23	40.2	1.35	51.1	3704	19	37.2	1.35						57.1	3314	17	34.9					1.35	64.7		2924	15	34.2			1.35			74.6			2534			13			33.4	1.35	88.2	2144	11	32.6	1.35	30 kW							45 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	13.8	28021	71	158.4	1.05	B9* X12*	6P			13.8	18681	71	158.4	1.60	16.6	15524			59			158.4	1.85	22.8	11314			43					150.0					2.45	28.0					9209			35	121.2	2.90	33.8			7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	16.6	23285	59	158.4	1.25			B8* B11*	6P	13.8	18681	71			91.7					1.00	16.6	15524					59	84.1			1.25					22.8	11314	43	78.7	1.65	28.0	9209			35	74.5	2.00			33.8	7630	29	71.2	2.45	42.6	6052			23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2			3026	11.5	54.0	2.45	22.8			11314	43	62.2	0.95	B7* X10*		6P	33.8		11445	29	121.2	2.25	B7* X10*	6P	28.0			9209	35	58.9					0.95	33.8	7630	29	56.2	1.30		42.6	6052		23			47.8			1.60	57.6			4473	17	47.8					1.60	63.2	4078	15.5	44.4			1.60	85.2	3026	11.5			40.9	1.60	42.6	6052	23					40.2	0.95	B6* X9*	6P	85.2	4539	11.5	54.0	1.65	B7* X10*			6P	51.6	4999	19	37.2	0.95	57.6			4473	17			34.9	0.95	65.3		3947	15						34.2	0.95	75.4			3420	13	33.4			0.95	89.1	2894	11	32.6	0.95	30 kW									55 kW							11.3	22891			87	158.4	1.30	B9* X12*	6P	16.6					28460	59	158.4	1.00	B9* X12*	6P	13.8		18681	71				158.4	1.60	16.6	15524			59	158.4	1.85	22.8	11314							43	150.0	2.45	28.0	9209	35		121.2	2.90				33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7			0.80	B8* X11*			6P	22.8			20742							43	150.0	1.35	B8* X11*	6P	13.8	18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8			11314	43			78.7	1.65		28.0				9209	35		74.5	2.00				33.8	7630	29	71.2	2.45	42.6			6052	23	64.4	2.45	57.6			4473	17	60.5			2.45	85.2	3026	11.5		54.0	2.45		22.8			11314	43	62.2	0.95	B7* X10*	6P			33.8	13989	29	121.2	1.80	B9* X12*	6P	28.0			9209	35	58.9	0.95	33.8			7630	29	56.2	1.30	42.6			6052	23					47.8	1.60	57.6		4473	17						47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5			40.9	1.60	42.6	6052	23	40.2	0.95			B6* X9*	6P	42.6	11095	23	121.2	1.80					B8* X11*	6P	51.6	4999	19							37.2	0.95	57.6			4473	17	34.9	0.95	65.3	3947	15			34.2	0.95			75.4	3420	13	33.4	0.95					89.1	2894	11	32.6	0.95	30 kW							75 kW								11.3	22891	87			158.4	1.30	B9* X12*	6P	23.0	27999	43					150.0	0.95	B9* X12*	6P	13.8	18681			71			158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0			2.45	28.0			9209					35	121.2	2.90			33.8			7630					29	121.2	3.35	42.6			6052			23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	28.3	22790			35	121.2	1.15	B9* X12*	6P			13.8	18681			71	91.7	1.00	16.6	15524			59	84.1	1.25			22.8			11314					43	78.7			1.65	28.0	9209			35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6			4473	17	60.5	2.45	85.2			3026	11.5	54.0	2.45	22.8	11314	43			62.2			0.95	B7* X10*			6P	34.1	18883			29	121.2	1.35	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29			56.2	1.30	42.6	6052	23			47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5			44.4			1.60	85.2	3026	11.5					40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23	121.2	1.35	B9* X12*	6P	51.6	4999	19	37.2			0.95	57.6	4473	17	34.9			0.95	65.3	3947	15	34.2	0.95			75.4	3420	13	33.4	0.95			89.1	2894	11	32.6	0.95																																	
27.7	6823	35	58.9	1.30			33.4	5653	29	56.2	1.75					42.2	4484	23			47.8	2.15					57.1					3314		17	47.8		2.15		62.6	3022		15.5	44.4	2.15	84.3	2242	11.5	40.9	2.15	27.7	6823	35	46.9	0.90	B6* X9*	6P	33.8	9411	29	56.2	1.00	B7* X10*	6P			33.4	5653	29	44.8	1.05					42.2	4484	23	40.2	1.35			51.1	3704	19	37.2	1.35	57.1	3314	17	34.9	1.35					64.7	2924	15	34.2	1.35	74.6				2534	13		33.4	1.35	88.2	2144	11	32.6			1.35			30 kW							45 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	13.8	28021	71	158.4	1.05	B9* X12*	6P	13.8	18681	71	158.4			1.60	16.6	15524	59	158.4					1.85	22.8	11314	43	150.0	2.45	28.0			9209	35	121.2	2.90	33.8	7630	29			121.2	3.35	42.6			6052					23	121.2					3.35			11.3	22891	87	91.7			0.80	B8* X11*	6P	16.6	23285	59	158.4	1.25	B8* B11*	6P	13.8	18681	71	91.7			1.00	16.6	15524	59	84.1	1.25	22.8			11314	43	78.7	1.65	28.0	9209					35	74.5	2.00					33.8	7630			29					71.2	2.45	42.6	6052	23	64.4	2.45			57.6	4473	17			60.5	2.45	85.2	3026	11.5	54.0	2.45			22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	11445	29	121.2	2.25	B7* X10*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29				56.2		1.30	42.6	6052	23			47.8			1.60	57.6	4473					17	47.8	1.60	63.2	4078	15.5		44.4	1.60		85.2			3026			11.5	40.9	1.60	42.6	6052	23	40.2			0.95	B6* X9*	6P	85.2	4539	11.5	54.0			1.65	B7* X10*	6P	51.6			4999	19	37.2	0.95	57.6					4473	17			34.9	0.95	65.3	3947	15					34.2	0.95	75.4	3420	13	33.4			0.95	89.1			2894	11	32.6	0.95	30 kW							55 kW							11.3			22891	87	158.4	1.30	B9* X12*	6P	16.6		28460	59		158.4	1.00			B9* X12*	6P	13.8			18681	71	158.4	1.60			16.6	15524	59			158.4			1.85	22.8	11314	43	150.0	2.45			28.0	9209	35	121.2	2.90			33.8	7630	29	121.2			3.35	42.6	6052	23	121.2							3.35	11.3	22891	87	91.7	0.80		B8* X11*	6P				22.8	20742	43	150.0	1.35	B8* X11*	6P	13.8	18681	71	91.7	1.00	16.6	15524			59					84.1	1.25	22.8	11314					43	78.7	1.65	28.0	9209			35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23			64.4	2.45			57.6	4473		17				60.5	2.45		85.2	3026				11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29	121.2	1.80	B9* X12*	6P	28.0			9209	35	58.9	0.95		33.8	7630		29			56.2	1.30	42.6	6052					23	47.8	1.60	57.6	4473			17			47.8	1.60	63.2	4078	15.5			44.4	1.60	85.2	3026	11.5			40.9	1.60			42.6	6052	23	40.2	0.95		B6* X9*	6P		42.6	11095			23	121.2	1.80	B8* X11*	6P	51.6	4999	19	37.2	0.95			57.6	4473	17	34.9	0.95	65.3	3947					15	34.2	0.95	75.4	3420							13	33.4	0.95			89.1	2894			11	32.6	0.95	30 kW							75 kW								11.3	22891	87	158.4	1.30					B9* X12*	6P	23.0	27999	43	150.0	0.95	B9* X12*	6P			13.8	18681	71	158.4	1.60					16.6	15524	59			158.4	1.85			22.8	11314	43		150.0	2.45		28.0	9209			35	121.2	2.90	33.8	7630			29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87			91.7	0.80			B8* X11*					6P	28.3	22790			35			121.2		1.15	B9* X12*		6P	13.8	18681	71	91.7	1.00	16.6			15524	59	84.1	1.25	22.8	11314	43	78.7			1.65	28.0			9209	35	74.5					2.00	33.8			7630	29	71.2	2.45	42.6			6052	23	64.4			2.45			57.6					4473	17			60.5	2.45	85.2			3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29			121.2	1.35	B9* X12*	6P	28.0			9209	35	58.9	0.95	33.8	7630	29			56.2			1.30					42.6	6052			23	47.8	1.60			57.6	4473	17	47.8	1.60	63.2	4078	15.5			44.4	1.60	85.2	3026	11.5			40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0			14976			23	121.2	1.35	B9* X12*					6P	51.6	4999	19	37.2	0.95	57.6			4473	17	34.9	0.95	65.3			3947	15	34.2	0.95			75.4	3420	13	33.4	0.95			89.1	2894	11	32.6	0.95																																																
33.4	5653	29	56.2	1.75			42.2	4484	23	47.8	2.15					57.1	3314	17			47.8	2.15					62.6		3022	15.5		44.4		2.15	84.3		2242	11.5	40.9	2.15	27.7	6823	35	46.9	0.90	B6* X9*	6P	33.8	9411	29	56.2	1.00	B7* X10*	6P			33.4	5653	29	44.8	1.05					42.2	4484	23	40.2	1.35					51.1	3704	19	37.2	1.35			57.1	3314	17	34.9	1.35	64.7	2924	15	34.2	1.35				74.6	2534	13	33.4	1.35	88.2	2144	11			32.6	1.35		30 kW							45 kW							11.3			22891	87	158.4	1.30	B9* X12*	6P	13.8	28021	71	158.4	1.05	B9* X12*	6P			13.8	18681	71	158.4	1.60			16.6	15524	59	158.4			1.85	22.8	11314	43	150.0					2.45	28.0	9209	35	121.2	2.90	33.8			7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87			91.7		0.80	B8* X11*		6P	16.6					23285			59	158.4	1.25	B8* B11*			6P			13.8	18681	71	91.7	1.00			16.6	15524	59	84.1			1.25	22.8	11314	43	78.7	1.65	28.0			9209	35	74.5	2.00	33.8	7630	29	71.2			2.45	42.6	6052	23	64.4			2.45	57.6			4473					17	60.5	2.45	85.2	3026	11.5	54.0			2.45	22.8	11314			43	62.2	0.95	B7* X10*	6P	33.8	11445			29	121.2	2.25	B7* X10*	6P			28.0	9209	35	58.9	0.95			33.8	7630	29	56.2	1.30	42.6	6052	23		47.8		1.60	57.6	4473	17	47.8	1.60			63.2	4078	15.5	44.4	1.60	85.2					3026	11.5	40.9	1.60	42.6	6052		23	40.2		0.95			B6* X9*			6P	85.2	4539	11.5	54.0	1.65	B7* X10*			6P			51.6	4999	19	37.2			0.95			57.6	4473	17	34.9	0.95	65.3	3947	15			34.2	0.95	75.4	3420			13	33.4	0.95	89.1	2894					11	32.6	0.95	30 kW									55 kW											11.3	22891	87	158.4	1.30	B9* X12*	6P	16.6			28460	59	158.4	1.00			B9* X12*	6P	13.8	18681	71	158.4	1.60					16.6	15524	59	158.4	1.85	22.8	11314			43	150.0	2.45			28.0			9209	35	121.2	2.90	33.8	7630			29	121.2	3.35	42.6	6052			23	121.2	3.35	11.3			22891	87	91.7	0.80	B8* X11*				6P	22.8		20742	43	150.0	1.35	B8* X11*	6P	13.8			18681			71	91.7	1.00	16.6	15524			59	84.1	1.25	22.8	11314	43	78.7			1.65					28.0	9209	35	74.5					2.00	33.8	7630	29	71.2			2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45			85.2	3026			11.5	54.0	2.45	22.8		11314		43	62.2		0.95	B7* X10*		6P	33.8	13989	29	121.2	1.80	B9* X12*	6P	28.0	9209			35	58.9	0.95	33.8	7630			29			56.2	1.30	42.6	6052		23	47.8		1.60			57.6	4473	17	47.8					1.60	63.2	4078	15.5	44.4			1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	42.6	11095			23	121.2			1.80	B8* X11*	6P	51.6	4999					19	37.2			0.95	57.6	4473			17	34.9	0.95	65.3	3947			15	34.2	0.95	75.4	3420	13	33.4					0.95	89.1	2894	11	32.6			0.95	30 kW							75 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	23.0	27999	43			150.0	0.95			B9* X12*	6P	13.8	18681	71							158.4	1.60	16.6	15524	59					158.4	1.85	22.8	11314	43	150.0	2.45			28.0	9209	35	121.2	2.90	33.8	7630			29	121.2	3.35		42.6	6052		23	121.2			3.35	11.3	22891	87	91.7			0.80	B8* X11*	6P	28.3	22790	35	121.2	1.15	B9* X12*	6P	13.8			18681	71									91.7	1.00			16.6			15524	59	84.1		1.25		22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6			6052	23			64.4	2.45	57.6					4473	17			60.5	2.45	85.2	3026	11.5			54.0	2.45	22.8	11314	43	62.2			0.95		B7* X10*	6P		34.1	18883			29	121.2	1.35			B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8	7630			29	56.2	1.30			42.6	6052			23			47.8	1.60	57.6	4473	17	47.8	1.60			63.2			4078					15.5	44.4			1.60	85.2	3026			11.5	40.9	1.60	42.6	6052	23	40.2	0.95			B6* X9*	6P	43.0	14976	23			121.2	1.35	B9* X12*	6P	51.6	4999	19			37.2			0.95			57.6	4473	17							34.9	0.95	65.3	3947	15	34.2			0.95	75.4	3420	13	33.4			0.95	89.1	2894	11			32.6	0.95																																																										
42.2	4484	23	47.8	2.15			57.1	3314	17	47.8	2.15					62.6	3022	15.5			44.4	2.15		84.3	2242		11.5		40.9	2.15		27.7	6823	35	46.9	0.90	B6* X9*	6P	33.8	9411	29	56.2	1.00	B7* X10*	6P			33.4	5653	29	44.8	1.05					42.2	4484	23	40.2	1.35					51.1	3704	19	37.2	1.35					57.1	3314	17	34.9	1.35			64.7	2924	15	34.2	1.35	74.6	2534	13	33.4	1.35			88.2	2144	11	32.6	1.35	30 kW							45 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P			13.8			28021	71	158.4	1.05			B9* X12*	6P	13.8	18681	71					158.4	1.60	16.6	15524	59			158.4	1.85	22.8	11314			43	150.0	2.45	28.0	9209					35	121.2	2.90	33.8	7630	29	121.2			3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	16.6	23285		59				158.4	1.25	B8* B11*			6P			13.8	18681	71							91.7	1.00	16.6	15524	59			84.1	1.25	22.8	11314			43	78.7	1.65	28.0	9209	35	74.5			2.00	33.8	7630	29	71.2	2.45	42.6	6052			23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2			3026	11.5	54.0			2.45	22.8	11314	43	62.2	0.95	B7* X10*			6P	33.8	11445			29	121.2	2.25			B7* X10*	6P			28.0	9209	35					58.9	0.95	33.8	7630	29			56.2	1.30	42.6	6052	23	47.8	1.60	57.6		4473		17	47.8	1.60	63.2	4078	15.5			44.4	1.60	85.2	3026	11.5	40.9		1.60	42.6		6052	23	40.2	0.95	B6* X9*	6P	85.2	4539	11.5	54.0	1.65							B7* X10*	6P	51.6	4999	19							37.2	0.95	57.6	4473			17			34.9	0.95	65.3	3947	15	34.2	0.95	75.4			3420	13	33.4	0.95			89.1	2894	11	32.6	0.95		30 kW							55 kW								11.3	22891	87	158.4	1.30	B9* X12*	6P					16.6	28460	59	158.4	1.00			B9* X12*			6P	13.8	18681	71					158.4	1.60	16.6	15524	59					158.4	1.85	22.8	11314	43	150.0	2.45			28.0	9209	35			121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052			23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	22.8			20742	43	150.0	1.35						B8* X11*		6P	13.8	18681	71			91.7			1.00			16.6	15524	59	84.1	1.25			22.8	11314	43	78.7	1.65	28.0	9209			35		74.5	2.00		33.8	7630	29	71.2			2.45	42.6	6052	23	64.4	2.45	57.6			4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314			43	62.2			0.95	B7* X10*	6P	33.8		13989		29	121.2		1.80				B9* X12*	6P	28.0	9209	35			58.9	0.95			33.8	7630	29	56.2	1.30			42.6			6052	23	47.8	1.60	57.6	4473	17	47.8	1.60			63.2	4078	15.5	44.4			1.60	85.2	3026	11.5	40.9	1.60	42.6			6052	23	40.2	0.95	B6* X9*	6P	42.6	11095	23	121.2	1.80			B8* X11*	6P			51.6	4999			19			37.2	0.95					57.6	4473			17	34.9	0.95			65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							75 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P			23.0	27999	43	150.0	0.95	B9* X12*	6P			13.8	18681	71			158.4	1.60					16.6	15524	59							158.4	1.85	22.8	11314	43			150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3			22891	87	91.7		0.80	B8* X11*		6P	28.3			22790	35	121.2	1.15	B9* X12*			6P			13.8	18681	71	91.7	1.00			16.6			15524	59				84.1	1.25				22.8	11314	43	78.7	1.65			28.0	9209	35		74.5		2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45			85.2	3026			11.5	54.0	2.45					22.8	11314			43	62.2	0.95	B7* X10*	6P			34.1	18883	29	121.2	1.35	B9* X12*	6P	28.0	9209					35	58.9	0.95	33.8	7630	29	56.2					1.30	42.6	6052	23	47.8	1.60	57.6			4473	17	47.8			1.60	63.2			4078			15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052			23		40.2	0.95		B6* X9*	6P			43.0	14976	23			121.2	1.35	B9* X12*	6P	51.6	4999	19	37.2					0.95	57.6	4473			17	34.9			0.95	65.3	3947			15			34.2			0.95	75.4	3420							13	33.4	0.95	89.1	2894	11			32.6	0.95																																																																							
57.1	3314	17	47.8	2.15			62.6	3022	15.5	44.4	2.15					84.3	2242	11.5	40.9	2.15	27.7	6823		35	46.9		0.90	B6* X9*	6P	33.8	9411	29	56.2	1.00	B7* X10*	6P			33.4	5653	29	44.8	1.05					42.2	4484	23	40.2	1.35					51.1	3704	19	37.2	1.35					57.1	3314	17	34.9	1.35					64.7	2924	15	34.2	1.35			74.6	2534	13	33.4	1.35	88.2	2144	11	32.6	1.35		30 kW							45 kW								11.3	22891	87	158.4	1.30	B9* X12*	6P	13.8	28021	71			158.4	1.05	B9* X12*			6P	13.8	18681	71					158.4	1.60	16.6					15524	59	158.4	1.85	22.8			11314	43	150.0	2.45			28.0	9209	35	121.2	2.90					33.8	7630	29	121.2	3.35	42.6	6052			23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	16.6			23285	59	158.4	1.25		B8* B11*		6P	13.8					18681	71	91.7	1.00	16.6							15524	59	84.1	1.25	22.8			11314	43	78.7	1.65			28.0	9209	35	74.5	2.00	33.8	7630			29	71.2	2.45	42.6	6052	23	64.4	2.45			57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0			2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	11445	29		121.2	2.25		B7* X10*	6P			28.0	9209	35							58.9	0.95	33.8					7630	29	56.2	1.30	42.6			6052	23	47.8	1.60	57.6	4473	17	47.8		1.60		63.2	4078	15.5	44.4	1.60	85.2			3026	11.5	40.9	1.60	42.6	6052		23	40.2		0.95	B6* X9*	6P	85.2			4539	11.5	54.0	1.65	B7* X10*				6P	51.6				4999	19	37.2		0.95	57.6				4473	17	34.9	0.95			65.3			3947	15	34.2	0.95	75.4	3420	13	33.4			0.95	89.1	2894	11			32.6	0.95	30 kW							55 kW							11.3	22891	87			158.4	1.30	B9* X12*	6P	16.6				28460	59		158.4	1.00	B9* X12*	6P	13.8				18681	71		158.4	1.60	16.6					15524	59	158.4	1.85	22.8					11314	43	150.0	2.45	28.0	9209	35			121.2	2.90	33.8			7630	29	121.2	3.35	42.6	6052	23	121.2	3.35			11.3	22891	87	91.7	0.80	B8* X11*	6P	22.8			20742			43	150.0	1.35	B8* X11*			6P	13.8					18681	71	91.7			1.00			16.6	15524	59	84.1	1.25	22.8	11314	43			78.7	1.65	28.0	9209	35	74.5	2.00			33.8		7630	29		71.2	2.45	42.6	6052			23	64.4	2.45	57.6	4473	17	60.5			2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95			B7* X10*	6P	33.8	13989	29			121.2		1.80		B9* X12*	6P	28.0	9209		35				58.9	0.95	33.8			7630	29			56.2	1.30	42.6	6052	23			47.8			1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5			44.4	1.60	85.2	3026			11.5	40.9	1.60	42.6	6052	23	40.2			0.95	B6* X9*	6P	42.6			11095	23	121.2	1.80	B8* X11*							6P	51.6	4999	19	37.2			0.95	57.6					4473	17	34.9	0.95	65.3	3947	15			34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							75 kW							11.3			22891	87	158.4	1.30	B9* X12*					6P	23.0	27999	43	150.0					0.95	B9* X12*	6P			13.8	18681	71	158.4			1.60	16.6	15524			59	158.4			1.85	22.8	11314	43	150.0			2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891			87	91.7	0.80		B8* X11*				6P			28.3	22790	35	121.2							1.15	B9* X12*	6P	13.8	18681			71	91.7	1.00	16.6	15524				59	84.1	1.25	22.8		11314	43	78.7	1.65	28.0			9209	35	74.5		2.00		33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2			3026	11.5			54.0	2.45	22.8					11314	43	62.2	0.95	B7* X10*	6P	34.1			18883	29	121.2	1.35	B9* X12*	6P	28.0			9209	35					58.9	0.95	33.8	7630	29	56.2	1.30					42.6	6052	23	47.8	1.60	57.6	4473			17	47.8	1.60			63.2	4078			15.5			44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*		6P	43.0				14976	23	121.2	1.35	B9* X12*			6P	51.6			4999	19	37.2	0.95					57.6	4473	17			34.9	0.95			65.3	3947	15			34.2			0.95	75.4	3420	13	33.4	0.95			89.1	2894			11	32.6	0.95																																																																														
62.6	3022	15.5	44.4	2.15			84.3	2242	11.5	40.9	2.15			27.7	6823	35	46.9	0.90	B6* X9*	6P	33.8	9411	29	56.2	1.00	B7* X10*	6P			33.4	5653	29	44.8	1.05					42.2	4484	23	40.2	1.35					51.1	3704	19	37.2	1.35					57.1	3314	17	34.9	1.35					64.7	2924	15	34.2	1.35					74.6	2534	13	33.4	1.35			88.2	2144	11	32.6	1.35	30 kW							45 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	13.8	28021	71	158.4	1.05			B9* X12*	6P	13.8			18681	71		158.4	1.60		16.6	15524	59					158.4	1.85	22.8					11314	43	150.0	2.45	28.0			9209	35	121.2	2.90			33.8	7630	29	121.2	3.35					42.6	6052	23	121.2	3.35	11.3	22891			87	91.7	0.80	B8* X11*	6P	16.6	23285	59			158.4			1.25	B8* B11*	6P	13.8					18681		71	91.7		1.00	16.6	15524	59	84.1		1.25	22.8				11314	43	78.7	1.65	28.0			9209	35	74.5	2.00			33.8	7630	29	71.2	2.45	42.6	6052			23	64.4	2.45	57.6	4473	17	60.5	2.45			85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2			0.95	B7* X10*	6P	33.8	11445	29			121.2	2.25	B7* X10*		6P	28.0				9209	35	58.9	0.95	33.8					7630	29	56.2	1.30	42.6					6052	23	47.8	1.60	57.6			4473	17	47.8	1.60	63.2	4078	15.5	44.4		1.60		85.2	3026	11.5	40.9	1.60	42.6			6052	23	40.2	0.95	B6* X9*	6P		85.2	4539		11.5			54.0			1.65	B7* X10*	6P	51.6						4999				19	37.2	0.95		57.6	4473				17	34.9	0.95	65.3	3947	15	34.2			0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							55 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	16.6	28460	59			158.4	1.00			B9* X12*				6P	13.8		18681	71			158.4				1.60	16.6		15524	59	158.4					1.85	22.8	11314	43	150.0	2.45	28.0			9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23			121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P			22.8	20742	43	150.0	1.35			B8* X11*			6P			13.8	18681	71					91.7					1.00	16.6	15524			59			84.1	1.25	22.8	11314	43	78.7	1.65	28.0			9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6		6052	23		64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8			11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29	121.2	1.80					B9* X12*	6P	28.0			9209		35				58.9	0.95		33.8				7630	29	56.2			1.30	42.6			6052	23	47.8	1.60	57.6			4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2			0.95	B6* X9*	6P	42.6	11095	23	121.2			1.80			B8* X11*			6P	51.6	4999	19									37.2	0.95	57.6	4473			17	34.9					0.95	65.3	3947	15	34.2	0.95	75.4			3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW									75 kW							11.3	22891			87	158.4	1.30	B9* X12*				6P	23.0		27999	43	150.0	0.95					B9* X12*					6P	13.8	18681	71			158.4	1.60	16.6			15524	59			158.4	1.85	22.8	11314	43			150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3			22891	87	91.7	0.80			B8* X11*					6P	28.3	22790	35		121.2	1.15				B9* X12*			6P	13.8			18681	71	91.7	1.00	16.6				15524	59	84.1	1.25		22.8	11314	43	78.7	1.65			28.0	9209	35		74.5		2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45			85.2	3026	11.5	54.0	2.45	22.8	11314			43	62.2	0.95	B7* X10*	6P	34.1			18883			29	121.2	1.35	B9* X12*			6P			28.0	9209					35	58.9	0.95	33.8	7630	29	56.2					1.30	42.6	6052	23	47.8	1.60	57.6			4473	17	47.8	1.60	63.2	4078	15.5			44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0				14976				23	121.2	1.35	B9* X12*					6P			51.6	4999	19	37.2					0.95	57.6	4473			17	34.9			0.95	65.3	3947			15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1		2894	11	32.6	0.95																																																																																		
84.3	2242	11.5	40.9	2.15	27.7	6823	35	46.9	0.90	B6* X9*	6P	33.8	9411	29	56.2	1.00	B7* X10*	6P			33.4	5653	29	44.8	1.05					42.2	4484	23	40.2	1.35					51.1	3704	19	37.2	1.35					57.1	3314	17	34.9	1.35					64.7	2924	15	34.2	1.35					74.6	2534	13	33.4	1.35					88.2	2144	11	32.6	1.35			30 kW							45 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	13.8	28021	71			158.4	1.05	B9* X12*	6P	13.8					18681			71	158.4		1.60	16.6		15524	59	158.4					1.85	22.8	11314					43	150.0	2.45	28.0	9209			35	121.2	2.90	33.8			7630	29	121.2	3.35	42.6					6052	23	121.2	3.35	11.3	22891	87			91.7	0.80	B8* X11*			6P	16.6	23285			59			158.4			1.25					B8* B11*		6P	13.8		18681	71	91.7	1.00	16.6		15524	59				84.1	1.25	22.8	11314	43			78.7	1.65	28.0	9209			35	74.5	2.00	33.8	7630	29	71.2			2.45	42.6	6052	23	64.4	2.45	57.6	4473			17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8			11314			43	62.2	0.95			B7* X10*	6P				33.8				11445	29	121.2	2.25	B7* X10*					6P	28.0	9209	35	58.9					0.95	33.8	7630	29	56.2			1.30	42.6	6052	23	47.8	1.60	57.6	4473		17		47.8	1.60	63.2	4078	15.5	44.4			1.60	85.2	3026	11.5				40.9	1.60		42.6			6052			23			40.2						0.95				B6* X9*	6P	85.2		4539	11.5				54.0	1.65	B7* X10*	6P	51.6	4999	19			37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420			13	33.4	0.95	89.1	2894		11	32.6		0.95	30 kW							55 kW													11.3		22891	87			158.4				1.30	B9* X12*		6P	16.6	28460					59	158.4	1.00	B9* X12*	6P	13.8	18681			71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0			2.45	28.0	9209	35	121.2	2.90	33.8					7630	29	121.2	3.35	42.6									6052	23	121.2					3.35					11.3	22891	87			91.7			0.80	B8* X11*	6P	22.8	20742	43	150.0	1.35			B8* X11*	6P	13.8	18681	71	91.7	1.00	16.6	15524	59		84.1	1.25		22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29			71.2	2.45	42.6	6052			23	64.4	2.45	57.6	4473							17			60.5		2.45				85.2	3026		11.5				54.0	2.45	22.8			11314	43			62.2	0.95	B7* X10*	6P	33.8			13989	29	121.2	1.80	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052			23			47.8	1.60	57.6	4473			17							47.8	1.60	63.2									4078	15.5	44.4	1.60			85.2	3026					11.5	40.9	1.60	42.6	6052	23	40.2			0.95	B6* X9*	6P	42.6	11095	23	121.2	1.80	B8* X11*	6P	51.6	4999	19	37.2	0.95	57.6			4473	17	34.9	0.95	65.3	3947	15	34.2	0.95			75.4	3420	13						33.4		0.95	89.1	2894	11											32.6	0.95	30 kW								75 kW							11.3	22891			87	158.4	1.30	B9* X12*	6P	23.0	27999	43	150.0	0.95	B9* X12*	6P	13.8	18681	71	158.4	1.60	16.6			15524	59	158.4	1.85									22.8	11314	43		150.0	2.45								28.0			9209	35	121.2	2.90	33.8				7630	29	121.2	3.35		42.6	6052	23	121.2	3.35			11.3	22891	87		91.7		0.80	B8* X11*	6P	28.3	22790	35	121.2	1.15	B9* X12*	6P	13.8	18681	71	91.7	1.00	16.6			15524	59	84.1	1.25	22.8	11314	43			78.7	1.65	28.0			9209			35			74.5	2.00	33.8							7630	29					71.2	2.45	42.6	6052	23	64.4	2.45					57.6	4473	17	60.5	2.45	85.2	3026			11.5	54.0	2.45	22.8	11314	43	62.2			0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*	6P	28.0	9209			35				58.9				0.95	33.8	7630									29	56.2	1.30	42.6					6052	23	47.8			1.60	57.6			4473	17	47.8			1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5		40.9	1.60	42.6	6052		23	40.2	0.95	B6* X9*	6P	43.0			14976	23	121.2	1.35	B9* X12*			6P	51.6	4999	19			37.2	0.95	57.6	4473	17			34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																				
27.7	6823	35	46.9	0.90	B6* X9*	6P	33.8	9411	29			56.2	1.00	B7* X10*	6P																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
33.4	5653	29	44.8	1.05			42.2	4484	23			40.2	1.35			51.1					3704	19	37.2	1.35	57.1					3314	17	34.9	1.35	64.7					2924	15	34.2	1.35	74.6					2534	13	33.4	1.35	88.2					2144	11	32.6	1.35	30 kW							45 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	13.8	28021	71	158.4	1.05	B9* X12*	6P	13.8	18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314			43	150.0	2.45			28.0	9209			35					121.2			2.90	33.8		7630	29		121.2	3.35	42.6					6052	23	121.2					3.35	11.3	22891	87	91.7			0.80	B8* X11*	6P	16.6	23285	59	158.4	1.25	B8* B11*	6P	13.8	18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0					9209	35			74.5			2.00			33.8								7630		29	71.2	2.45	42.6	6052		23	64.4				2.45	57.6	4473	17	60.5			2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	11445	29	121.2	2.25	B7* X10*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473			17	47.8	1.60								63.2				4078	15.5	44.4	1.60							85.2	3026	11.5	40.9					1.60	42.6	6052	23	40.2			0.95	B6* X9*	6P	85.2	4539	11.5	54.0	1.65	B7* X10*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15			34.2	0.95	75.4	3420	13			33.4			0.95			89.1		2894	11			32.6						0.95		30 kW									55 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	16.6	28460	59	158.4	1.00	B9* X12*	6P	13.8	18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0			2.45	28.0	9209	35	121.2	2.90	33.8						7630		29	121.2	3.35	42.6			6052				23				121.2	3.35					11.3	22891	87			91.7	0.80			B8* X11*	6P	22.8	20742	43	150.0	1.35	B8* X11*	6P	13.8	18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314			43	78.7	1.65	28.0	9209	35	74.5							2.00	33.8	7630	29	71.2			2.45		42.6			6052		23	64.4	2.45			57.6			4473			17	60.5	2.45	85.2	3026					11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29	121.2	1.80	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8			1.60	57.6	4473	17	47.8	1.60	63.2					4078			15.5	44.4	1.60	85.2			3026	11.5		40.9				1.60	42.6	6052			23	40.2			0.95	B6* X9*			6P			42.6	11095	23	121.2			1.80	B8* X11*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947			15	34.2	0.95	75.4	3420	13	33.4							0.95	89.1	2894						11	32.6		0.95	30 kW							75 kW							11.3	22891	87	158.4			1.30			B9* X12*	6P	23.0	27999	43			150.0	0.95	B9* X12*	6P	13.8	18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35						121.2		2.90	33.8	7630	29								121.2	3.35		42.6	6052	23			121.2	3.35	11.3	22891	87	91.7	0.80			B8* X11*	6P	28.3	22790	35			121.2	1.15	B9* X12*			6P	13.8	18681	71	91.7			1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0						9209	35		74.5	2.00	33.8		7630	29								71.2			2.45	42.6	6052	23	64.4	2.45	57.6		4473	17	60.5	2.45		85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95		B7* X10*		6P			34.1	18883	29	121.2	1.35			B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17			47.8			1.60			63.2	4078	15.5							44.4	1.60	85.2			3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*			6P	43.0	14976	23	121.2	1.35	B9* X12*			6P	51.6	4999	19	37.2	0.95	57.6			4473			17	34.9	0.95	65.3	3947			15	34.2			0.95		75.4		3420	13			33.4	0.95	89.1			2894	11					32.6	0.95																																																																																																																				
42.2	4484	23	40.2	1.35			51.1	3704	19			37.2	1.35			57.1					3314	17	34.9	1.35	64.7					2924	15	34.2	1.35	74.6					2534	13	33.4	1.35	88.2					2144	11	32.6	1.35	30 kW							45 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	13.8	28021	71	158.4	1.05	B9* X12*	6P			13.8	18681	71	158.4	1.60			16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209			35	121.2	2.90			33.8	7630			29					121.2			3.35	42.6		6052	23		121.2	3.35	11.3					22891	87	91.7			0.80	B8* X11*	6P	16.6	23285	59	158.4	1.25	B8* B11*	6P			13.8	18681	71	91.7	1.00			16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8					7630	29			71.2			2.45			42.6								6052		23	64.4	2.45	57.6	4473		17	60.5		2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	11445	29	121.2	2.25	B7* X10*	6P			28.0	9209	35	58.9	0.95			33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078			15.5	44.4	1.60								85.2				3026	11.5	40.9	1.60							42.6	6052	23	40.2			0.95	B6* X9*	6P	85.2	4539	11.5	54.0	1.65	B7* X10*	6P			51.6	4999	19	37.2	0.95			57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13			33.4	0.95	89.1	2894	11			32.6			0.95			30 kW												55 kW							11.3	22891			87	158.4	1.30	B9* X12*	6P	16.6	28460	59	158.4	1.00	B9* X12*	6P			13.8	18681	71	158.4	1.60			16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2			2.90	33.8	7630	29	121.2	3.35	42.6						6052		23	121.2	3.35	11.3			22891				87				91.7	0.80	B8* X11*	6P			22.8	20742	43			150.0	1.35	B8* X11*	6P			13.8	18681	71	91.7	1.00			16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209			35	74.5	2.00	33.8	7630	29	71.2							2.45	42.6	6052	23	64.4			2.45		57.6			4473		17	60.5	2.45			85.2	3026	11.5	54.0			2.45	22.8	11314	43	62.2	0.95	B7* X10*			6P	33.8	13989	29	121.2	1.80	B9* X12*	6P			28.0	9209	35	58.9	0.95			33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8			1.60	63.2	4078	15.5	44.4	1.60	85.2					3026			11.5	40.9	1.60	42.6			6052	23		40.2				0.95	B6* X9*	6P			42.6	11095	23	121.2	1.80					B8* X11*	6P	51.6	4999	19	37.2			0.95			57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420			13	33.4	0.95	89.1	2894	11	32.6							0.95	30 kW							75 kW									11.3	22891	87	158.4	1.30	B9* X12*	6P	23.0	27999	43	150.0	0.95	B9* X12*	6P	13.8	18681					71	158.4	1.60			16.6	15524			59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35						42.6		6052	23	121.2	3.35								11.3	22891		87	91.7	0.80			B8* X11*	6P	28.3	22790	35	121.2	1.15	B9* X12*	6P			13.8	18681	71	91.7	1.00	16.6	15524					59	84.1	1.25	22.8			11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29						71.2	2.45		42.6	6052	23		64.4	2.45								57.6			4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*	6P	28.0		9209				35	58.9	0.95	33.8	7630					29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60			85.2			3026			11.5	40.9	1.60							42.6	6052	23			40.2	0.95	B6* X9*	6P	43.0	14976	23	121.2	1.35					B9* X12*	6P	51.6	4999	19		37.2	0.95		57.6	4473	17	34.9	0.95	65.3	3947	15	34.2			0.95	75.4	3420	13	33.4			0.95	89.1			2894		11		32.6	0.95																																																																																																																																			
51.1	3704	19	37.2	1.35			57.1	3314	17			34.9	1.35			64.7					2924	15	34.2	1.35	74.6					2534	13	33.4	1.35	88.2					2144	11	32.6	1.35	30 kW							45 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	13.8	28021	71	158.4	1.05	B9* X12*	6P			13.8	18681	71	158.4	1.60					16.6	15524	59	158.4	1.85			22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630			29	121.2	3.35			42.6	6052			23					121.2			3.35	11.3		22891	87		91.7	0.80	B8* X11*	6P	16.6			23285	59	158.4	1.25	B8* B11*	6P			13.8	18681	71	91.7	1.00					16.6	15524	59	84.1	1.25			22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6					6052	23			64.4			2.45			57.6	4473		17					60.5		2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	11445	29	121.2	2.25	B7* X10*	6P			28.0	9209	35	58.9	0.95					33.8	7630	29	56.2	1.30			42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026			11.5	40.9	1.60								42.6				6052	23	40.2	0.95		B6* X9*	6P				85.2	4539	11.5	54.0	1.65	B7* X10*	6P			51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95			65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11			32.6	0.95	30 kW								55 kW							11.3		22891	87					158.4	1.30	B9* X12*	6P	16.6	28460	59	158.4	1.00			B9* X12*	6P	13.8			18681	71	158.4	1.60	16.6					15524	59	158.4	1.85	22.8			11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35			42.6	6052	23	121.2	3.35	11.3	22891						87		91.7	0.80	B8* X11*	6P			22.8	20742	43		150.0				1.35	B8* X11*			6P	13.8	18681	71	91.7			1.00	16.6					15524	59	84.1	1.25	22.8			11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29			71.2	2.45	42.6	6052	23	64.4	2.45							57.6	4473	17	60.5	2.45		85.2	3026		11.5	54.0		2.45		22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989			29	121.2	1.80	B9* X12*	6P	28.0					9209	35	58.9	0.95	33.8					7630	29	56.2	1.30	42.6			6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60			85.2	3026	11.5	40.9	1.60	42.6	6052					23			40.2	0.95	B6* X9*	6P			42.6	11095	23	121.2	1.80			B8* X11*			6P	51.6	4999	19	37.2	0.95	57.6							4473	17	34.9	0.95			65.3			3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11			32.6	0.95	30 kW											75 kW								11.3	22891		87	158.4	1.30	B9* X12*	6P	23.0	27999	43	150.0	0.95	B9* X12*			6P	13.8	18681	71	158.4			1.60	16.6					15524	59	158.4			1.85	22.8			11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2						3.35		11.3	22891	87	91.7			0.80	B8* X11*				6P	28.3		22790	35	121.2	1.15	B9* X12*			6P	13.8	18681	71	91.7					1.00	16.6	15524	59	84.1	1.25	22.8					11314	43	78.7	1.65			28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052						23	64.4		2.45	57.6	4473		17	60.5		2.45	85.2					3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*			6P	28.0	9209	35	58.9			0.95		33.8				7630	29	56.2	1.30	42.6					6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9			1.60			42.6			6052	23	40.2							0.95	B6* X9*	6P	43.0	14976	23	121.2			1.35	B9* X12*	6P	51.6	4999		19	37.2				0.95	57.6	4473		17	34.9		0.95	65.3	3947	15	34.2	0.95	75.4	3420	13			33.4	0.95	89.1	2894	11			32.6	0.95																																																																																																																																											
57.1	3314	17	34.9	1.35			64.7	2924	15			34.2	1.35			74.6					2534	13	33.4	1.35	88.2					2144	11	32.6	1.35	30 kW							45 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	13.8	28021	71	158.4	1.05	B9* X12*	6P			13.8	18681	71	158.4	1.60					16.6	15524	59	158.4	1.85					22.8	11314	43	150.0	2.45			28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052			23	121.2	3.35			11.3	22891			87					91.7	0.80	B8* X11*	6P	16.6		23285	59		158.4	1.25			B8* B11*	6P	13.8	18681	71	91.7	1.00					16.6	15524	59	84.1	1.25					22.8	11314	43	78.7	1.65			28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6					4473	17			60.5	2.45	85.2	3026			11.5	54.0		2.45			22.8		11314	43	62.2	0.95	B7* X10*	6P	33.8	11445	29	121.2	2.25	B7* X10*	6P			28.0	9209	35	58.9	0.95					33.8	7630	29	56.2	1.30					42.6	6052	23	47.8	1.60			57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052			23	40.2	0.95						B6* X9*		6P	85.2			4539	11.5	54.0	1.65				B7* X10*	6P		51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95					65.3	3947	15	34.2	0.95			75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							55 kW							11.3	22891			87		158.4	1.30	B9* X12*		6P	16.6	28460	59			158.4	1.00			B9* X12*	6P	13.8	18681	71					158.4			1.60	16.6	15524	59	158.4					1.85	22.8	11314	43	150.0			2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23			121.2	3.35	11.3	22891	87	91.7	0.80				B8* X11*	6P	22.8		20742	43					150.0	1.35	B8* X11*	6P	13.8		18681		71					91.7	1.00	16.6	15524			59	84.1					1.25	22.8	11314	43	78.7			1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6			6052	23	64.4	2.45	57.6	4473	17				60.5	2.45		85.2	3026	11.5	54.0	2.45		22.8	11314		43	62.2	0.95	B7* X10*	6P	33.8	13989	29	121.2	1.80			B9* X12*	6P			28.0	9209	35			58.9					0.95	33.8	7630	29	56.2					1.30	42.6	6052	23	47.8			1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5			40.9	1.60	42.6	6052	23	40.2	0.95					B6* X9*	6P	42.6	11095	23					121.2	1.80	B8* X11*	6P	51.6	4999	19					37.2	0.95	57.6	4473	17	34.9							0.95	65.3	3947	15			34.2			0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							75 kW							11.3		22891	87	158.4		1.30	B9* X12*	6P	23.0	27999	43		150.0	0.95	B9* X12*			6P	13.8	18681	71	158.4					1.60	16.6	15524	59			158.4	1.85					22.8	11314	43			150.0	2.45			28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87			91.7	0.80		B8* X11*		6P	28.3	22790	35	121.2	1.15	B9* X12*						6P		13.8	18681	71	91.7					1.00	16.6	15524	59					84.1	1.25	22.8	11314	43	78.7	1.65					28.0	9209	35	74.5			2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6		4473		17		60.5	2.45		85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2					0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*			6P	28.0	9209	35	58.9					0.95	33.8	7630	29			56.2		1.30				42.6	6052	23	47.8	1.60					57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23			40.2			0.95	B6* X9*	6P	43.0	14976	23					121.2	1.35	B9* X12*			6P	51.6	4999	19			37.2			0.95	57.6		4473	17				34.9	0.95	65.3		3947	15		34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894			11	32.6	0.95																																																																																																																																																	
64.7	2924	15	34.2	1.35			74.6	2534	13			33.4	1.35			88.2					2144	11	32.6	1.35	30 kW							45 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	13.8	28021	71	158.4	1.05	B9* X12*	6P			13.8	18681	71	158.4	1.60					16.6	15524	59	158.4	1.85					22.8	11314	43	150.0	2.45					28.0	9209	35	121.2	2.90			33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891			87	91.7	0.80			B8* X11*	6P			16.6	23285	59			158.4	1.25			B8* B11*	6P	13.8	18681	71	91.7	1.00					16.6	15524	59	84.1	1.25					22.8	11314	43	78.7	1.65					28.0	9209	35	74.5	2.00			33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2					3026	11.5	54.0	2.45	22.8	11314	43	62.2			0.95	B7* X10*	6P	33.8	11445		29		121.2	2.25	B7* X10*	6P			28.0	9209	35	58.9	0.95					33.8	7630	29	56.2	1.30					42.6	6052	23	47.8	1.60					57.6	4473	17	47.8	1.60			63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P			85.2	4539	11.5	54.0	1.65							B7* X10*	6P	51.6	4999	19	37.2	0.95							57.6	4473	17	34.9	0.95					65.3	3947	15	34.2	0.95					75.4	3420	13	33.4	0.95			89.1	2894	11	32.6	0.95	30 kW							55 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P			16.6	28460	59	158.4		1.00		B9* X12*	6P	13.8			18681	71					158.4	1.60	16.6					15524			59	158.4	1.85	22.8	11314					43	150.0	2.45	28.0	9209			35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3			22891	87	91.7	0.80	B8* X11*	6P	22.8	20742	43				150.0		1.35	B8* X11*			6P	13.8	18681	71			91.7		1.00		16.6					15524	59	84.1	1.25			22.8	11314					43	78.7	1.65	28.0	9209			35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4			2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5		54.0	2.45		22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29	121.2	1.80			B9* X12*	6P	28.0	9209	35							58.9	0.95	33.8			7630					29	56.2	1.30	42.6	6052					23	47.8	1.60	57.6	4473			17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6			6052	23	40.2	0.95	B6* X9*	6P	42.6	11095	23					121.2	1.80	B8* X11*			6P	51.6	4999	19			37.2	0.95	57.6					4473	17	34.9	0.95	65.3	3947							15	34.2	0.95	75.4			3420			13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							75 kW							11.3		22891	87		158.4	1.30	B9* X12*	6P	23.0			27999	43	150.0	0.95	B9* X12*	6P					13.8	18681	71	158.4					1.60	16.6	15524	59			158.4	1.85					22.8	11314	43			150.0	2.45			28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87		91.7	0.80	B8* X11*			6P		28.3	22790	35	121.2	1.15				B9* X12*	6P				13.8	18681	71	91.7					1.00	16.6	15524	59					84.1	1.25	22.8	11314	43	78.7	1.65					28.0	9209	35	74.5			2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17		60.5	2.45	85.2	3026		11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*		6P	34.1		18883			29	121.2	1.35	B9* X12*	6P					28.0	9209	35	58.9					0.95	33.8	7630	29			56.2		1.30				42.6	6052	23	47.8	1.60					57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23			40.2	0.95	B6* X9*	6P			43.0	14976	23		121.2	1.35		B9* X12*	6P					51.6	4999	19			37.2			0.95	57.6		4473	17				34.9	0.95	65.3		3947	15		34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894			11	32.6	0.95																																																																																																																																																	
74.6	2534	13	33.4	1.35			88.2	2144	11			32.6	1.35			30 kW							45 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	13.8	28021	71	158.4	1.05	B9* X12*	6P			13.8	18681	71	158.4	1.60					16.6	15524	59	158.4	1.85					22.8	11314	43	150.0	2.45					28.0	9209	35	121.2	2.90					33.8	7630	29	121.2	3.35			42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P			16.6	23285	59	158.4	1.25					B8* B11*	6P	13.8	18681	71	91.7	1.00					16.6	15524	59	84.1	1.25					22.8	11314	43	78.7	1.65					28.0	9209	35	74.5	2.00					33.8	7630	29	71.2	2.45			42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8		11314	43		62.2	0.95	B7* X10*	6P	33.8	11445	29	121.2	2.25	B7* X10*	6P			28.0	9209		35		58.9	0.95					33.8	7630	29	56.2	1.30					42.6	6052	23	47.8	1.60					57.6	4473	17	47.8	1.60					63.2	4078	15.5	44.4	1.60			85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	85.2	4539	11.5			54.0	1.65	B7* X10*	6P	51.6	4999	19			37.2		0.95				57.6	4473	17	34.9	0.95							65.3	3947	15	34.2	0.95					75.4	3420	13	33.4	0.95					89.1	2894	11	32.6	0.95			30 kW							55 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	16.6	28460	59			158.4	1.00	B9* X12*	6P	13.8	18681		71				158.4			1.60	16.6					15524	59	158.4					1.85			22.8	11314	43	150.0	2.45					28.0	9209	35	121.2	2.90			33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	22.8	20742	43			150.0	1.35	B8* X11*	6P			13.8	18681	71					91.7	1.00	16.6			15524		59		84.1					1.25	22.8	11314	43			78.7	1.65					28.0	9209	35	74.5	2.00			33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29	121.2	1.80			B9* X12*	6P	28.0	9209	35					58.9	0.95	33.8							7630	29	56.2			1.30					42.6	6052	23	47.8	1.60					57.6	4473	17	47.8	1.60			63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	42.6	11095	23			121.2	1.80	B8* X11*	6P	51.6			4999	19					37.2	0.95	57.6			4473	17	34.9					0.95	65.3	3947	15	34.2	0.95							75.4	3420	13	33.4			0.95			89.1	2894	11	32.6	0.95	30 kW							75 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	23.0	27999	43			150.0			0.95	B9* X12*	6P	13.8							18681	71	158.4	1.60					16.6	15524	59	158.4			1.85	22.8					11314	43	150.0			2.45	28.0			9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P		28.3				22790	35	121.2	1.15	B9* X12*			6P					13.8	18681	71	91.7	1.00					16.6	15524	59	84.1					1.25	22.8	11314	43	78.7	1.65	28.0					9209	35	74.5	2.00			33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1		18883		29	121.2	1.35			B9* X12*	6P	28.0							9209	35	58.9	0.95					33.8	7630	29	56.2			1.30		42.6				6052	23	47.8	1.60	57.6					4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0					14976	23	121.2	1.35	B9* X12*	6P	51.6							4999	19	37.2			0.95			57.6	4473		17	34.9				0.95	65.3	3947		15	34.2		0.95	75.4	3420	13	33.4	0.95	89.1	2894	11			32.6	0.95																																																																																																																																																		
88.2	2144	11	32.6	1.35																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
30 kW							45 kW																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
11.3	22891	87	158.4	1.30	B9* X12*	6P	13.8	28021	71	158.4	1.05	B9* X12*	6P																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
13.8	18681	71	158.4	1.60			16.6	15524	59	158.4	1.85			22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3			22891	87	91.7	0.80	B8* X11*					6P	16.6	23285	59	158.4					1.25	B8* B11*	6P	13.8	18681					71	91.7	1.00	16.6	15524			59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45			85.2	3026	11.5	54.0	2.45	22.8	11314			43	62.2			0.95	B7* X10*	6P	33.8	11445					29	121.2	2.25	B7* X10*	6P					28.0	9209	35	58.9	0.95			33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	85.2	4539	11.5	54.0	1.65	B7* X10*	6P	51.6			4999	19	37.2	0.95	57.6					4473	17	34.9	0.95	65.3	3947	15					34.2	0.95	75.4	3420	13					33.4	0.95	89.1	2894	11			32.6	0.95	30 kW							55 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	16.6	28460	59	158.4	1.00			B9* X12*	6P	13.8			18681	71			158.4	1.60	16.6	15524	59	158.4		1.85				22.8	11314	43	150.0	2.45	28.0					9209	35	121.2	2.90	33.8	7630			29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	22.8	20742	43	150.0	1.35	B8* X11*	6P	13.8	18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65			28.0	9209	35			74.5	2.00			33.8	7630		29				71.2	2.45	42.6	6052	23					64.4	2.45	57.6	4473	17			60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29	121.2	1.80	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23			47.8	1.60	57.6			4473	17					47.8	1.60	63.2					4078	15.5	44.4			1.60	85.2	3026	11.5	40.9		1.60	42.6		6052	23	40.2	0.95	B6* X9*	6P	42.6	11095	23	121.2	1.80	B8* X11*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW								75 kW									11.3	22891	87					158.4	1.30	B9* X12*					6P	23.0	27999	43	150.0			0.95	B9* X12*	6P	13.8	18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87			91.7	0.80	B8* X11*			6P	28.3			22790			35	121.2					1.15	B9* X12*	6P			13.8	18681	71		91.7	1.00		16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29			121.2	1.35	B9* X12*			6P			28.0			9209							35	58.9	0.95	33.8		7630	29		56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23	121.2	1.35	B9* X12*	6P	51.6	4999	19	37.2				0.95				57.6	4473	17	34.9									0.95	65.3	3947	15	34.2		0.95	75.4		3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																							
16.6	15524	59	158.4	1.85			22.8	11314	43	150.0	2.45			28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*			6P	16.6	23285	59							158.4	1.25	B8* B11*	6P					13.8			18681	71			91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45			22.8	11314	43	62.2	0.95	B7* X10*	6P			33.8	11445			29			121.2	2.25					B7* X10*	6P	28.0			9209	35			58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	85.2	4539	11.5			54.0	1.65	B7* X10*	6P	51.6			4999			19	37.2	0.95	57.6	4473					17	34.9	0.95	65.3	3947	15	34.2					0.95	75.4	3420	13	33.4			0.95	89.1	2894	11	32.6	0.95	30 kW							55 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	16.6	28460	59			158.4	1.00	B9* X12*	6P	13.8					18681			71	158.4			1.60	16.6	15524	59	158.4	1.85		22.8				11314	43	150.0	2.45	28.0	9209	35	121.2			2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	22.8	20742	43			150.0	1.35	B8* X11*	6P	13.8			18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0			9209	35	74.5			2.00	33.8			7630	29		71.2				2.45	42.6	6052	23	64.4	2.45	57.6			4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29			121.2	1.80	B9* X12*	6P	28.0			9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8			1.60	57.6	4473			17	47.8					1.60	63.2	4078		15.5	44.4		1.60	85.2	3026			11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	42.6	11095	23			121.2	1.80	B8* X11*	6P	51.6			4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW									75 kW									11.3	22891	87					158.4	1.30		B9* X12*	6P				23.0	27999	43	150.0	0.95	B9* X12*	6P			13.8	18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87			91.7	0.80					B8* X11*			6P			28.3	22790		35	121.2		1.15					B9* X12*	6P	13.8	18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95			B7* X10*	6P	34.1			18883	29							121.2			1.35				B9* X12*	6P		28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95			B6* X9*	6P	43.0	14976	23			121.2	1.35	B9* X12*	6P				51.6				4999	19	37.2	0.95			57.6				4473		17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																							
22.8	11314	43	150.0	2.45			28.0	9209	35	121.2	2.90			33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	16.6	23285	59					158.4	1.25	B8* B11*							6P	13.8					18681	71	91.7			1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95			B7* X10*	6P	33.8	11445	29					121.2	2.25			B7* X10*			6P	28.0	9209	35					58.9			0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	85.2	4539	11.5			54.0	1.65	B7* X10*			6P	51.6			4999			19			37.2	0.95	57.6	4473	17					34.9	0.95	65.3	3947	15	34.2	0.95			75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							55 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	16.6	28460	59			158.4	1.00	B9* X12*			6P	13.8			18681					71			158.4	1.60			16.6	15524	59	158.4	1.85	22.8	11314	43	150.0			2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	22.8	20742	43			150.0	1.35	B8* X11*			6P	13.8			18681			71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209			35	74.5	2.00			33.8	7630			29	71.2	2.45	42.6	6052			23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29			121.2	1.80	B9* X12*			6P	28.0			9209			35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60			57.6	4473	17			47.8	1.60			63.2	4078	15.5	44.4	1.60		85.2	3026		11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	42.6	11095	23			121.2	1.80	B8* X11*			6P	51.6			4999			19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							75 kW							11.3					22891	87	158.4	1.30	B9* X12*			6P	23.0				27999	43		150.0	0.95	B9* X12*	6P	13.8					18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7			0.80	B8* X11*									6P	28.3	22790	35		121.2	1.15		B9* X12*			6P	13.8			18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*					6P			34.1	18883					29	121.2	1.35			B9* X12*			6P			28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*					6P	43.0	14976			23	121.2						1.35	B9* X12*		6P	51.6	4999	19	37.2		0.95	57.6				4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																								
28.0	9209	35	121.2	2.90			33.8	7630	29	121.2	3.35			42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	16.6	23285	59			158.4	1.25	B8* B11*					6P	13.8					18681	71			91.7			1.00	16.6	15524	59	84.1			1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	11445	29					121.2	2.25	B7* X10*			6P	28.0	9209	35							58.9	0.95	33.8	7630	29			56.2			1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	85.2	4539	11.5			54.0	1.65	B7* X10*			6P	51.6					4999			19			37.2			0.95	57.6	4473	17	34.9			0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							55 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	16.6	28460	59			158.4	1.00	B9* X12*			6P	13.8					18681			71					158.4	1.60	16.6	15524	59			158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	22.8	20742	43			150.0	1.35	B8* X11*			6P	13.8					18681			71			91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35			74.5	2.00	33.8	7630	29	71.2	2.45			42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29			121.2	1.80	B9* X12*			6P	28.0					9209			35			58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6			4473	17	47.8	1.60	63.2	4078	15.5			44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	42.6	11095	23			121.2	1.80	B8* X11*			6P	51.6					4999			19			37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							75 kW							11.3	22891	87	158.4			1.30	B9* X12*	6P	23.0		27999	43		150.0				0.95	B9* X12*		6P	13.8			18681					71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80			B8* X11*			6P	28.3							22790	35	121.2	1.15	B9* X12*	6P	13.8					18681			71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*									6P	34.1		18883	29		121.2	1.35	B9* X12*				6P	28.0				9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*							6P	43.0			14976	23					121.2	1.35		B9* X12*		6P	51.6	4999	19		37.2	0.95		57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																									
33.8	7630	29	121.2	3.35			42.6	6052	23	121.2	3.35			11.3	22891	87	91.7	0.80	B8* X11*	6P	16.6	23285	59			158.4	1.25	B8* B11*			6P	13.8			18681	71			91.7			1.00	16.6	15524	59			84.1			1.25	22.8	11314	43	78.7			1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	11445	29			121.2	2.25	B7* X10*	6P	28.0			9209	35					58.9	0.95	33.8	7630	29					56.2	1.30	42.6	6052	23			47.8			1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	85.2	4539	11.5			54.0	1.65	B7* X10*			6P	51.6					4999					19			37.2			0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							55 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	16.6	28460	59			158.4	1.00	B9* X12*			6P	13.8					18681					71			158.4	1.60	16.6			15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	22.8	20742	43			150.0	1.35	B8* X11*			6P	13.8					18681					71			91.7			1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29			121.2	1.80	B9* X12*			6P	28.0					9209					35			58.9			0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	42.6	11095	23			121.2	1.80	B8* X11*			6P	51.6					4999					19			37.2			0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							75 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	23.0			27999		43	150.0		0.95				B9* X12*				6P			13.8					18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*					6P			28.3	22790			35	121.2	1.15	B9* X12*			6P					13.8			18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2								0.95	B7* X10*		6P		34.1	18883		29	121.2		1.35	B9* X12*			6P				28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2									0.95			B6* X9*	6P			43.0	14976	23	121.2					1.35	B9* X12*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																								
42.6	6052	23	121.2	3.35			11.3	22891	87	91.7	0.80			B8* X11*	6P	16.6	23285	59			158.4	1.25	B8* B11*			6P	13.8					18681			71	91.7			1.00			16.6	15524	59	84.1			1.25			22.8	11314	43	78.7	1.65			28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*			6P	33.8	11445			29	121.2			2.25			B7* X10*	6P					28.0	9209	35	58.9	0.95					33.8	7630	29	56.2	1.30			42.6			6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052			23	40.2	0.95			B6* X9*	6P					85.2					4539					11.5			54.0			1.65	B7* X10*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							55 kW							11.3	22891	87			158.4	1.30					B9* X12*					6P					16.6			28460	59	158.4			1.00	B9* X12*	6P	13.8	18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6			6052	23	121.2			3.35	11.3					22891					87					91.7			0.80			B8* X11*	6P	22.8	20742	43	150.0	1.35	B8* X11*	6P	13.8	18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473			17	60.5	2.45			85.2	3026					11.5					54.0					2.45			22.8			11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29	121.2	1.80	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17			47.8	1.60	63.2			4078	15.5					44.4					1.60					85.2			3026			11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	42.6	11095	23	121.2	1.80	B8* X11*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11			32.6			0.95		30 kW														75 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	23.0	27999	43	150.0	0.95	B9* X12*	6P	13.8	18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35									121.2	2.90			33.8	7630	29									121.2			3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	28.3	22790	35	121.2	1.15	B9* X12*	6P	13.8	18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29								71.2					2.45	42.6		6052	23		64.4								2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2									1.30							42.6	6052	23	47.8					1.60			57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23	121.2	1.35	B9* X12*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																											
11.3	22891	87	91.7	0.80			B8* X11*	6P	16.6	23285	59					158.4	1.25	B8* B11*			6P																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
13.8	18681	71	91.7	1.00	16.6	15524			59	84.1	1.25	22.8	11314			43	78.7					1.65					28.0					9209			35	74.5			2.00			33.8	7630	29	71.2			2.45			42.6	6052	23	64.4	2.45			57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	11445	29	121.2	2.25	B7* X10*	6P	28.0	9209	35	58.9	0.95	33.8					7630	29			56.2	1.30			42.6									6052	23	47.8	1.60	57.6					4473	17	47.8	1.60	63.2			4078			15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	85.2	4539	11.5	54.0	1.65	B7* X10*			6P	51.6	4999									19					37.2					0.95			57.6			4473			17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							55 kW							11.3	22891	87	158.4	1.30			B9* X12*	6P	16.6			28460	59															158.4			1.00	B9* X12*	6P			13.8			18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052			23	121.2	3.35			11.3	22891					87					91.7					0.80			B8* X11*					6P	22.8	20742	43	150.0			1.35	B8* X11*	6P	13.8	18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4			2.45	57.6	4473			17	60.5					2.45					85.2					3026			11.5			54.0	2.45	22.8	11314			43	62.2	0.95	B7* X10*	6P			33.8	13989	29	121.2	1.80	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6			6052	23	47.8			1.60	57.6					4473					17					47.8			1.60			63.2	4078	15.5	44.4	1.60	85.2	3026	11.5			40.9	1.60	42.6	6052	23			40.2	0.95	B6* X9*	6P	42.6	11095	23	121.2	1.80	B8* X11*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947			15			34.2		0.95	75.4		3420											13					33.4	0.95	89.1	2894	11	32.6	0.95			30 kW							75 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	23.0	27999	43	150.0									0.95	B9* X12*			6P	13.8	18681									71			158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0			2.45	28.0	9209	35	121.2			2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	28.3	22790	35	121.2	1.15								B9* X12*					6P	13.8		18681	71		91.7								1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00			33.8	7630	29	71.2	2.45			42.6	6052	23	64.4	2.45	57.6	4473	17	60.5									2.45							85.2	3026	11.5	54.0					2.45			22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8			7630	29	56.2	1.30	42.6			6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23	121.2	1.35	B9* X12*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																										
16.6	15524	59	84.1	1.25	22.8	11314			43	78.7	1.65	28.0	9209			35	74.5					2.00					33.8					7630			29	71.2			2.45		42.6	6052	23	64.4	2.45	57.6		4473			17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	11445	29	121.2	2.25	B7* X10*	6P			28.0	9209	35	58.9	0.95			33.8	7630	29	56.2	1.30	42.6					6052	23			47.8	1.60			57.6									4473	17	47.8	1.60	63.2		4078	15.5		44.4	1.60	85.2	3026	11.5			40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	85.2	4539	11.5	54.0	1.65	B7* X10*	6P			51.6	4999	19	37.2	0.95					57.6	4473									17					34.9		0.95	65.3		3947			15	34.2	0.95	75.4			3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							55 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	16.6	28460	59	158.4	1.00	B9* X12*	6P					13.8			18681	71												158.4	1.60		16.6			15524			59	158.4	1.85			22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*			6P	22.8	20742			43	150.0					1.35					B8* X11*		6P	13.8		18681				71	91.7				1.00	16.6	15524	59			84.1			1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5			54.0	2.45	22.8			11314	43					62.2					0.95		B7* X10*	6P		33.8			13989	29	121.2	1.80	B9* X12*	6P	28.0			9209	35	58.9					0.95	33.8	7630	29	56.2			1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60			63.2	4078	15.5			44.4	1.60					85.2					3026		11.5	40.9		1.60			42.6	6052	23	40.2	0.95	B6* X9*	6P	42.6	11095	23	121.2			1.80	B8* X11*	6P	51.6	4999			19	37.2			0.95	57.6	4473	17	34.9			0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1			2894			11		32.6	0.95		30 kW											75 kW							11.3	22891	87	158.4	1.30			B9* X12*	6P	23.0	27999	43			150.0	0.95	B9* X12*	6P	13.8	18681	71	158.4	1.60	16.6	15524	59			158.4	1.85	22.8	11314				43			150.0		2.45					28.0	9209						35	121.2		2.90			33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3			22891	87	91.7	0.80	B8* X11*			6P	28.3	22790	35	121.2	1.15	B9* X12*	6P	13.8	18681	71	91.7	1.00	16.6	15524	59			84.1	1.25	22.8	11314	43			78.7	1.65								28.0		9209	35	74.5	2.00		33.8								7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026			11.5	54.0	2.45	22.8	11314			43	62.2	0.95	B7* X10*	6P	34.1	18883	29	121.2			1.35	B9* X12*					6P	28.0	9209					35	58.9	0.95	33.8					7630			29	56.2	1.30	42.6	6052			23	47.8	1.60	57.6	4473			17	47.8	1.60	63.2	4078	15.5			44.4	1.60	85.2	3026	11.5			40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23	121.2	1.35	B9* X12*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17			34.9	0.95	65.3	3947	15			34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																							
22.8	11314	43	78.7	1.65	28.0	9209			35	74.5	2.00	33.8	7630			29	71.2					2.45					42.6					6052		23	64.4	2.45	57.6		4473		17	60.5	2.45	85.2	3026	11.5		54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	11445	29	121.2	2.25	B7* X10*	6P			28.0	9209	35	58.9	0.95					33.8	7630	29	56.2	1.30			42.6	6052	23	47.8	1.60	57.6					4473	17			47.8	1.60			63.2						4078	15.5		44.4	1.60	85.2	3026	11.5		40.9	1.60		42.6	6052	23	40.2	0.95	B6* X9*	6P	85.2	4539	11.5	54.0	1.65	B7* X10*	6P			51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95					65.3	3947									15		34.2	0.95		75.4		3420	13		33.4	0.95	89.1	2894	11	32.6	0.95			30 kW							55 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	16.6	28460	59	158.4	1.00	B9* X12*	6P			13.8	18681	71	158.4	1.60							16.6			15524	59							158.4	1.85				22.8	11314		43	150.0	2.45	28.0			9209	35	121.2			2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	22.8	20742	43	150.0	1.35	B8* X11*	6P					13.8	18681			71	91.7					1.00		16.6	15524					59		84.1	1.25	22.8		11314	43				78.7	1.65	28.0	9209			35			74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P			33.8	13989	29			121.2	1.80					B9* X12*		6P	28.0		9209					35	58.9	0.95	33.8	7630	29	56.2			1.30			42.6	6052	23					47.8	1.60	57.6	4473	17			47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9			1.60	42.6	6052			23	40.2					0.95		B6* X9*	6P		42.6		11095	23		121.2	1.80	B8* X11*	6P	51.6	4999	19	37.2			0.95	57.6	4473	17			34.9			0.95	65.3			3947	15			34.2	0.95	75.4	3420	13			33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							75 kW								11.3	22891	87	158.4			1.30					B9* X12*	6P	23.0	27999	43	150.0	0.95	B9* X12*	6P	13.8	18681	71					158.4	1.60	16.6			15524	59			158.4	1.85	22.8	11314	43	150.0	2.45	28.0			9209	35	121.2	2.90				33.8			7630	29	121.2		3.35			42.6	6052						23	121.2		3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	28.3	22790	35	121.2	1.15	B9* X12*			6P	13.8	18681	71					91.7	1.00	16.6	15524	59			84.1	1.25	22.8	11314	43	78.7	1.65	28.0			9209	35	74.5	2.00	33.8			7630	29	71.2	2.45						42.6		6052	23	64.4	2.45		57.6						4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883			29	121.2	1.35	B9* X12*	6P			28.0	9209	35			58.9	0.95	33.8	7630			29		56.2	1.30				42.6	6052			23	47.8	1.60	57.6	4473	17					47.8			1.60	63.2	4078	15.5	44.4			1.60	85.2	3026	11.5	40.9			1.60	42.6	6052	23	40.2	0.95			B6* X9*	6P	43.0	14976	23			121.2	1.35	B9* X12*	6P	51.6	4999	19			37.2	0.95	57.6	4473	17			34.9	0.95	65.3	3947	15	34.2	0.95	75.4			3420	13	33.4	0.95	89.1			2894	11	32.6	0.95																																																																																																																																																																																																																																																																															
28.0	9209	35	74.5	2.00	33.8	7630			29	71.2	2.45	42.6	6052			23	64.4					2.45					57.6		4473	17		60.5		2.45	85.2	3026	11.5		54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	11445	29	121.2	2.25	B7* X10*	6P			28.0	9209	35	58.9	0.95					33.8	7630	29	56.2	1.30					42.6	6052	23	47.8	1.60			57.6	4473	17	47.8	1.60	63.2					4078	15.5			44.4	1.60			85.2	3026	11.5				40.9	1.60		42.6	6052	23	40.2	0.95	B6* X9*	6P	85.2	4539	11.5	54.0	1.65	B7* X10*	6P			51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95					65.3	3947	15	34.2	0.95					75.4	3420						13	33.4		0.95		89.1	2894		11	32.6	0.95	30 kW							55 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	16.6	28460	59	158.4	1.00	B9* X12*	6P	13.8	18681			71	158.4	1.60	16.6	15524					59	158.4	1.85	22.8	11314							43			150.0	2.45		28.0	9209				35	121.2			2.90	33.8	7630	29	121.2	3.35	42.6	6052			23	121.2	3.35			11.3	22891	87	91.7	0.80	B8* X11*	6P	22.8	20742	43	150.0	1.35	B8* X11*	6P	13.8	18681			71	91.7	1.00	16.6	15524							59	84.1			1.25	22.8		11314	43		78.7		1.65	28.0			9209		35	74.5	2.00	33.8	7630		29	71.2				2.45	42.6	6052	23			64.4			2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29	121.2	1.80	B9* X12*	6P	28.0	9209					35	58.9	0.95			33.8	7630		29	56.2					1.30		42.6	6052			23	47.8	1.60	57.6	4473	17	47.8	1.60			63.2			4078	15.5	44.4					1.60	85.2	3026	11.5	40.9			1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	42.6	11095	23			121.2	1.80	B8* X11*			6P	51.6		4999	19		37.2					0.95	57.6	4473	17	34.9	0.95	65.3			3947	15	34.2	0.95			75.4	3420	13	33.4			0.95			89.1	2894			11	32.6			0.95	30 kW							75 kW							11.3	22891	87	158.4			1.30			B9* X12*	6P	23.0	27999	43	150.0	0.95	B9* X12*	6P			13.8			18681	71			158.4	1.60	16.6	15524	59			158.4	1.85	22.8					11314	43	150.0			2.45	28.0			9209	35	121.2	2.90	33.8	7630	29	121.2			3.35	42.6	6052	23			121.2	3.35			11.3	22891	87		91.7	0.80		B8* X11*	6P					28.3	22790	35	121.2	1.15	B9* X12*	6P	13.8	18681	71			91.7	1.00	16.6	15524	59					84.1	1.25	22.8					11314	43	78.7	1.65	28.0			9209	35	74.5	2.00	33.8	7630	29	71.2			2.45	42.6	6052	23	64.4		2.45	57.6	4473	17	60.5	2.45					85.2		3026	11.5	54.0	2.45		22.8		11314			43	62.2	0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*	6P	28.0	9209	35			58.9	0.95			33.8	7630	29					56.2	1.30	42.6			6052	23	47.8	1.60		57.6	4473		17	47.8	1.60			63.2	4078			15.5	44.4	1.60	85.2	3026	11.5	40.9		1.60		42.6			6052	23	40.2	0.95	B6* X9*			6P	43.0	14976	23	121.2			1.35	B9* X12*	6P	51.6	4999	19					37.2	0.95	57.6			4473	17			34.9	0.95	65.3			3947	15	34.2	0.95	75.4			3420	13	33.4	0.95	89.1	2894	11	32.6			0.95																																																																																																																																																																																																																																																																																									
33.8	7630	29	71.2	2.45	42.6	6052			23	64.4	2.45	57.6	4473			17	60.5					2.45		85.2	3026		11.5		54.0	2.45		22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	11445	29	121.2	2.25	B7* X10*	6P			28.0	9209	35	58.9	0.95					33.8	7630	29	56.2	1.30					42.6	6052	23	47.8	1.60					57.6	4473	17	47.8	1.60			63.2	4078	15.5	44.4	1.60	85.2					3026	11.5	40.9	1.60	42.6	6052			23	40.2	0.95			B6* X9*	6P	85.2	4539	11.5	54.0	1.65	B7* X10*	6P			51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95					65.3	3947	15	34.2	0.95					75.4	3420	13	33.4	0.95					89.1	2894	11	32.6				0.95	30 kW							55 kW							11.3	22891	87	158.4	1.30			B9* X12*	6P	16.6	28460	59	158.4	1.00	B9* X12*			6P	13.8	18681	71	158.4			1.60	16.6			15524	59	158.4	1.85	22.8					11314	43	150.0	2.45	28.0							9209	35	121.2	2.90	33.8		7630	29			121.2	3.35	42.6	6052		23	121.2	3.35	11.3	22891	87	91.7	0.80			B8* X11*	6P	22.8			20742	43	150.0	1.35	B8* X11*			6P	13.8	18681	71	91.7			1.00	16.6			15524	59	84.1	1.25	22.8							11314	43	78.7	1.65	28.0	9209		35	74.5		2.00	33.8	7630	29	71.2		2.45		42.6	6052	23	64.4	2.45		57.6	4473				17	60.5	2.45	85.2			3026			11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29	121.2	1.80	B9* X12*			6P	28.0	9209	35	58.9			0.95	33.8					7630	29	56.2	1.30	42.6	6052	23		47.8	1.60			57.6		4473	17	47.8	1.60			63.2	4078	15.5	44.4	1.60	85.2	3026	11.5			40.9			1.60	42.6	6052					23	40.2	0.95	B6* X9*	6P			42.6	11095	23	121.2	1.80	B8* X11*			6P	51.6	4999			19	37.2		0.95	57.6		4473		17	34.9		0.95	65.3			3947	15	34.2	0.95	75.4	3420	13	33.4			0.95	89.1	2894	11			32.6	0.95	30 kW							75 kW								11.3	22891	87	158.4	1.30			B9* X12*	6P	23.0	27999	43	150.0	0.95	B9* X12*	6P	13.8	18681	71			158.4	1.60	16.6			15524	59	158.4	1.85	22.8				11314	43	150.0		2.45	28.0			9209	35	121.2	2.90	33.8			7630	29	121.2					3.35	42.6	6052			23	121.2			3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P			28.3	22790	35	121.2		1.15	B9* X12*	6P	13.8		18681	71	91.7		1.00	16.6					15524	59		84.1	1.25	22.8	11314	43			78.7	1.65	28.0			9209	35	74.5	2.00	33.8					7630	29	71.2					2.45	42.6	6052	23	64.4			2.45	57.6	4473	17	60.5	2.45	85.2	3026			11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883			29		121.2		1.35	B9* X12*	6P	28.0	9209	35		58.9	0.95		33.8	7630	29			56.2	1.30	42.6	6052	23			47.8	1.60	57.6			4473	17			47.8	1.60	63.2					4078	15.5	44.4			1.60	85.2	3026	11.5	40.9	1.60	42.6		6052	23	40.2	0.95		B6* X9*	6P			43.0	14976	23	121.2	1.35	B9* X12*	6P	51.6	4999	19	37.2			0.95	57.6	4473	17					34.9	0.95	65.3	3947			15			34.2	0.95	75.4					3420	13	33.4			0.95	89.1			2894	11	32.6			0.95																																																																																																																																																																																																																																																																																																										
42.6	6052	23	64.4	2.45	57.6	4473			17	60.5	2.45	85.2	3026			11.5	54.0		2.45	22.8		11314		43	62.2		0.95	B7* X10*	6P	33.8	11445	29	121.2	2.25	B7* X10*	6P			28.0	9209	35	58.9	0.95					33.8	7630	29	56.2	1.30					42.6	6052	23	47.8	1.60					57.6	4473	17	47.8	1.60					63.2	4078	15.5	44.4	1.60			85.2	3026	11.5	40.9	1.60	42.6		6052	23		40.2	0.95	B6* X9*	6P	85.2	4539	11.5	54.0	1.65	B7* X10*	6P					51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95					65.3	3947	15	34.2	0.95					75.4	3420	13	33.4	0.95					89.1	2894	11	32.6	0.95		30 kW									55 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	16.6	28460	59	158.4	1.00	B9* X12*	6P					13.8	18681	71	158.4	1.60					16.6	15524	59	158.4			1.85	22.8			11314	43	150.0	2.45	28.0					9209	35	121.2	2.90	33.8			7630	29			121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891		87	91.7	0.80	B8* X11*		6P	22.8	20742	43	150.0	1.35	B8* X11*	6P					13.8			18681	71	91.7	1.00					16.6	15524	59	84.1			1.25	22.8			11314	43	78.7	1.65	28.0				9209	35		74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17		60.5		2.45	85.2	3026	11.5	54.0		2.45	22.8				11314	43	62.2	0.95			B7* X10*			6P	33.8	13989	29	121.2	1.80	B9* X12*	6P			28.0	9209	35	58.9	0.95					33.8	7630	29	56.2			1.30	42.6			6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4		1.60		85.2	3026	11.5	40.9			1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P			42.6			11095	23	121.2					1.80	B8* X11*	6P					51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95	65.3		3947	15		34.2	0.95	75.4	3420	13	33.4	0.95			89.1	2894	11	32.6	0.95	30 kW							75 kW							11.3			22891			87	158.4			1.30	B9* X12*			6P	23.0	27999	43	150.0					0.95	B9* X12*	6P	13.8	18681			71	158.4	1.60	16.6	15524	59	158.4	1.85			22.8	11314	43	150.0	2.45			28.0	9209	35	121.2	2.90	33.8	7630			29	121.2	3.35	42.6	6052			23	121.2	3.35					11.3	22891	87			91.7	0.80			B8* X11*	6P	28.3	22790	35	121.2					1.15	B9* X12*	6P	13.8	18681	71			91.7	1.00	16.6	15524	59		84.1	1.25				22.8	11314	43	78.7	1.65	28.0	9209	35	74.5			2.00	33.8	7630			29	71.2	2.45	42.6	6052					23	64.4	2.45					57.6	4473	17	60.5	2.45			85.2	3026	11.5	54.0	2.45	22.8	11314	43			62.2	0.95	B7* X10*	6P	34.1	18883	29	121.2			1.35	B9* X12*		6P	28.0	9209	35		58.9			0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8			1.60	57.6	4473	17	47.8			1.60	63.2	4078			15.5	44.4			1.60	85.2	3026					11.5	40.9	1.60			42.6	6052	23	40.2	0.95	B6* X9*	6P		43.0	14976	23	121.2				1.35	B9* X12*	6P	51.6	4999	19	37.2			0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2					0.95	75.4	3420	13			33.4			0.95	89.1	2894					11	32.6	0.95																																																																																																																																																																																																																																																																																																																						
57.6	4473	17	60.5	2.45	85.2	3026			11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*		6P	33.8		11445	29	121.2	2.25	B7* X10*	6P			28.0	9209	35	58.9	0.95					33.8	7630	29	56.2	1.30					42.6	6052	23	47.8	1.60					57.6	4473	17	47.8	1.60					63.2	4078	15.5	44.4	1.60					85.2	3026	11.5	40.9	1.60			42.6	6052	23	40.2	0.95	B6* X9*	6P	85.2	4539	11.5	54.0	1.65			B7* X10*	6P	51.6	4999	19			37.2	0.95			57.6	4473	17	34.9	0.95					65.3	3947	15	34.2	0.95					75.4	3420	13	33.4	0.95					89.1	2894	11	32.6	0.95					30 kW							55 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	16.6	28460	59	158.4	1.00	B9* X12*			6P	13.8	18681	71	158.4			1.60	16.6			15524	59	158.4	1.85	22.8					11314	43	150.0	2.45			28.0	9209			35	121.2	2.90	33.8	7630					29	121.2	3.35	42.6	6052			23	121.2			3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	22.8	20742	43	150.0	1.35		B8* X11*		6P	13.8	18681	71	91.7							1.00	16.6	15524	59	84.1	1.25	22.8					11314	43	78.7	1.65			28.0	9209			35	74.5	2.00	33.8	7630				29	71.2		2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0		2.45		22.8	11314	43	62.2	0.95		B7* X10*	6P	33.8	13989		29	121.2	1.80	B9* X12*	6P	28.0					9209	35	58.9	0.95	33.8					7630	29	56.2	1.30	42.6					6052	23	47.8	1.60			57.6	4473			17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60		42.6		6052	23	40.2	0.95			B6* X9*	6P	42.6	11095	23	121.2					1.80	B8* X11*	6P	51.6	4999	19			37.2	0.95	57.6							4473	17	34.9	0.95	65.3					3947	15	34.2	0.95	75.4	3420		13	33.4		0.95	89.1	2894	11	32.6	0.95	30 kW							75 kW							11.3	22891	87			158.4	1.30	B9* X12*	6P	23.0	27999	43			150.0	0.95	B9* X12*	6P	13.8					18681	71	158.4	1.60					16.6			15524	59			158.4	1.85	22.8	11314	43	150.0	2.45	28.0			9209	35	121.2	2.90	33.8			7630	29	121.2	3.35	42.6	6052	23			121.2	3.35	11.3	22891	87			91.7	0.80	B8* X11*	6P	28.3			22790	35	121.2	1.15	B9* X12*	6P	13.8					18681	71	91.7	1.00					16.6			15524	59	84.1			1.25	22.8	11314	43	78.7		1.65	28.0				9209	35	74.5	2.00	33.8	7630	29	71.2	2.45			42.6	6052	23			64.4	2.45	57.6	4473	17		60.5	2.45		85.2	3026	11.5		54.0	2.45		22.8	11314	43	62.2	0.95			B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*			6P	28.0			9209	35	58.9	0.95			33.8				7630	29	56.2		1.30			42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60			63.2	4078	15.5	44.4	1.60			85.2	3026	11.5			40.9	1.60	42.6	6052	23	40.2	0.95			B6* X9*	6P	43.0	14976	23			121.2	1.35	B9* X12*	6P	51.6				4999	19	37.2	0.95				57.6			4473	17	34.9	0.95			65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95					89.1	2894	11	32.6			0.95																																																																																																																																																																																																																																																																																																																																		
85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	11445	29	121.2	2.25		B7* X10*		6P	28.0	9209	35	58.9	0.95					33.8	7630	29	56.2	1.30					42.6	6052	23	47.8	1.60					57.6	4473	17	47.8	1.60					63.2	4078	15.5	44.4	1.60					85.2	3026	11.5	40.9	1.60					42.6	6052	23	40.2	0.95			B6* X9*	6P	85.2	4539	11.5			54.0	1.65	B7* X10*	6P	51.6					4999	19	37.2			0.95	57.6			4473	17	34.9	0.95	65.3					3947	15	34.2	0.95	75.4					3420	13	33.4	0.95	89.1					2894	11	32.6	0.95	30 kW							55 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	16.6	28460	59			158.4	1.00	B9* X12*	6P	13.8					18681	71	158.4	1.60			16.6	15524			59	158.4	1.85	22.8	11314					43	150.0	2.45	28.0			9209	35			121.2	2.90	33.8	7630	29					121.2	3.35	42.6	6052	23			121.2	3.35			11.3	22891	87	91.7	0.80	B8* X11*			6P	22.8	20742	43	150.0					1.35	B8* X11*	6P	13.8							18681	71	91.7	1.00	16.6	15524	59					84.1	1.25	22.8	11314			43	78.7			1.65	28.0	9209	35	74.5				2.00	33.8		7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2		3026		11.5	54.0	2.45	22.8	11314				43	62.2		0.95	B7* X10*	6P			33.8					13989	29	121.2	1.80	B9* X12*					6P	28.0	9209	35	58.9					0.95	33.8	7630	29			56.2	1.30			42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5		44.4		1.60	85.2	3026	11.5					40.9	1.60	42.6	6052					23			40.2	0.95	B6* X9*			6P	42.6	11095							23	121.2	1.80	B8* X11*	6P					51.6	4999	19	37.2	0.95	57.6		4473	17		34.9	0.95	65.3	3947	15	34.2	0.95			75.4	3420	13	33.4	0.95	89.1	2894	11			32.6	0.95	30 kW								75 kW									11.3					22891	87	158.4	1.30					B9* X12*			6P	23.0			27999	43	150.0	0.95	B9* X12*	6P	13.8	18681			71	158.4	1.60	16.6	15524			59	158.4	1.85	22.8	11314	43	150.0			2.45	28.0	9209	35	121.2			2.90	33.8			7630			29	121.2	3.35	42.6			6052					23	121.2	3.35	11.3					22891			87	91.7	0.80			B8* X11*	6P	28.3	22790	35		121.2	1.15				B9* X12*	6P	13.8	18681	71	91.7	1.00	16.6	15524			59	84.1	1.25			22.8	11314	43	78.7	1.65		28.0	9209		35	74.5	2.00		33.8	7630		29	71.2	2.45	42.6	6052					23	64.4	2.45	57.6	4473					17			60.5	2.45	85.2	3026			11.5				54.0	2.45	22.8		11314			43	62.2	0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35			B9* X12*	6P	28.0	9209	35			58.9	0.95	33.8			7630	29	56.2	1.30	42.6	6052	23					47.8	1.60	57.6			4473	17			47.8				1.60	63.2	4078	15.5				44.4			1.60	85.2	3026	11.5			40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0					14976	23	121.2	1.35			B9* X12*			6P	51.6	4999	19	37.2			0.95	57.6	4473	17	34.9	0.95	65.3			3947	15	34.2			0.95	75.4	3420	13	33.4			0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																														
22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	11445	29			121.2	2.25	B7* X10*	6P																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
28.0	9209	35	58.9	0.95			33.8	7630	29			56.2	1.30			42.6					6052	23	47.8	1.60	57.6					4473	17	47.8	1.60	63.2					4078	15.5	44.4	1.60	85.2					3026	11.5	40.9	1.60	42.6					6052	23	40.2	0.95	B6* X9*			6P	85.2	4539	11.5	54.0	1.65	B7* X10*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95			65.3	3947	15			34.2	0.95			75.4					3420	13	33.4			0.95	89.1			2894	11	32.6	0.95	30 kW							55 kW							11.3	22891	87	158.4	1.30			B9* X12*	6P	16.6	28460	59	158.4	1.00	B9* X12*	6P	13.8	18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0			9209	35	121.2			2.90	33.8			7630					29	121.2	3.35	42.6			6052	23			121.2	3.35	11.3	22891	87					91.7	0.80	B8* X11*	6P			22.8	20742			43	150.0	1.35	B8* X11*	6P			13.8	18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35					74.5	2.00	33.8	7630					29			71.2			2.45	42.6			6052	23	64.4	2.45	57.6	4473	17					60.5	2.45	85.2	3026			11.5	54.0			2.45	22.8	11314	43	62.2			0.95	B7* X10*	6P	33.8	13989	29	121.2	1.80	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17			47.8	1.60	63.2	4078					15.5		44.4	1.60		85.2	3026	11.5	40.9							1.60	42.6	6052	23					40.2	0.95	B6* X9*	6P			42.6	11095			23	121.2	1.80	B8* X11*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17		34.9		0.95	65.3	3947	15	34.2	0.95			75.4	3420	13	33.4			0.95	89.1	2894			11	32.6		0.95	30 kW								75 kW											11.3	22891	87	158.4	1.30	B9* X12*		6P	23.0		27999	43	150.0	0.95	B9* X12*	6P	13.8			18681	71	158.4	1.60	16.6	15524	59	158.4			1.85	22.8	11314	43	150.0	2.45	28.0	9209			35	121.2	2.90	33.8	7630	29	121.2			3.35		42.6	6052		23	121.2	3.35	11.3	22891	87							91.7			0.80	B8* X11*	6P	28.3			22790	35			121.2	1.15	B9* X12*	6P	13.8			18681	71	91.7	1.00	16.6	15524	59			84.1	1.25	22.8	11314	43			78.7	1.65			28.0	9209	35	74.5	2.00	33.8	7630			29	71.2	2.45			42.6	6052	23	64.4			2.45	57.6	4473			17	60.5	2.45					85.2	3026	11.5	54.0	2.45	22.8	11314					43	62.2	0.95	B7* X10*	6P	34.1	18883			29	121.2	1.35			B9* X12*	6P	28.0	9209	35		58.9	0.95		33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8			1.60	63.2	4078	15.5	44.4		1.60	85.2		3026			11.5	40.9	1.60	42.6			6052		23		40.2	0.95	B6* X9*	6P	43.0			14976	23	121.2			1.35	B9* X12*	6P	51.6	4999					19	37.2	0.95			57.6	4473	17			34.9	0.95	65.3	3947	15	34.2	0.95					75.4	3420	13	33.4	0.95	89.1	2894			11			32.6	0.95																																																																																																																																																																																																																																																																																																																																																																						
33.8	7630	29	56.2	1.30			42.6	6052	23			47.8	1.60			57.6					4473	17	47.8	1.60	63.2					4078	15.5	44.4	1.60	85.2					3026	11.5	40.9	1.60	42.6					6052	23	40.2	0.95	B6* X9*			6P	85.2	4539	11.5	54.0	1.65		B7* X10*	6P		51.6	4999	19	37.2	0.95			57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95			75.4	3420	13			33.4	0.95			89.1					2894	11	32.6			0.95	30 kW							55 kW							11.3	22891	87			158.4	1.30	B9* X12*	6P	16.6	28460	59	158.4	1.00			B9* X12*	6P	13.8	18681	71			158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2			2.90	33.8	7630			29	121.2			3.35					42.6	6052	23	121.2			3.35	11.3			22891	87	91.7	0.80	B8* X11*					6P	22.8					20742	43	150.0	1.35	B8* X11*	6P	13.8			18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8					7630	29	71.2	2.45					42.6			6052			23	64.4			2.45	57.6	4473	17	60.5	2.45	85.2					3026	11.5	54.0	2.45			22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29	121.2	1.80			B9* X12*	6P	28.0	9209	35			58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2			4078	15.5	44.4	1.60					85.2		3026	11.5		40.9	1.60	42.6	6052							23	40.2	0.95	B6* X9*					6P	42.6					11095	23	121.2	1.80	B8* X11*	6P	51.6			4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13			33.4	0.95	89.1	2894			11	32.6	0.95			30 kW							75 kW							11.3	22891	87							158.4	1.30	B9* X12*	6P	23.0				27999		43	150.0	0.95	B9* X12*			6P	13.8	18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90			33.8	7630	29	121.2	3.35	42.6	6052			23		121.2	3.35		11.3	22891	87	91.7	0.80	B8* X11*							6P			28.3			22790			35	121.2			1.15	B9* X12*			6P			13.8	18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35			74.5	2.00	33.8	7630	29	71.2	2.45			42.6	6052	23			64.4	2.45	57.6	4473			17	60.5	2.45			85.2	3026	11.5					54.0	2.45	22.8	11314	43	62.2	0.95					B7* X10*	6P	34.1			18883	29			121.2	1.35	B9* X12*	6P	28.0			9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078			15.5	44.4	1.60	85.2	3026		11.5	40.9		1.60			42.6	6052	23	40.2			0.95		B6* X9*		6P	43.0			14976			23	121.2	1.35			B9* X12*			6P	51.6					4999	19	37.2			0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13			33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																													
42.6	6052	23	47.8	1.60			57.6	4473	17			47.8	1.60			63.2					4078	15.5	44.4	1.60	85.2					3026	11.5	40.9	1.60	42.6					6052	23	40.2	0.95	B6* X9*			6P	85.2	4539	11.5	54.0	1.65		B7* X10*	6P		51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95			65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95			89.1	2894	11			32.6	0.95			30 kW							55 kW							11.3	22891	87	158.4	1.30			B9* X12*	6P	16.6	28460	59	158.4	1.00	B9* X12*	6P	13.8	18681			71	158.4	1.60	16.6	15524					59	158.4	1.85			22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6			6052	23	121.2			3.35	11.3			22891					87	91.7	0.80	B8* X11*			6P	22.8			20742	43	150.0	1.35			B8* X11*	6P			13.8			18681	71	91.7	1.00	16.6	15524			59			84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23					64.4	2.45	57.6	4473					17			60.5			2.45	85.2			3026	11.5	54.0	2.45	22.8	11314	43		62.2	0.95		B7* X10*	6P	33.8	13989	29	121.2	1.80	B9* X12*	6P	28.0	9209			35	58.9	0.95	33.8	7630					29	56.2	1.30			42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5			40.9	1.60	42.6	6052					23		40.2	0.95		B6* X9*	6P	42.6	11095							23	121.2	1.80			B8* X11*	6P			51.6			4999	19	37.2	0.95	57.6	4473			17			34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95			30 kW							75 kW							11.3	22891		87	158.4					1.30	B9* X12*	6P	23.0	27999				43	150.0		0.95	B9* X12*			6P		13.8		18681	71	158.4	1.60	16.6					15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6			6052	23	121.2	3.35	11.3	22891	87			91.7		0.80	B8* X11*		6P	28.3	22790	35	121.2											1.15			B9* X12*			6P	13.8	18681	71	91.7					1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2			2.45	42.6	6052	23	64.4	2.45	57.6			4473	17	60.5			2.45	85.2	3026	11.5			54.0	2.45	22.8			11314	43	62.2					0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*					6P			28.0	9209	35	58.9	0.95	33.8			7630			29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5			40.9	1.60	42.6	6052	23		40.2	0.95		B6* X9*			6P	43.0	14976	23			121.2					1.35			B9* X12*			6P	51.6	4999							19	37.2	0.95			57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6			0.95																																																																																																																																																																																																																																																																																																																																																																																			
57.6	4473	17	47.8	1.60			63.2	4078	15.5			44.4	1.60			85.2					3026	11.5	40.9	1.60	42.6					6052	23	40.2	0.95	B6* X9*			6P	85.2	4539	11.5	54.0	1.65		B7* X10*	6P		51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95					65.3	3947	15	34.2	0.95			75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95			30 kW									55 kW							11.3			22891	87	158.4	1.30	B9* X12*	6P	16.6	28460	59	158.4	1.00			B9* X12*	6P	13.8	18681	71			158.4	1.60			16.6	15524	59	158.4	1.85					22.8	11314	43			150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2			3.35	11.3	22891			87	91.7			0.80					B8* X11*	6P	22.8					20742	43	150.0	1.35	B8* X11*	6P	13.8		18681			71		91.7			1.00	16.6	15524	59	84.1	1.25			22.8			11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6					4473	17	60.5	2.45					85.2			3026			11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29	121.2	1.80			B9* X12*	6P	28.0	9209	35			58.9	0.95			33.8	7630	29	56.2	1.30					42.6	6052	23			47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6			6052	23	40.2	0.95					B6* X9*		6P	42.6				11095	23				121.2	1.80		B8* X11*	6P	51.6		4999			19		37.2			0.95	57.6	4473	17	34.9	0.95			65.3			3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							75 kW									11.3	22891		87	158.4		1.30	B9* X12*			6P	23.0	27999			43	150.0			0.95	B9* X12*	6P	13.8	18681						71		158.4	1.60	16.6	15524	59					158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23			121.2	3.35	11.3	22891	87	91.7	0.80			B8* X11*		6P				28.3	22790	35	121.2		1.15	B9* X12*						6P	13.8	18681							71	91.7	1.00	16.6					15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6			6052	23	64.4	2.45	57.6	4473	17			60.5	2.45	85.2			3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95			B7* X10*	6P	34.1	18883	29			121.2			1.35	B9* X12*	6P	28.0	9209									35	58.9	0.95	33.8	7630	29			56.2			1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60			42.6	6052	23	40.2	0.95		B6* X9*	6P						43.0	14976	23	121.2	1.35	B9* X12*					6P				51.6	4999		19	37.2							0.95	57.6	4473			17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																							
63.2	4078	15.5	44.4	1.60			85.2	3026	11.5			40.9	1.60			42.6					6052	23	40.2	0.95	B6* X9*			6P	85.2	4539	11.5	54.0	1.65		B7* X10*	6P		51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95					65.3	3947	15	34.2	0.95					75.4	3420	13	33.4	0.95			89.1	2894	11	32.6	0.95	30 kW							55 kW									11.3	22891	87			158.4	1.30	B9* X12*	6P	16.6	28460	59	158.4	1.00			B9* X12*	6P	13.8	18681	71					158.4	1.60	16.6			15524	59			158.4	1.85	22.8	11314	43					150.0	2.45	28.0			9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891			87	91.7	0.80			B8* X11*	6P			22.8		20742	43				150.0		1.35	B8* X11*		6P	13.8	18681	71			91.7		1.00			16.6		15524			59	84.1	1.25	22.8	11314	43			78.7			1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5					2.45	85.2	3026	11.5	54.0		2.45		22.8			11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29	121.2	1.80			B9* X12*	6P	28.0	9209	35					58.9	0.95	33.8			7630	29			56.2	1.30	42.6	6052	23					47.8	1.60	57.6			4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2			0.95	B6* X9*	6P	42.6						11095		23	121.2			1.80	B8* X11*		6P	51.6	4999	19				37.2		0.95			57.6		4473			17	34.9	0.95	65.3	3947	15			34.2			0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW								75 kW							11.3	22891			87	158.4		1.30	B9* X12*		6P		23.0	27999		43	150.0			0.95	B9* X12*			6P			13.8	18681						71		158.4	1.60	16.6	15524	59					158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23			121.2	3.35	11.3	22891	87	91.7	0.80				B8* X11*			6P		28.3	22790	35	121.2		1.15			B9* X12*	6P				13.8	18681							71	91.7	1.00	16.6					15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6			6052	23	64.4	2.45	57.6	4473	17			60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883			29	121.2	1.35			B9* X12*			6P			28.0	9209									35	58.9	0.95	33.8	7630	29			56.2			1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60			42.6	6052	23	40.2	0.95						B6* X9*	6P		43.0	14976	23	121.2	1.35		B9* X12*		6P						51.6	4999		19	37.2							0.95	57.6	4473			17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																							
85.2	3026	11.5	40.9	1.60			42.6	6052	23			40.2	0.95			B6* X9*	6P		85.2		4539	11.5	54.0	1.65		B7* X10*	6P		51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95					65.3	3947	15	34.2	0.95					75.4	3420	13	33.4	0.95					89.1	2894	11	32.6	0.95			30 kW							55 kW							11.3	22891	87	158.4	1.30			B9* X12*	6P	16.6	28460	59	158.4	1.00			B9* X12*	6P	13.8	18681	71					158.4	1.60	16.6					15524	59	158.4			1.85	22.8			11314	43	150.0	2.45	28.0					9209	35	121.2			2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80			B8* X11*	6P	22.8	20742	43					150.0	1.35	B8* X11*	6P	13.8			18681		71				91.7	1.00	16.6			15524		59			84.1		1.25			22.8	11314	43	78.7	1.65	28.0			9209			35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026		11.5	54.0		2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8			13989	29	121.2	1.80			B9* X12*	6P	28.0	9209	35					58.9	0.95	33.8					7630	29	56.2			1.30	42.6			6052	23	47.8	1.60	57.6					4473	17	47.8			1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	42.6	11095	23			121.2			1.80	B8* X11*		6P		51.6	4999			19				37.2	0.95	57.6				4473		17			34.9		0.95			65.3	3947	15	34.2	0.95	75.4			3420			13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							75 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	23.0	27999	43		150.0					0.95	B9* X12*		6P	13.8			18681							71	158.4						1.60		16.6	15524	59	158.4	1.85					22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	28.3	22790	35	121.2							1.15	B9* X12*	6P	13.8		18681								71	91.7							1.00	16.6	15524	59					84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29	121.2			1.35	B9* X12*			6P	28.0	9209									35	58.9									0.95	33.8	7630	29	56.2	1.30			42.6			6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23			121.2					1.35	B9* X12*	6P	51.6	4999										19	37.2		0.95	57.6							4473	17	34.9			0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																									
42.6	6052	23	40.2	0.95			B6* X9*	6P	85.2	4539	11.5	54.0	1.65					B7* X10*	6P																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
51.6	4999	19	37.2	0.95	57.6	4473			17	34.9	0.95	65.3	3947	15	34.2					0.95	75.4	3420	13	33.4					0.95	89.1	2894	11	32.6					0.95	30 kW								55 kW									11.3	22891	87	158.4	1.30					B9* X12*	6P	16.6	28460	59			158.4	1.00	B9* X12*	6P	13.8	18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209			35	121.2	2.90	33.8	7630					29	121.2	3.35					42.6	6052	23					121.2	3.35	11.3			22891	87			91.7	0.80	B8* X11*	6P	22.8					20742	43	150.0			1.35	B8* X11*	6P	13.8	18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65			28.0	9209	35			74.5	2.00	33.8	7630			29			71.2		2.45				42.6	6052	23			64.4		2.45			57.6		4473			17	60.5	2.45	85.2	3026	11.5			54.0			2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29	121.2	1.80	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60			57.6	4473	17	47.8	1.60	63.2	4078					15.5	44.4	1.60					85.2	3026	11.5					40.9	1.60	42.6			6052	23			40.2	0.95	B6* X9*	6P	42.6					11095	23	121.2			1.80	B8* X11*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15			34.2	0.95	75.4			3420	13	33.4	0.95					89.1	2894			11		32.6		0.95	30 kW							75 kW								11.3	22891	87	158.4	1.30	B9* X12*			6P			23.0	27999	43	150.0	0.95	B9* X12*	6P	13.8	18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90			33.8	7630	29	121.2	3.35		42.6			6052				23			121.2		3.35	11.3				22891	87						91.7		0.80	B8* X11*	6P	28.3	22790					35	121.2	1.15	B9* X12*	6P	13.8	18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00			33.8	7630	29	71.2							2.45			42.6		6052		23			64.4			2.45	57.6				4473	17		60.5	2.45	85.2	3026					11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60			63.2	4078	15.5	44.4			1.60					85.2	3026	11.5	40.9							1.60	42.6		6052	23						40.2	0.95	B6* X9*	6P	43.0	14976			23			121.2	1.35	B9* X12*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95			89.1	2894	11			32.6					0.95																																																																																																																																																																																																																																																																																																																																																																																																																																						
57.6	4473	17	34.9	0.95	65.3	3947			15	34.2	0.95	75.4	3420	13	33.4					0.95	89.1	2894	11	32.6					0.95	30 kW								55 kW									11.3	22891	87	158.4	1.30					B9* X12*	6P	16.6	28460	59	158.4			1.00			B9* X12*	6P	13.8	18681	71	158.4	1.60			16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630			29	121.2	3.35	42.6	6052					23	121.2	3.35					11.3	22891	87					91.7	0.80	B8* X11*			6P	22.8			20742	43			150.0	1.35	B8* X11*			6P	13.8	18681	71	91.7	1.00			16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00			33.8	7630	29			71.2	2.45	42.6	6052			23			64.4		2.45				57.6	4473	17			60.5		2.45			85.2		3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95			B7* X10*	6P	33.8	13989	29	121.2	1.80	B9* X12*	6P			28.0	9209	35	58.9	0.95			33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60			63.2	4078	15.5	44.4	1.60	85.2	3026					11.5	40.9	1.60					42.6	6052	23					40.2	0.95	B6* X9*			6P	42.6			11095	23			121.2	1.80	B8* X11*			6P	51.6	4999	19	37.2	0.95			57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13			33.4	0.95	89.1			2894	11	32.6	0.95					30 kW								75 kW								11.3			22891		87	158.4	1.30	B9* X12*	6P	23.0	27999	43					150.0	0.95	B9* X12*	6P	13.8	18681	71			158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29			121.2	3.35	42.6	6052	23		121.2			3.35				11.3			22891		87	91.7				0.80	B8* X11*					6P	28.3	22790	35			121.2	1.15		B9* X12*	6P		13.8	18681	71			91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29			71.2	2.45	42.6	6052							23			64.4		2.45		57.6			4473			17	60.5	2.45	85.2		3026	11.5		54.0	2.45	22.8	11314		43	62.2		0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35			B9* X12*	6P	28.0	9209	35			58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5			44.4	1.60	85.2	3026			11.5					40.9	1.60	42.6	6052							23	40.2		0.95	B6* X9*				6P	43.0	14976	23			121.2	1.35			B9* X12*	6P	51.6	4999	19			37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11			32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																															
65.3	3947	15	34.2	0.95	75.4	3420			13	33.4	0.95	89.1	2894	11	32.6					0.95	30 kW								55 kW									11.3	22891	87	158.4	1.30					B9* X12*	6P	16.6	28460	59	158.4			1.00			B9* X12*	6P	13.8	18681	71	158.4	1.60					16.6	15524	59	158.4	1.85			22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052			23	121.2	3.35	11.3	22891					87	91.7	0.80					B8* X11*	6P	22.8					20742	43					150.0	1.35	B8* X11*	6P	13.8			18681	71		91.7	1.00		16.6	15524	59	84.1	1.25			22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45			42.6	6052	23			64.4	2.45	57.6	4473			17			60.5		2.45				85.2	3026	11.5			54.0	2.45	22.8			11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29	121.2	1.80	B9* X12*	6P			28.0	9209	35	58.9	0.95					33.8	7630	29	56.2	1.30			42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60			85.2	3026	11.5	40.9	1.60	42.6	6052					23	40.2	0.95					B6* X9*	6P	42.6					11095	23					121.2	1.80	B8* X11*	6P	51.6			4999	19		37.2	0.95		57.6	4473	17	34.9	0.95			65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11			32.6	0.95	30 kW											75 kW								11.3	22891	87	158.4			1.30	B9* X12*	6P			23.0	27999	43	150.0	0.95			B9* X12*	6P	13.8		18681	71		158.4	1.60			16.6	15524	59			158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23			121.2	3.35	11.3	22891	87		91.7			0.80				B8* X11*			6P		28.3	22790				35			121.2	1.15			B9* X12*	6P	13.8			18681	71	91.7			1.00	16.6	15524	59			84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23			64.4	2.45	57.6	4473							17			60.5	2.45	85.2		3026			11.5	54.0		2.45	22.8	11314	43		62.2	0.95		B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*	6P			28.0	9209	35	58.9	0.95					33.8	7630	29			56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5			40.9	1.60	42.6	6052			23					40.2	0.95	B6* X9*	6P							43.0	14976		23		121.2	1.35			B9* X12*	6P	51.6			4999	19	37.2	0.95			57.6	4473	17			34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																						
75.4	3420	13	33.4	0.95	89.1	2894			11	32.6	0.95	30 kW								55 kW									11.3	22891	87	158.4	1.30					B9* X12*	6P	16.6	28460	59	158.4			1.00			B9* X12*	6P	13.8	18681	71	158.4	1.60					16.6	15524	59	158.4	1.85					22.8	11314	43	150.0	2.45			28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891			87	91.7	0.80	B8* X11*	6P					22.8	20742	43							150.0	1.35	B8* X11*			6P	13.8		18681	71		91.7	1.00			16.6			15524	59		84.1	1.25		22.8	11314	43	78.7	1.65			28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45			57.6	4473	17			60.5	2.45	85.2	3026			11.5			54.0	2.45	22.8		11314		43	62.2	0.95			B7* X10*	6P	33.8	13989	29	121.2	1.80	B9* X12*	6P			28.0	9209	35	58.9	0.95					33.8	7630	29	56.2	1.30					42.6	6052	23	47.8	1.60			57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60			42.6	6052	23	40.2	0.95	B6* X9*	6P					42.6	11095	23							121.2	1.80	B8* X11*			6P	51.6		4999	19		37.2	0.95			57.6			4473	17		34.9	0.95		65.3	3947	15	34.2	0.95			75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							75 kW											11.3	22891	87	158.4	1.30		B9* X12*		6P	23.0	27999	43			150.0			0.95	B9* X12*	6P	13.8	18681	71	158.4					1.60		16.6	15524		59	158.4			1.85	22.8	11314			43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891			87	91.7	0.80	B8* X11*	6P		28.3			22790					35	121.2			1.15	B9* X12*				6P		13.8	18681	71	91.7				1.00			16.6	15524	59			84.1	1.25	22.8	11314			43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473			17	60.5	2.45	85.2				3026		11.5	54.0			2.45	22.8	11314		43			62.2	0.95		B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*			6P	28.0	9209	35	58.9					0.95	33.8	7630	29	56.2					1.30	42.6	6052			23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052			23	40.2	0.95	B6* X9*			6P					43.0	14976				23	121.2				1.35	B9* X12*	6P	51.6		4999	19	37.2				0.95			57.6	4473	17	34.9			0.95	65.3	3947			15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																										
89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
30 kW									55 kW																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
11.3	22891	87	158.4	1.30	B9* X12*	6P			16.6	28460	59	158.4	1.00	B9* X12*	6P																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
13.8	18681	71	158.4	1.60			16.6	15524	59	158.4	1.85	22.8	11314			43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7			0.80	B8* X11*	6P	22.8	20742	43	150.0					1.35	B8* X11*	6P	13.8	18681					71	91.7	1.00	16.6	15524					59	84.1	1.25	22.8	11314			43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5			2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95			B7* X10*	6P		33.8	13989		29		121.2	1.80		B9* X12*	6P			28.0			9209	35		58.9	0.95		33.8	7630	29	56.2	1.30			42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	42.6	11095	23	121.2	1.80	B8* X11*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17			34.9	0.95	65.3	3947	15					34.2	0.95	75.4	3420	13					33.4	0.95	89.1	2894	11					32.6	0.95	30 kW							75 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	23.0	27999	43	150.0	0.95	B9* X12*			6P	13.8	18681	71	158.4	1.60	16.6	15524	59	158.4	1.85			22.8	11314		43	150.0		2.45		28.0	9209		35	121.2			2.90			33.8	7630		29	121.2		3.35	42.6	6052	23	121.2			3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	28.3	22790	35	121.2	1.15	B9* X12*	6P	13.8	18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5		2.00		33.8	7630	29	71.2	2.45	42.6			6052			23	64.4	2.45	57.6					4473		17	60.5		2.45	85.2			3026	11.5	54.0			2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30			42.6	6052	23	47.8	1.60	57.6	4473	17		47.8	1.60		63.2	4078		15.5	44.4	1.60			85.2	3026	11.5	40.9				1.60			42.6	6052	23			40.2	0.95	B6* X9*	6P			43.0	14976	23	121.2	1.35	B9* X12*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
16.6	15524	59	158.4	1.85			22.8	11314	43	150.0	2.45	28.0	9209			35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	22.8	20742			43			150.0	1.35	B8* X11*	6P					13.8			18681	71					91.7	1.00	16.6	15524	59	84.1	1.25			22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0			2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29						121.2	1.80		B9* X12*		6P	28.0						9209	35	58.9	0.95	33.8		7630	29		56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	42.6	11095	23			121.2	1.80	B8* X11*	6P	51.6			4999	19	37.2	0.95	57.6	4473	17	34.9			0.95	65.3	3947	15	34.2					0.95	75.4	3420	13	33.4					0.95	89.1	2894	11	32.6			0.95	30 kW							75 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	23.0			27999	43	150.0	0.95	B9* X12*					6P	13.8	18681	71	158.4	1.60	16.6	15524	59	158.4			1.85	22.8		11314	43		150.0		2.45	28.0		9209	35			121.2	2.90	33.8	7630	29		121.2	3.35		42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	28.3			22790	35	121.2	1.15	B9* X12*			6P	13.8	18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35		74.5		2.00	33.8	7630	29	71.2	2.45			42.6			6052	23	64.4	2.45					57.6	4473	17	60.5	2.45	85.2	3026			11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1			18883	29	121.2	1.35	B9* X12*			6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2			1.30	42.6	6052	23	47.8	1.60	57.6	4473		17	47.8		1.60	63.2		4078	15.5	44.4			1.60	85.2	3026	11.5				40.9	1.60	42.6	6052	23	40.2			0.95	B6* X9*			6P	43.0	14976	23	121.2	1.35	B9* X12*			6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
22.8	11314	43	150.0	2.45			28.0	9209	35	121.2	2.90	33.8	7630			29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	22.8	20742	43			150.0	1.35			B8* X11*			6P	13.8							18681			71	91.7	1.00	16.6			15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2			0.95	B7* X10*	6P	33.8	13989	29			121.2	1.80	B9* X12*						6P	28.0			9209		35	58.9					0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	42.6	11095	23			121.2	1.80	B8* X11*			6P	51.6			4999			19	37.2	0.95	57.6	4473	17	34.9	0.95			65.3	3947	15	34.2	0.95					75.4	3420	13	33.4	0.95			89.1	2894	11	32.6	0.95	30 kW							75 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	23.0	27999	43			150.0			0.95	B9* X12*	6P	13.8							18681	71	158.4	1.60	16.6	15524	59	158.4	1.85			22.8	11314		43	150.0		2.45	28.0	9209	35	121.2	2.90	33.8			7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	28.3	22790	35			121.2			1.15	B9* X12*	6P	13.8					18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5		2.00		33.8	7630	29	71.2	2.45	42.6			6052			23	64.4	2.45	57.6	4473	17			60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29			121.2			1.35	B9* X12*	6P	28.0					9209	35	58.9	0.95	33.8	7630	29	56.2	1.30			42.6	6052	23	47.8	1.60	57.6	4473	17		47.8	1.60		63.2	4078		15.5	44.4	1.60		85.2	3026	11.5	40.9	1.60	42.6			6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23					121.2	1.35	B9* X12*	6P	51.6					4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
28.0	9209	35	121.2	2.90			33.8	7630	29	121.2	3.35	42.6	6052			23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	22.8	20742	43			150.0	1.35	B8* X11*			6P	13.8							18681			71	91.7			1.00			16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989			29			121.2	1.80	B9* X12*			6P	28.0		9209	35					58.9			0.95		33.8	7630			29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	42.6	11095	23			121.2	1.80	B8* X11*			6P	51.6					4999			19			37.2	0.95	57.6	4473	17	34.9	0.95	65.3			3947	15	34.2	0.95	75.4			3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							75 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	23.0	27999	43			150.0	0.95	B9* X12*			6P			13.8			18681							71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45		28.0	9209		35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	28.3	22790	35			121.2	1.15	B9* X12*			6P			13.8			18681					71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00		33.8		7630	29	71.2	2.45	42.6	6052	23	64.4	2.45			57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29			121.2	1.35	B9* X12*			6P			28.0			9209					35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6			6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60		85.2	3026	11.5		40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23			121.2	1.35	B9* X12*					6P	51.6			4999					19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
33.8	7630	29	121.2	3.35			42.6	6052	23	121.2	3.35	11.3	22891			87	91.7	0.80	B8* X11*	6P	22.8	20742	43			150.0	1.35	B8* X11*			6P	13.8					18681	71	91.7					1.00			16.6	15524	59	84.1	1.25			22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29			121.2	1.80	B9* X12*	6P	28.0			9209	35					58.9		0.95	33.8			7630		29	56.2		1.30		42.6	6052			23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	42.6	11095	23			121.2	1.80	B8* X11*			6P	51.6					4999					19			37.2			0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							75 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	23.0	27999	43			150.0	0.95	B9* X12*			6P	13.8							18681			71			158.4	1.60			16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	28.3	22790	35			121.2	1.15	B9* X12*			6P	13.8							18681			71					91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29			121.2	1.35	B9* X12*			6P	28.0							9209			35					58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23			121.2	1.35	B9* X12*			6P	51.6							4999			19					37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
42.6	6052	23	121.2	3.35			11.3	22891	87	91.7	0.80	B8* X11*	6P			22.8	20742	43			150.0	1.35	B8* X11*			6P	13.8					18681					71	91.7	1.00					16.6			15524	59	84.1	1.25	22.8			11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*			6P	33.8	13989			29	121.2			1.80			B9* X12*	6P					28.0		9209	35			58.9		0.95	33.8		7630		29	56.2			1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052			23	40.2	0.95			B6* X9*	6P					42.6					11095					23			121.2			1.80	B8* X11*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							75 kW							11.3	22891	87			158.4	1.30					B9* X12*							6P			23.0			27999	43			150.0	0.95	B9* X12*	6P	13.8	18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6			6052	23	121.2			3.35	11.3					22891							87			91.7					0.80	B8* X11*	6P	28.3	22790	35	121.2	1.15	B9* X12*	6P	13.8	18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473			17	60.5	2.45			85.2	3026					11.5							54.0			2.45					22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17			47.8	1.60	63.2			4078	15.5					44.4							1.60			85.2					3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23	121.2	1.35	B9* X12*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
11.3	22891	87	91.7	0.80			B8* X11*	6P	22.8	20742	43					150.0	1.35	B8* X11*			6P																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
13.8	18681	71	91.7	1.00	16.6	15524			59	84.1	1.25			22.8	11314	43	78.7					1.65					28.0					9209					35	74.5	2.00					33.8			7630	29	71.2	2.45	42.6			6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29	121.2	1.80	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8					7630	29			56.2	1.30			42.6									6052		23	47.8			1.60		57.6	4473		17		47.8	1.60			63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	42.6	11095	23	121.2	1.80	B8* X11*			6P	51.6	4999									19					37.2					0.95			57.6			4473			17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							75 kW							11.3	22891	87	158.4	1.30			B9* X12*	6P	23.0			27999	43															150.0			0.95	B9* X12*			6P	13.8			18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052			23	121.2	3.35			11.3	22891					87							91.7			0.80					B8* X11*			6P	28.3	22790	35	121.2			1.15	B9* X12*	6P	13.8	18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4			2.45	57.6	4473			17	60.5					2.45							85.2			3026					11.5	54.0	2.45	22.8	11314			43	62.2	0.95	B7* X10*	6P			34.1	18883	29	121.2	1.35	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6			6052	23	47.8			1.60	57.6					4473							17			47.8					1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5			40.9	1.60	42.6	6052	23			40.2	0.95	B6* X9*	6P	43.0	14976	23	121.2	1.35	B9* X12*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
16.6	15524	59	84.1	1.25	22.8	11314			43	78.7	1.65			28.0	9209	35	74.5					2.00					33.8					7630					29	71.2	2.45		42.6	6052		23			64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29	121.2	1.80	B9* X12*	6P			28.0	9209	35	58.9	0.95			33.8	7630	29	56.2	1.30	42.6					6052	23			47.8	1.60			57.6									4473		17	47.8	1.60	63.2	4078		15.5	44.4		1.60		85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	42.6	11095	23	121.2	1.80	B8* X11*	6P			51.6	4999	19	37.2	0.95					57.6	4473									17					34.9		0.95	65.3		3947			15	34.2	0.95	75.4			3420	13	33.4	0.95	89.1	2894	11	32.6	0.95	30 kW							75 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	23.0	27999	43	150.0	0.95	B9* X12*	6P					13.8			18681	71										158.4	1.60				16.6		15524	59		158.4			1.85			22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*			6P	28.3	22790			35	121.2					1.15					B9* X12*	6P	13.8			18681		71	91.7						1.00	16.6	15524	59			84.1			1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5			54.0	2.45	22.8			11314	43					62.2					0.95	B7* X10*	6P			34.1		18883	29		121.2	1.35	B9* X12*	6P	28.0			9209	35	58.9					0.95	33.8	7630	29	56.2			1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60			63.2	4078	15.5			44.4	1.60					85.2			3026	11.5			40.9			1.60		42.6	6052		23	40.2	0.95	B6* X9*	6P	43.0	14976	23	121.2			1.35	B9* X12*	6P	51.6	4999			19	37.2			0.95	57.6	4473	17	34.9			0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
22.8	11314	43	78.7	1.65	28.0	9209			35	74.5	2.00			33.8	7630	29	71.2					2.45					42.6					6052		23	64.4		2.45	57.6	4473		17	60.5		2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29	121.2	1.80	B9* X12*	6P			28.0	9209	35	58.9	0.95					33.8	7630	29	56.2	1.30			42.6	6052	23	47.8	1.60	57.6					4473	17			47.8	1.60			63.2						4078	15.5		44.4		1.60	85.2	3026	11.5	40.9		1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	42.6	11095	23	121.2	1.80	B8* X11*	6P			51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95					65.3	3947									15		34.2	0.95		75.4		3420	13		33.4	0.95	89.1	2894	11	32.6	0.95			30 kW							75 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	23.0	27999	43	150.0	0.95	B9* X12*	6P			13.8	18681	71	158.4	1.60							16.6			15524	59							158.4	1.85		22.8	11314				43	150.0	2.45	28.0		9209	35		121.2			2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	28.3	22790	35	121.2	1.15	B9* X12*	6P					13.8	18681			71	91.7					1.00		16.6	15524				59			84.1	1.25	22.8	11314	43					78.7	1.65	28.0	9209			35			74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P			34.1	18883	29			121.2	1.35					B9* X12*		6P	28.0		9209					35	58.9	0.95	33.8	7630	29	56.2			1.30			42.6	6052	23					47.8	1.60	57.6	4473	17			47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9			1.60	42.6	6052			23	40.2					0.95		B6* X9*	6P	43.0	14976		23			121.2	1.35	B9* X12*	6P	51.6	4999	19	37.2			0.95	57.6	4473	17			34.9			0.95	65.3			3947	15			34.2	0.95	75.4	3420	13			33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
28.0	9209	35	74.5	2.00	33.8	7630			29	71.2	2.45			42.6	6052	23	64.4					2.45					57.6		4473	17		60.5		2.45	85.2		3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29	121.2	1.80	B9* X12*	6P			28.0	9209	35	58.9	0.95					33.8	7630	29	56.2	1.30					42.6	6052	23	47.8	1.60			57.6	4473	17	47.8	1.60	63.2					4078	15.5			44.4	1.60			85.2	3026	11.5				40.9	1.60		42.6	6052	23	40.2	0.95	B6* X9*	6P	42.6	11095	23	121.2	1.80	B8* X11*	6P			51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95					65.3	3947	15	34.2	0.95					75.4	3420						13	33.4		0.95		89.1	2894		11	32.6	0.95	30 kW							75 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	23.0	27999	43	150.0	0.95	B9* X12*	6P	13.8	18681			71	158.4	1.60	16.6	15524					59	158.4	1.85	22.8	11314							43			150.0	2.45		28.0	9209				35	121.2		2.90	33.8		7630	29	121.2	3.35	42.6	6052		23	121.2		3.35			11.3	22891	87	91.7	0.80	B8* X11*	6P	28.3	22790	35	121.2	1.15	B9* X12*	6P	13.8	18681			71	91.7	1.00	16.6	15524							59	84.1			1.25	22.8		11314	43		78.7		1.65	28.0				9209	35	74.5	2.00	33.8	7630	29	71.2					2.45	42.6	6052	23			64.4			2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*	6P	28.0	9209					35	58.9	0.95			33.8	7630		29	56.2					1.30		42.6			6052	23	47.8	1.60	57.6	4473	17	47.8	1.60			63.2			4078	15.5	44.4					1.60	85.2	3026	11.5	40.9			1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23			121.2	1.35	B9* X12*			6P	51.6		4999	19		37.2				0.95	57.6		4473	17	34.9	0.95	65.3			3947	15	34.2	0.95			75.4	3420	13	33.4			0.95			89.1	2894			11	32.6			0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
33.8	7630	29	71.2	2.45	42.6	6052			23	64.4	2.45			57.6	4473	17	60.5					2.45		85.2	3026		11.5		54.0	2.45		22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29	121.2	1.80	B9* X12*	6P			28.0	9209	35	58.9	0.95					33.8	7630	29	56.2	1.30					42.6	6052	23	47.8	1.60					57.6	4473	17	47.8	1.60			63.2	4078	15.5	44.4	1.60	85.2					3026	11.5	40.9	1.60	42.6	6052			23	40.2	0.95			B6* X9*	6P	42.6	11095	23	121.2	1.80	B8* X11*	6P			51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95					65.3	3947	15	34.2	0.95					75.4	3420	13	33.4	0.95					89.1	2894	11	32.6				0.95	30 kW							75 kW							11.3	22891	87	158.4	1.30			B9* X12*	6P	23.0	27999	43	150.0	0.95	B9* X12*			6P	13.8	18681	71	158.4			1.60	16.6			15524	59	158.4	1.85	22.8					11314	43	150.0	2.45	28.0							9209	35	121.2	2.90	33.8		7630	29			121.2	3.35	42.6	6052	23	121.2		3.35	11.3	22891	87	91.7	0.80		B8* X11*	6P		28.3			22790	35	121.2	1.15	B9* X12*			6P	13.8	18681	71	91.7			1.00	16.6			15524	59	84.1	1.25	22.8							11314	43	78.7	1.65	28.0	9209		35	74.5		2.00	33.8	7630	29	71.2			2.45	42.6	6052	23	64.4	2.45	57.6	4473					17	60.5	2.45	85.2			3026			11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*			6P	28.0	9209	35	58.9			0.95	33.8					7630	29	56.2	1.30	42.6	6052	23		47.8	1.60			57.6		4473	17	47.8			1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5			40.9			1.60	42.6	6052					23	40.2	0.95	B6* X9*	6P			43.0	14976	23	121.2	1.35	B9* X12*			6P	51.6	4999			19	37.2		0.95	57.6		4473		17	34.9		0.95	65.3			3947	15	34.2	0.95	75.4	3420	13	33.4			0.95	89.1	2894	11			32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
42.6	6052	23	64.4	2.45	57.6	4473			17	60.5	2.45			85.2	3026	11.5	54.0		2.45	22.8		11314		43	62.2		0.95	B7* X10*	6P	33.8	13989	29	121.2	1.80	B9* X12*	6P			28.0	9209	35	58.9	0.95					33.8	7630	29	56.2	1.30					42.6	6052	23	47.8	1.60					57.6	4473	17	47.8	1.60					63.2	4078	15.5	44.4	1.60			85.2	3026	11.5	40.9	1.60	42.6		6052	23		40.2	0.95	B6* X9*	6P	42.6	11095	23	121.2	1.80	B8* X11*	6P					51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95					65.3	3947	15	34.2	0.95					75.4	3420	13	33.4	0.95					89.1	2894	11	32.6	0.95		30 kW									75 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	23.0	27999	43	150.0	0.95	B9* X12*	6P					13.8	18681	71	158.4	1.60					16.6	15524	59	158.4			1.85	22.8			11314	43	150.0	2.45	28.0					9209	35	121.2	2.90	33.8			7630	29			121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891		87	91.7	0.80	B8* X11*	6P	28.3		22790	35	121.2	1.15	B9* X12*	6P					13.8			18681	71	91.7	1.00					16.6	15524	59	84.1			1.25	22.8			11314	43	78.7	1.65	28.0				9209	35		74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17			60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8					11314	43	62.2	0.95			B7* X10*			6P	34.1	18883	29	121.2	1.35	B9* X12*	6P			28.0	9209	35	58.9	0.95					33.8	7630	29	56.2			1.30	42.6			6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4		1.60		85.2	3026	11.5			40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P			43.0			14976	23	121.2					1.35	B9* X12*	6P					51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95	65.3		3947	15		34.2	0.95	75.4	3420	13	33.4	0.95			89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
57.6	4473	17	60.5	2.45	85.2	3026			11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*		6P	33.8		13989	29	121.2	1.80	B9* X12*	6P			28.0	9209	35	58.9	0.95					33.8	7630	29	56.2	1.30					42.6	6052	23	47.8	1.60					57.6	4473	17	47.8	1.60					63.2	4078	15.5	44.4	1.60					85.2	3026	11.5	40.9	1.60			42.6	6052	23	40.2	0.95	B6* X9*	6P	42.6	11095	23	121.2	1.80			B8* X11*	6P	51.6	4999	19			37.2	0.95			57.6	4473	17	34.9	0.95					65.3	3947	15	34.2	0.95					75.4	3420	13	33.4	0.95					89.1	2894	11	32.6	0.95					30 kW							75 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	23.0	27999	43	150.0	0.95	B9* X12*			6P	13.8	18681	71	158.4			1.60	16.6			15524	59	158.4	1.85	22.8					11314	43	150.0	2.45			28.0	9209			35	121.2	2.90	33.8	7630					29	121.2	3.35	42.6	6052			23	121.2			3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	28.3	22790	35	121.2	1.15			B9* X12*	6P	13.8	18681	71	91.7							1.00	16.6	15524	59	84.1	1.25	22.8					11314	43	78.7	1.65			28.0	9209			35	74.5	2.00	33.8	7630				29	71.2		2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0			2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P		34.1	18883		29	121.2	1.35	B9* X12*	6P	28.0					9209	35	58.9	0.95	33.8					7630	29	56.2	1.30	42.6					6052	23	47.8	1.60			57.6	4473			17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60		42.6		6052	23	40.2			0.95	B6* X9*	6P	43.0	14976	23	121.2					1.35	B9* X12*	6P	51.6	4999	19			37.2	0.95	57.6							4473	17	34.9	0.95	65.3					3947	15	34.2	0.95	75.4	3420		13	33.4		0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29	121.2	1.80		B9* X12*		6P	28.0	9209	35	58.9	0.95					33.8	7630	29	56.2	1.30					42.6	6052	23	47.8	1.60					57.6	4473	17	47.8	1.60					63.2	4078	15.5	44.4	1.60					85.2	3026	11.5	40.9	1.60					42.6	6052	23	40.2	0.95			B6* X9*	6P	42.6	11095	23			121.2	1.80	B8* X11*	6P	51.6					4999	19	37.2			0.95	57.6			4473	17	34.9	0.95	65.3					3947	15	34.2	0.95	75.4					3420	13	33.4	0.95	89.1					2894	11	32.6	0.95	30 kW							75 kW							11.3	22891	87	158.4	1.30	B9* X12*	6P	23.0	27999	43			150.0	0.95	B9* X12*	6P	13.8					18681	71	158.4	1.60			16.6	15524			59	158.4	1.85	22.8	11314					43	150.0	2.45	28.0			9209	35			121.2	2.90	33.8	7630	29					121.2	3.35	42.6	6052	23			121.2	3.35			11.3	22891	87	91.7	0.80	B8* X11*			6P	28.3	22790	35	121.2					1.15	B9* X12*	6P	13.8							18681	71	91.7	1.00	16.6	15524	59					84.1	1.25	22.8	11314			43	78.7			1.65	28.0	9209	35	74.5				2.00	33.8		7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2			3026	11.5	54.0	2.45	22.8	11314				43	62.2		0.95	B7* X10*	6P			34.1					18883	29	121.2	1.35	B9* X12*					6P	28.0	9209	35	58.9					0.95	33.8	7630	29			56.2	1.30			42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5		44.4		1.60	85.2	3026			11.5			40.9	1.60	42.6	6052					23			40.2	0.95	B6* X9*			6P	43.0	14976							23	121.2	1.35	B9* X12*	6P					51.6	4999	19	37.2	0.95	57.6		4473	17		34.9	0.95	65.3	3947	15	34.2	0.95			75.4	3420	13	33.4	0.95	89.1	2894	11			32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
22.8	11314	43	62.2	0.95	B7* X10*	6P	33.8	13989	29			121.2	1.80	B9* X12*	6P																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
28.0	9209	35	58.9	0.95			33.8	7630	29			56.2	1.30			42.6					6052	23	47.8	1.60	57.6					4473	17	47.8	1.60	63.2					4078	15.5	44.4	1.60	85.2					3026	11.5	40.9	1.60	42.6					6052	23	40.2	0.95	B6* X9*			6P	42.6	11095	23	121.2	1.80	B8* X11*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95			65.3	3947	15			34.2	0.95			75.4					3420	13	33.4			0.95	89.1			2894	11	32.6	0.95	30 kW							75 kW							11.3	22891	87	158.4	1.30			B9* X12*	6P	23.0	27999	43	150.0	0.95	B9* X12*	6P	13.8	18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0			9209	35	121.2			2.90	33.8			7630					29	121.2	3.35	42.6			6052	23			121.2	3.35	11.3	22891	87					91.7	0.80	B8* X11*	6P			28.3	22790			35	121.2	1.15	B9* X12*	6P			13.8	18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35					74.5	2.00	33.8	7630					29			71.2			2.45			42.6	6052	23	64.4	2.45	57.6	4473	17					60.5	2.45	85.2	3026			11.5	54.0			2.45	22.8	11314	43	62.2			0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473			17	47.8	1.60	63.2	4078					15.5		44.4	1.60		85.2	3026	11.5	40.9							1.60	42.6	6052	23					40.2	0.95	B6* X9*	6P			43.0	14976			23	121.2	1.35	B9* X12*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17		34.9		0.95	65.3	3947	15	34.2	0.95			75.4	3420	13	33.4			0.95	89.1	2894			11	32.6		0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
33.8	7630	29	56.2	1.30			42.6	6052	23			47.8	1.60			57.6					4473	17	47.8	1.60	63.2					4078	15.5	44.4	1.60	85.2					3026	11.5	40.9	1.60	42.6					6052	23	40.2	0.95	B6* X9*			6P	42.6	11095	23	121.2	1.80		B8* X11*	6P		51.6	4999	19	37.2	0.95			57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95			75.4	3420	13			33.4	0.95			89.1					2894	11	32.6			0.95	30 kW							75 kW							11.3	22891	87			158.4	1.30	B9* X12*	6P	23.0	27999	43	150.0	0.95			B9* X12*	6P	13.8	18681	71			158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2			2.90	33.8	7630			29	121.2			3.35					42.6	6052	23	121.2			3.35	11.3			22891	87	91.7	0.80	B8* X11*					6P	28.3					22790	35	121.2	1.15	B9* X12*	6P	13.8			18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8					7630	29	71.2	2.45					42.6			6052			23			64.4	2.45	57.6	4473	17	60.5	2.45	85.2					3026	11.5	54.0	2.45			22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35			B9* X12*	6P	28.0	9209	35			58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60			63.2	4078	15.5	44.4	1.60					85.2		3026	11.5		40.9	1.60	42.6	6052							23	40.2	0.95	B6* X9*					6P	43.0					14976	23	121.2	1.35	B9* X12*	6P	51.6			4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13			33.4	0.95	89.1	2894			11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
42.6	6052	23	47.8	1.60			57.6	4473	17			47.8	1.60			63.2					4078	15.5	44.4	1.60	85.2					3026	11.5	40.9	1.60	42.6					6052	23	40.2	0.95	B6* X9*			6P	42.6	11095	23	121.2	1.80		B8* X11*	6P		51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95			65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95			89.1	2894	11			32.6	0.95			30 kW							75 kW							11.3	22891	87	158.4	1.30			B9* X12*	6P	23.0	27999	43	150.0	0.95	B9* X12*	6P	13.8	18681			71	158.4	1.60	16.6	15524					59	158.4	1.85			22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6			6052	23	121.2			3.35	11.3			22891					87	91.7	0.80	B8* X11*			6P	28.3			22790	35	121.2	1.15			B9* X12*	6P			13.8			18681	71	91.7	1.00	16.6	15524			59			84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23					64.4	2.45	57.6	4473					17			60.5			2.45			85.2	3026	11.5	54.0	2.45	22.8	11314	43		62.2	0.95		B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*	6P	28.0	9209			35	58.9	0.95	33.8	7630					29	56.2	1.30			42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026			11.5	40.9	1.60	42.6	6052					23		40.2	0.95		B6* X9*	6P	43.0	14976							23	121.2	1.35			B9* X12*	6P			51.6			4999	19	37.2	0.95	57.6	4473			17			34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
57.6	4473	17	47.8	1.60			63.2	4078	15.5			44.4	1.60			85.2					3026	11.5	40.9	1.60	42.6					6052	23	40.2	0.95	B6* X9*			6P	42.6	11095	23	121.2	1.80		B8* X11*	6P		51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95					65.3	3947	15	34.2	0.95			75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95			30 kW									75 kW							11.3			22891	87	158.4	1.30	B9* X12*	6P	23.0	27999	43	150.0	0.95			B9* X12*	6P	13.8	18681	71			158.4	1.60			16.6	15524	59	158.4	1.85					22.8	11314	43			150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2			3.35	11.3	22891			87	91.7			0.80					B8* X11*	6P	28.3					22790	35	121.2	1.15	B9* X12*	6P	13.8		18681			71		91.7			1.00	16.6	15524	59	84.1	1.25			22.8			11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6					4473	17	60.5	2.45					85.2			3026			11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35			B9* X12*	6P	28.0	9209	35			58.9	0.95			33.8	7630	29	56.2	1.30					42.6	6052	23			47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60			42.6	6052	23	40.2	0.95					B6* X9*		6P	43.0				14976	23				121.2	1.35		B9* X12*	6P	51.6		4999			19		37.2			0.95	57.6	4473	17	34.9	0.95			65.3			3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
63.2	4078	15.5	44.4	1.60			85.2	3026	11.5			40.9	1.60			42.6					6052	23	40.2	0.95	B6* X9*			6P	42.6	11095	23	121.2	1.80		B8* X11*	6P		51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95					65.3	3947	15	34.2	0.95					75.4	3420	13	33.4	0.95			89.1	2894	11	32.6	0.95	30 kW							75 kW									11.3	22891	87			158.4	1.30	B9* X12*	6P	23.0	27999	43	150.0	0.95			B9* X12*	6P	13.8	18681	71					158.4	1.60	16.6			15524	59			158.4	1.85	22.8	11314	43					150.0	2.45	28.0			9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891			87	91.7	0.80			B8* X11*	6P			28.3		22790	35				121.2		1.15	B9* X12*		6P	13.8	18681	71			91.7		1.00			16.6		15524			59	84.1	1.25	22.8	11314	43			78.7			1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5					2.45	85.2	3026	11.5	54.0	2.45			22.8			11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35			B9* X12*	6P	28.0	9209	35					58.9	0.95	33.8			7630	29			56.2	1.30	42.6	6052	23					47.8	1.60	57.6			4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23			40.2	0.95	B6* X9*	6P	43.0						14976		23	121.2			1.35	B9* X12*		6P	51.6	4999	19				37.2		0.95			57.6		4473			17	34.9	0.95	65.3	3947	15			34.2			0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
85.2	3026	11.5	40.9	1.60			42.6	6052	23			40.2	0.95			B6* X9*	6P		42.6		11095	23	121.2	1.80		B8* X11*	6P		51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95					65.3	3947	15	34.2	0.95					75.4	3420	13	33.4	0.95					89.1	2894	11	32.6	0.95			30 kW							75 kW							11.3	22891	87	158.4	1.30			B9* X12*	6P	23.0	27999	43	150.0	0.95			B9* X12*	6P	13.8	18681	71					158.4	1.60	16.6					15524	59	158.4			1.85	22.8			11314	43	150.0	2.45	28.0					9209	35	121.2			2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80			B8* X11*	6P	28.3	22790	35					121.2	1.15	B9* X12*	6P	13.8			18681		71				91.7	1.00	16.6			15524		59			84.1		1.25			22.8	11314	43	78.7	1.65	28.0			9209			35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026		11.5	54.0		2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1			18883	29	121.2	1.35			B9* X12*	6P	28.0	9209	35					58.9	0.95	33.8					7630	29	56.2			1.30	42.6			6052	23	47.8	1.60	57.6					4473	17	47.8			1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23			121.2			1.35	B9* X12*		6P		51.6	4999			19				37.2	0.95	57.6				4473		17			34.9		0.95			65.3	3947	15	34.2	0.95	75.4			3420			13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
42.6	6052	23	40.2	0.95			B6* X9*	6P	42.6	11095	23	121.2	1.80					B8* X11*	6P																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
51.6	4999	19	37.2	0.95	57.6	4473			17	34.9	0.95	65.3	3947	15	34.2					0.95	75.4	3420	13	33.4					0.95	89.1	2894	11	32.6					0.95	30 kW								75 kW									11.3	22891	87	158.4	1.30					B9* X12*	6P	23.0	27999	43			150.0	0.95	B9* X12*	6P	13.8	18681	71	158.4	1.60	16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209			35	121.2	2.90	33.8	7630					29	121.2	3.35					42.6	6052	23					121.2	3.35	11.3			22891	87			91.7	0.80	B8* X11*	6P	28.3					22790	35	121.2			1.15	B9* X12*	6P	13.8	18681	71	91.7	1.00	16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65			28.0	9209	35			74.5	2.00	33.8	7630			29			71.2		2.45				42.6	6052	23			64.4		2.45			57.6		4473			17	60.5	2.45	85.2	3026	11.5			54.0			2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60			57.6	4473	17	47.8	1.60	63.2	4078					15.5	44.4	1.60					85.2	3026	11.5					40.9	1.60	42.6			6052	23			40.2	0.95	B6* X9*	6P	43.0					14976	23	121.2			1.35	B9* X12*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15			34.2	0.95	75.4			3420	13	33.4	0.95					89.1	2894			11		32.6		0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
57.6	4473	17	34.9	0.95	65.3	3947			15	34.2	0.95	75.4	3420	13	33.4					0.95	89.1	2894	11	32.6					0.95	30 kW								75 kW									11.3	22891	87	158.4	1.30					B9* X12*	6P	23.0	27999	43	150.0			0.95			B9* X12*	6P	13.8	18681	71	158.4	1.60			16.6	15524	59	158.4	1.85	22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630			29	121.2	3.35	42.6	6052					23	121.2	3.35					11.3	22891	87					91.7	0.80	B8* X11*			6P	28.3			22790	35			121.2	1.15	B9* X12*			6P	13.8	18681	71	91.7	1.00			16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00			33.8	7630	29			71.2	2.45	42.6	6052			23			64.4		2.45				57.6	4473	17			60.5		2.45			85.2		3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95			B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*	6P			28.0	9209	35	58.9	0.95			33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60			63.2	4078	15.5	44.4	1.60	85.2	3026					11.5	40.9	1.60					42.6	6052	23					40.2	0.95	B6* X9*			6P	43.0			14976	23			121.2	1.35	B9* X12*			6P	51.6	4999	19	37.2	0.95			57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13			33.4	0.95	89.1			2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
65.3	3947	15	34.2	0.95	75.4	3420			13	33.4	0.95	89.1	2894	11	32.6					0.95	30 kW								75 kW									11.3	22891	87	158.4	1.30					B9* X12*	6P	23.0	27999	43	150.0			0.95			B9* X12*	6P	13.8	18681	71	158.4	1.60					16.6	15524	59	158.4	1.85			22.8	11314	43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052			23	121.2	3.35	11.3	22891					87	91.7	0.80					B8* X11*	6P	28.3					22790	35					121.2	1.15	B9* X12*	6P	13.8			18681	71		91.7	1.00		16.6	15524	59	84.1	1.25			22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45			42.6	6052	23			64.4	2.45	57.6	4473			17			60.5		2.45				85.2	3026	11.5			54.0	2.45	22.8			11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*	6P			28.0	9209	35	58.9	0.95					33.8	7630	29	56.2	1.30			42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60			85.2	3026	11.5	40.9	1.60	42.6	6052					23	40.2	0.95					B6* X9*	6P	43.0					14976	23					121.2	1.35	B9* X12*	6P	51.6			4999	19		37.2	0.95		57.6	4473	17	34.9	0.95			65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11			32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
75.4	3420	13	33.4	0.95	89.1	2894			11	32.6	0.95	30 kW								75 kW									11.3	22891	87	158.4	1.30					B9* X12*	6P	23.0	27999	43	150.0			0.95			B9* X12*	6P	13.8	18681	71	158.4	1.60					16.6	15524	59	158.4	1.85					22.8	11314	43	150.0	2.45			28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891			87	91.7	0.80	B8* X11*	6P					28.3	22790	35							121.2	1.15	B9* X12*			6P	13.8		18681	71		91.7	1.00			16.6			15524	59		84.1	1.25		22.8	11314	43	78.7	1.65			28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45			57.6	4473	17			60.5	2.45	85.2	3026			11.5			54.0	2.45	22.8		11314		43	62.2	0.95			B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*	6P			28.0	9209	35	58.9	0.95					33.8	7630	29	56.2	1.30					42.6	6052	23	47.8	1.60			57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60			42.6	6052	23	40.2	0.95	B6* X9*	6P					43.0	14976	23							121.2	1.35	B9* X12*			6P	51.6		4999	19		37.2	0.95			57.6			4473	17		34.9	0.95		65.3	3947	15	34.2	0.95			75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
30 kW									75 kW																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
11.3	22891	87	158.4	1.30	B9* X12*	6P			23.0	27999	43	150.0	0.95	B9* X12*	6P																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
13.8	18681	71	158.4	1.60			16.6	15524	59	158.4	1.85	22.8	11314			43	150.0	2.45	28.0	9209	35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7			0.80	B8* X11*	6P	28.3	22790	35	121.2					1.15	B9* X12*	6P	13.8	18681					71	91.7	1.00	16.6	15524					59	84.1	1.25	22.8	11314			43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5			2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95			B7* X10*	6P		34.1	18883		29		121.2	1.35		B9* X12*	6P			28.0			9209	35		58.9	0.95		33.8	7630	29	56.2	1.30			42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23	121.2	1.35	B9* X12*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17			34.9	0.95	65.3	3947	15					34.2	0.95	75.4	3420	13					33.4	0.95	89.1	2894	11					32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
16.6	15524	59	158.4	1.85			22.8	11314	43	150.0	2.45	28.0	9209			35	121.2	2.90	33.8	7630	29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	28.3	22790			35			121.2	1.15	B9* X12*	6P					13.8			18681	71					91.7	1.00	16.6	15524	59	84.1	1.25			22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0			2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29						121.2	1.35		B9* X12*		6P	28.0						9209	35	58.9	0.95	33.8		7630	29		56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23			121.2	1.35	B9* X12*	6P	51.6			4999	19	37.2	0.95	57.6	4473	17	34.9			0.95	65.3	3947	15	34.2					0.95	75.4	3420	13	33.4					0.95	89.1	2894	11	32.6			0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
22.8	11314	43	150.0	2.45			28.0	9209	35	121.2	2.90	33.8	7630			29	121.2	3.35	42.6	6052	23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	28.3	22790	35			121.2	1.15			B9* X12*			6P	13.8							18681			71	91.7	1.00	16.6			15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2			0.95	B7* X10*	6P	34.1	18883	29			121.2	1.35	B9* X12*						6P	28.0			9209		35	58.9					0.95	33.8	7630	29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23			121.2	1.35	B9* X12*			6P	51.6			4999			19	37.2	0.95	57.6	4473	17	34.9	0.95			65.3	3947	15	34.2	0.95					75.4	3420	13	33.4	0.95			89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
28.0	9209	35	121.2	2.90			33.8	7630	29	121.2	3.35	42.6	6052			23	121.2	3.35	11.3	22891	87	91.7	0.80	B8* X11*	6P	28.3	22790	35			121.2	1.15	B9* X12*			6P	13.8							18681			71	91.7			1.00			16.6	15524	59	84.1	1.25	22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883			29			121.2	1.35	B9* X12*			6P	28.0		9209	35					58.9			0.95		33.8	7630			29	56.2	1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23			121.2	1.35	B9* X12*			6P	51.6					4999			19			37.2	0.95	57.6	4473	17	34.9	0.95	65.3			3947	15	34.2	0.95	75.4			3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
33.8	7630	29	121.2	3.35			42.6	6052	23	121.2	3.35	11.3	22891			87	91.7	0.80	B8* X11*	6P	28.3	22790	35			121.2	1.15	B9* X12*			6P	13.8					18681	71	91.7					1.00			16.6	15524	59	84.1	1.25			22.8	11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29			121.2	1.35	B9* X12*	6P	28.0			9209	35					58.9		0.95	33.8			7630		29	56.2		1.30		42.6	6052			23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23			121.2	1.35	B9* X12*			6P	51.6					4999					19			37.2			0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
42.6	6052	23	121.2	3.35			11.3	22891	87	91.7	0.80	B8* X11*	6P			28.3	22790	35			121.2	1.15	B9* X12*			6P	13.8					18681					71	91.7	1.00					16.6			15524	59	84.1	1.25	22.8			11314	43	78.7	1.65	28.0	9209	35	74.5	2.00	33.8	7630	29	71.2	2.45	42.6	6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*			6P	34.1	18883			29	121.2			1.35			B9* X12*	6P					28.0		9209	35			58.9		0.95	33.8		7630		29	56.2			1.30	42.6	6052	23	47.8	1.60	57.6	4473	17	47.8	1.60	63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052			23	40.2	0.95			B6* X9*	6P					43.0					14976					23			121.2			1.35	B9* X12*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
11.3	22891	87	91.7	0.80			B8* X11*	6P	28.3	22790	35					121.2	1.15	B9* X12*			6P																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
13.8	18681	71	91.7	1.00	16.6	15524			59	84.1	1.25			22.8	11314	43	78.7					1.65					28.0					9209					35	74.5	2.00					33.8			7630	29	71.2	2.45	42.6			6052	23	64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*	6P	28.0	9209	35	58.9	0.95	33.8					7630	29			56.2	1.30			42.6									6052		23	47.8			1.60		57.6	4473		17		47.8	1.60			63.2	4078	15.5	44.4	1.60	85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23	121.2	1.35	B9* X12*			6P	51.6	4999									19					37.2					0.95			57.6			4473			17	34.9	0.95	65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
16.6	15524	59	84.1	1.25	22.8	11314			43	78.7	1.65			28.0	9209	35	74.5					2.00					33.8					7630					29	71.2	2.45		42.6	6052		23			64.4	2.45	57.6	4473	17	60.5	2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*	6P			28.0	9209	35	58.9	0.95			33.8	7630	29	56.2	1.30	42.6					6052	23			47.8	1.60			57.6									4473		17	47.8	1.60	63.2	4078		15.5	44.4		1.60		85.2	3026	11.5	40.9	1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23	121.2	1.35	B9* X12*	6P			51.6	4999	19	37.2	0.95					57.6	4473									17					34.9		0.95	65.3		3947			15	34.2	0.95	75.4			3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
22.8	11314	43	78.7	1.65	28.0	9209			35	74.5	2.00			33.8	7630	29	71.2					2.45					42.6					6052		23	64.4		2.45	57.6	4473		17	60.5		2.45	85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*	6P			28.0	9209	35	58.9	0.95					33.8	7630	29	56.2	1.30			42.6	6052	23	47.8	1.60	57.6					4473	17			47.8	1.60			63.2						4078	15.5		44.4		1.60	85.2	3026	11.5	40.9		1.60	42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23	121.2	1.35	B9* X12*	6P			51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95					65.3	3947									15		34.2	0.95		75.4		3420	13		33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
28.0	9209	35	74.5	2.00	33.8	7630			29	71.2	2.45			42.6	6052	23	64.4					2.45					57.6		4473	17		60.5		2.45	85.2		3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*	6P			28.0	9209	35	58.9	0.95					33.8	7630	29	56.2	1.30					42.6	6052	23	47.8	1.60			57.6	4473	17	47.8	1.60	63.2					4078	15.5			44.4	1.60			85.2	3026	11.5				40.9	1.60		42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23	121.2	1.35	B9* X12*	6P			51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95					65.3	3947	15	34.2	0.95					75.4	3420						13	33.4		0.95		89.1	2894		11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
33.8	7630	29	71.2	2.45	42.6	6052			23	64.4	2.45			57.6	4473	17	60.5					2.45		85.2	3026		11.5		54.0	2.45		22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*	6P			28.0	9209	35	58.9	0.95					33.8	7630	29	56.2	1.30					42.6	6052	23	47.8	1.60					57.6	4473	17	47.8	1.60			63.2	4078	15.5	44.4	1.60	85.2					3026	11.5	40.9	1.60	42.6	6052			23	40.2	0.95			B6* X9*	6P	43.0	14976	23	121.2	1.35	B9* X12*	6P			51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95					65.3	3947	15	34.2	0.95					75.4	3420	13	33.4	0.95					89.1	2894	11	32.6				0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
42.6	6052	23	64.4	2.45	57.6	4473			17	60.5	2.45			85.2	3026	11.5	54.0		2.45	22.8		11314		43	62.2		0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35	B9* X12*	6P			28.0	9209	35	58.9	0.95					33.8	7630	29	56.2	1.30					42.6	6052	23	47.8	1.60					57.6	4473	17	47.8	1.60					63.2	4078	15.5	44.4	1.60			85.2	3026	11.5	40.9	1.60	42.6		6052	23		40.2	0.95	B6* X9*	6P	43.0	14976	23	121.2	1.35	B9* X12*	6P					51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95					65.3	3947	15	34.2	0.95					75.4	3420	13	33.4	0.95					89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
57.6	4473	17	60.5	2.45	85.2	3026			11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*		6P	34.1		18883	29	121.2	1.35	B9* X12*	6P			28.0	9209	35	58.9	0.95					33.8	7630	29	56.2	1.30					42.6	6052	23	47.8	1.60					57.6	4473	17	47.8	1.60					63.2	4078	15.5	44.4	1.60					85.2	3026	11.5	40.9	1.60			42.6	6052	23	40.2	0.95	B6* X9*	6P	43.0	14976	23	121.2	1.35			B9* X12*	6P	51.6	4999	19			37.2	0.95			57.6	4473	17	34.9	0.95					65.3	3947	15	34.2	0.95					75.4	3420	13	33.4	0.95					89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
85.2	3026	11.5	54.0	2.45	22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29	121.2	1.35		B9* X12*		6P	28.0	9209	35	58.9	0.95					33.8	7630	29	56.2	1.30					42.6	6052	23	47.8	1.60					57.6	4473	17	47.8	1.60					63.2	4078	15.5	44.4	1.60					85.2	3026	11.5	40.9	1.60					42.6	6052	23	40.2	0.95			B6* X9*	6P	43.0	14976	23			121.2	1.35	B9* X12*	6P	51.6					4999	19	37.2			0.95	57.6			4473	17	34.9	0.95	65.3					3947	15	34.2	0.95	75.4					3420	13	33.4	0.95	89.1					2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
22.8	11314	43	62.2	0.95	B7* X10*	6P	34.1	18883	29			121.2	1.35	B9* X12*	6P																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
28.0	9209	35	58.9	0.95			33.8	7630	29			56.2	1.30			42.6					6052	23	47.8	1.60	57.6					4473	17	47.8	1.60	63.2					4078	15.5	44.4	1.60	85.2					3026	11.5	40.9	1.60	42.6					6052	23	40.2	0.95	B6* X9*			6P	43.0	14976	23	121.2	1.35	B9* X12*	6P	51.6	4999	19	37.2	0.95	57.6	4473	17	34.9	0.95			65.3	3947	15			34.2	0.95			75.4					3420	13	33.4			0.95	89.1			2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
33.8	7630	29	56.2	1.30			42.6	6052	23			47.8	1.60			57.6					4473	17	47.8	1.60	63.2					4078	15.5	44.4	1.60	85.2					3026	11.5	40.9	1.60	42.6					6052	23	40.2	0.95	B6* X9*			6P	43.0	14976	23	121.2	1.35		B9* X12*	6P		51.6	4999	19	37.2	0.95			57.6	4473	17	34.9	0.95	65.3	3947	15	34.2	0.95			75.4	3420	13			33.4	0.95			89.1					2894	11	32.6			0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
42.6	6052	23	47.8	1.60			57.6	4473	17			47.8	1.60			63.2					4078	15.5	44.4	1.60	85.2					3026	11.5	40.9	1.60	42.6					6052	23	40.2	0.95	B6* X9*			6P	43.0	14976	23	121.2	1.35		B9* X12*	6P		51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95			65.3	3947	15	34.2	0.95	75.4	3420	13	33.4	0.95			89.1	2894	11			32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
57.6	4473	17	47.8	1.60			63.2	4078	15.5			44.4	1.60			85.2					3026	11.5	40.9	1.60	42.6					6052	23	40.2	0.95	B6* X9*			6P	43.0	14976	23	121.2	1.35		B9* X12*	6P		51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95					65.3	3947	15	34.2	0.95			75.4	3420	13	33.4	0.95	89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
63.2	4078	15.5	44.4	1.60			85.2	3026	11.5			40.9	1.60			42.6					6052	23	40.2	0.95	B6* X9*			6P	43.0	14976	23	121.2	1.35		B9* X12*	6P		51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95					65.3	3947	15	34.2	0.95					75.4	3420	13	33.4	0.95			89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
85.2	3026	11.5	40.9	1.60			42.6	6052	23			40.2	0.95			B6* X9*	6P		43.0		14976	23	121.2	1.35		B9* X12*	6P		51.6	4999	19	37.2	0.95					57.6	4473	17	34.9	0.95					65.3	3947	15	34.2	0.95					75.4	3420	13	33.4	0.95					89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
42.6	6052	23	40.2	0.95			B6* X9*	6P	43.0	14976	23	121.2	1.35					B9* X12*	6P																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
51.6	4999	19	37.2	0.95	57.6	4473			17	34.9	0.95	65.3	3947	15	34.2					0.95	75.4	3420	13	33.4					0.95	89.1	2894	11	32.6					0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
57.6	4473	17	34.9	0.95	65.3	3947			15	34.2	0.95	75.4	3420	13	33.4					0.95	89.1	2894	11	32.6					0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
65.3	3947	15	34.2	0.95	75.4	3420			13	33.4	0.95	89.1	2894	11	32.6					0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
75.4	3420	13	33.4	0.95	89.1	2894			11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
89.1	2894	11	32.6	0.95																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																


**Schedule is subject to change as appropriate



CYCLO Series

Dimension Tables

Model BW. BWD. XW. XWD(Single reduction) Contour And Installation Dimensions



size	Contour Dimension						Installation Dimensions											Size of Shaft End							Weight(kg)			
	M	W	Z		I	X	J	H	E	F	P	Q	R	S	T	N	G	B	C	D	L	b	c	d	y	BW	BWD About	
BW.BWD09-9																												
B09	100	144	192	142	155	140	80	47	12	76	120		M5	35	4	11	6	25	22	30	5	17	15	22	8.5			
B0	120	185	214	165	190	168	100	93	15	90	150		M8	35	4	11	8	33	30	35	5	17	15	22	15			
B1	160	280	263	194	250	200	120	125	15	110	240		M10	55	4	13	10	38	35	56	6	20.5	18	35	22			
B2	200	320	320	246	296	240	140	144	20	150	280	65	M10	60	4	13	14	48.5	45	71	6	24.5	22	40	40			
B3	250	390	390	294	355	300	160	159	25	200	340	100	M12	75	4	17	16	59	55	80	8	33	30	55	73			
B4	380	400	479	370	430	340	200	155	25	320	340	150	M12	80	4	22	20	74.5	70	102	10	38	35	62	120			
B5	440	470	564	438	513	400	240	159	32	380	420		M16	80	4	22	25	95	90	120	14	48.5	45	70	185			
B6	520	560	668	528	605	500	280	199	35	440	500		M20	90	4	26	28	106	100	139	14	53.5	50	80	380			
B7	600	690	775	578	706	575	325	230	40	500	630		M24	105	6	26	28	116	110	150	16	59	55	90	580			
B8	810	880	1061	814	880	700	420	324	50	660	800		M30	160	6	32	32	137	130	202	20	74.5	70	120	1200			
B9	1040	1160	1462	1151	1160	1000	540	485	60	840	1050		M42	200	6	45	45	190	180	330	25	95	90	150	2500			
XW.XWD1-12																												
X1	120	180	197	147	175	140	100	60	12	90	150		M35	35	4	12	8	28	25	35	5	17	15	22	8.5			
X2	120	210	216	164	190	168	100	101	15	90	180		M45	45	4	12	8	28	25	34	5	17	15	22	15			
X3	150	290	263	194	270	200	140	151	20	100	250		M55	55	4	16	10	38	35	56	6	20.5	18	35	30			
X4	195	330	320	246	316	240	150	169	22	145	290		M65	65	4	16	14	48.5	45	74	6	24.5	22	40	43			
X5	260	410	401	305	356	300	160	206	25	150	370		M75	75	4	16	16	59	55	91	8	33	30	55	85			
X6	335	430	466	359	425	340	200	125	30	275	380		M12	75	4	22	18	69	65	89	10	38	35	62	125			
X7	380	470	484	377	484	340	220	145	30	320	420		M12	95	4	22	22	85	80	109	12	43	40	65	190			
X8	440	530	564	438	514	400	250	155	35	380	480		M16	120	4	22	25	95	90	120	14	48.5	45	70	240			
X9	560	620	691	528	514	500	290	186	40	480	560		M20	120	4	26	28	106	100	141	14	53.5	50	80	390			
X10	600	690	775	578	706	575	325	230	40	500	630		M24	105	6	26	28	116	110	150	16	59	55	90	580			
X11	810	880	1061	814	880	700	420	324	50	660	800		M30	160	6	32	32	137	130	202	20	74.5	70	120	1200			
X12	1040	1160	1462	1151	1160	1000	540	485	60	840	1050		M42	200	6	45	45	190	180	330	25	95	90	150	2500			


**Schedule is subject to change as appropriate



CYCLO Series

Dimension Tables

Model BWE, BWED, XWE and XWED (Double reduction) Contour and Installation Dimensions



size	Contour Dimension						Installation Dimensions											Size of Shaft End							Weight(kg)			
	M	W	Z		I	X	J	H	E	F	P	Q	R	S	T	N	G	B	C	D	L	b	c	d	y	BWE	BWED About	
			BWE	BWED																								
BWEBWED 10-95																												
B10	160	280	317	267	250	200	120	124	15	110	240		M10	55	4	13	10	38	35	56	5	17	15	22	43			
B20	200	320	364	315	306	240	140	144	20	150	280		M10	60	4	13	14	48.5	45	71	5	17	15	22	50			
B31	250	390	446	376	356	300	160	159	25	200	340	65	M12	75	4	17	16	59	55	80	6	20.5	18	35	90			
B41	380	400	523	454	425	340	200	155	25	320	340	65	M12	80	4	22	20	74.5	70	102	6	20.5	18	35	140			
B42	380	400	554	479	425	340	200	155	25	320	340	100	M12	80	4	22	20	74.5	70	102	6	24.5	22	40	155			
B52	440	470	623	548	504	400	240	158	32	380	420		M16	80	4	22	25	95	90	120	6	24.5	22	40	240			
B53	440	470	657	561	504	400	240	158	32	380	420		M16	80	4	22	25	95	90	120	8	33	30	55	260			
B63	520	560	741	645	605	500	280	199	35	440	500		M20	90	4	26	28	106	100	139	8	33	30	55	460			
B74	600	690	832	725	706	575	325	230	40	500	630		M24	105	6	26	28	116	110	150	10	38	35	62	680			
B84	810	880	1071	962	880	700	420	324	50	660	800		M30	160	6	32	32	137	130	202	10	38	35	62	1320			
B85	810	880	1095	970	880	700	420	324	50	660	800		M30	160	6	32	32	137	130	202	14	48.5	45	70	1350			
B95	1040	1160	1502	1350	1160	1000	540	458	60	840	1050		M42	200	6	45	45	190	180	330	14	48.5	45	70	2750			
XWEXWE 42-12																												
X32	150	290	314	364	270	200	140	151	20	100	250		M10	55	4	16	16	38	35	56	5	17	15	22	40			
X42	195	330	370	315	316	240	150	169	22	145	290		M10	65	4	16	16	48.5	45	72	5	17	15	22	50			
X53	260	410	457	387	356	300	160	206	25	150	370		M12	75	4	16	16	59	55	91	6	20.5	18	35	110			
X63	335	430	510	441	425	340	200	125	30	275	380		M12	75	4	22	18	69	65	89	6	20.5	18	35	150			
X64	335	430	541	466	425	340	200	125	30	275	380		M12	75	4	22	18	69	65	89	6	24.5	22	40	160			
X74	380	470	561	486	484	340	220	145	30	320	420		M12	95	4	22	22	85	80	109	6	24.5	22	40	230			
X84	440	530	623	548	514	400	250	155	35	380	480		M16	120	4	22	25	95	90	120	6	24.5	22	40	260			
X85	440	530	682	586	514	400	250	155	35	380	480		M16	120	4	22	25	95	90	120	8	33	30	55	290			
X95	560	620	762	667	614	500	290	186	40	480	560		M20	120	4	26	28	106	100	141	8	33	30	55	470			
X106	600	690	832	725	706	575	325	230	40	500	630		M24	105	6	26	28	116	110	150	10	38	35	62	680			
X117	810	880	1071	962	880	700	420	324	50	660	800		M30	160	6	32	32	137	130	202	12	43	40	62	1320			
X118	810	880	1095	970	880	700	420	324	50	660	800		M30	160	6	32	32	137	130	202	14	48.5	45	70	1350			
X128	1040	1160	1445	1320	1160	1000	540	485	60	840	1050		M42	200	6	45	45	190	180	330	14	48.5	45	70	2750			


**Schedule is subject to change as appropriate



CYCLO Series

Dimension Tables

Model BL, BLD, XL, and XLD (Single reduction) Contour and Installation Dimensions



size	Contour Dimension			Installation Dimensions										Size of Shaft End								Weight(kg)		
	H		M	J	E	F	G	N	P	Q	R	S	B	C	D	L	b	c	d	y	BL	BLD About		
	BL	BLD																						
BL.BLD 09-9																								
B09	192	142	160		35	10	11	4	110	134	3	M5	6	24.5	22	30	5	17	15	22	8	BL Weight + motor weight		
B0	214	165	190		39	10	11	4	140	160	3	M8	8	33	30	35	5	17	15	22	15			
B1	263	194	230		61	12	11	6	170	200	4	M10	10	38	35	46	6	20.5	18	35	22			
B2	320	246	260		70	15	11	6	200	230	4	M10	14	48.5	45	61	6	24.5	22	40	43			
B3	390	294	340		80	20	13	6	270	310	5	M12	16	59	55	74	8	33	30	55	79			
B4	477	370	400		100	22	15	8	320	360	5	M12	20	74.5	70	92	10	38	35	62	127			
B5	564	438	490	chart 11	115	30	18	12	400	450	5	M16	25	95	90	108	14	48.5	45	70	200			
B6	668	528	580		139	35	22	12	460	520	8	M20	28	106	100	130	14	53.5	50	80	400			
B7	775	578	650		182	40	22	12	520	590	10	M24	28	116	110	142	16	59	55	90	620			
B8	1061	814	880		210	50	38	12	680	800	10	M30	32	137	130	202	20	74.5	70	120	1220			
B9	1462	1151	1160		370	60	39	8	900	1020	10	M42	45	190	180	320	25	95	90	150	2500			
XL.XLD 1-12																								
X1	197	147	160	chart 11	48	9	12	4	110	134	3	M5	8	28	25	35	5	17	15	22	8.5	XL Weight + motor weight		
X2	216	164	180		42	12	12	6	130	160	3	M8	8	28	25	34	6	17	15	22	15			
X3	263	194	230		51	15	12	6	170	200	4	M10	10	28	35	46	6	20.5	18	35	22			
X4	324	250	260		79	15	12	6	200	230	4	M10	14	48.5	45	63	6	24.5	22	40	43			
X5	401	305	340		93	20	13	6	270	310	4	M12	16	59	55	85	8	33	30	55	88			
X6	466	359	400		92	22	16	8	316	360	5	M12	18	69	65	80	10	38	35	62	130			
X7	484	377	430		114	22	18	8	345	390	5	M12	22	85	80	96	12	43	40	65	145			
X8	564	438	490		115	30	18	12	400	450	6	M16	25	95	90	110	14	48.5	45	70	195			
X9	691	551	580		170	35	22	12	455	520	8	M20	28	106	100	132	14	53.5	50	80	395			
X10	775	578	650		182	40	22	12	520	590	10	M24	28	116	110	142	16	59	55	90	620			
X11	1061	814	880		210	50	38	12	680	800	10	M30	32	137	130	202	20	74.5	70	120	1220			
X12	1462	1151	1160		370	60	39	8	900	1020	10	M42	45	190	180	320	25	95	90	150	2500			


**Schedule is subject to change as appropriate



CYCLO Series

Dimension Tables

Model BLE, BLED, XLE, and XLED (Double reduction) Contour and Installation Dimensions




size	Contour Dimension			Installation Dimensions										Size of Shaft End						Weight(kg)																								
	H BL	BLD	M	J	E	F	G	N	P	Q	R	S	B	C	D	L	b	c	d	y	BLE	BLDE About																						
BLE,BLED10-95																						Chart 11	B10	317	267	230	61	12	11	6	170	200	4	M10	10	38.5	35	49	5	17	15	22	38	BLE Weight+ motor weight
B20	368	318	260	70	15	11	6	200	230	4	M10	14	48.5	45	61	5	17	15	22	50																								
B31	446	376	340	80	20	13	6	270	310	5	M12	16	59	55	74	6	20.5	18	35	95																								
B41	521	454	400	100	22	15	8	320	360	5	M12	20	74.5	70	92	6	20.5	18	35	145																								
B42	554	479	400	100	22	15	8	320	360	5	M12	20	74.5	70	92	6	24.5	22	40	160																								
B52	623	548	490	115	30	18	12	400	450	5	M16	25	95	90	108	6	24.5	22	40	240																								
B53	657	561	490	115	30	18	12	400	450	5	M16	25	95	90	108	8	33	30	55	260																								
B63	741	645	580	139	35	22	12	460	520	8	M20	28	106	100	130	8	33	30	55	460																								
B74	832	725	650	182	40	22	12	520	590	10	M24	28	116	110	142	10	38	35	62	690																								
B84	1071	962	880	210	50	38	12	680	800	10	M30	32	137	130	202	10	38	35	62	1340																								
B85	1095	970	880	210	50	38	12	680	800	10	M30	32	137	130	202	14	48.5	45	70	1370																								
B95	1502	1350	1160	370	60	39	8	900	1020	10	M42	45	190	180	320	14	48.5	45	70	2750																								
XLE,XLE42-128																						Chart 11	X32	314	264	230	51	15	12	6	170	200	4	M10	10	35	35	46	5	17	15	22	38	XLE Weight+ motor weight
X42	370	320	260	79	20	12	6	200	230	4	M10	14	48.5	45	63	5	17	15	22	50																								
X53	457	389	340	93	22	13	6	270	310	4	M12	16	59	55	85	6	20.5	18	35	110																								
X63	510	441	400	92	22	16	8	316	360	5	M12	18	69	65	80	6	20.5	18	35	155																								
X64	541	466	400	92	22	16	8	316	360	5	M12	18	69	65	80	6	24.5	22	40	170																								
X74	561	486	430	114	22	18	8	345	390	5	M12	22	85	80	96	6	24.5	22	40	230																								
X84	623	548	490	115	30	18	12	400	450	6	M16	25	95	90	110	6	24.5	22	40	260																								
X85	658	588	490	115	30	18	12	400	450	6	M16	25	95	90	110	8	33	30	55	280																								
X95	762	667	580	170	35	22	12	455	520	8	M20	28	106	100	132	8	33	30	55	480																								
X106	832	725	650	182	40	22	12	520	590	10	M24	28	116	110	142	10	38	35	62	690																								
X117	1108	983	880	210	50	38	12	680	800	10	M30	32	137	130	202	12	43	40	65	1340																								
X118	1095	970	880	210	50	38	12	680	800	10	M30	32	137	130	202	14	48.5	45	70	1370																								
X128	1445	1320	1160	370	60	39	8	900	1020	10	M42	45	190	180	320	14	48.5	45	70	2750																								

**Schedule is subject to change as appropriate

CYCLO Series

Chart of size connecting flange for assembling IE1 series motor
 Motor connecting type



Model No.	Click			Size									
	Kw	Frame Size	No. of poles	NA	MA	PA	J	TA	nxS	XA	d	b	h
B09	0.18	63	4P	95	115	140	57.5	4	4xM8	23	11	4	12.8
	0.25, 0.37	71		110	130	160	74.5	4	4xM8	30	14	5	16.3
	0.55	801		130	165	200	74.5	4	4xM10	40	19	6	21.8
B0 B10 B20	0.18	63		95	115	140	54.5	4	4xM8	23	11	4	12.8
	0.25, 0.37	71		110	130	160	74.5	4	4xM8	30	14	5	16.3
	0.55, 0.75	80		130	165	200	74.5	4	4xM10	40	19	6	21.8
	1.1	90S		130	165	200	83.5	4	4xM10	50	24	8	27.3
B1 B31 B41	0.25, 0.37	71		110	130	160	83.5	4	4xM8	30	14	5	16.3
	0.55, 0.75	80		130	165	200	83.5	4	4xM10	40	19	6	21.8
	1.1, 1.5	90		130	165	200	83.5	4	4xM10	50	24	8	27.3
	2.2	100L1		180	215	250	90.5	4.5	4xM12	60	28	8	31.3
B2 B42 B52	0.55, 0.75	80		130	165	200	93.5	5	4xM10	40	19	6	21.8
	1.1, 1.5	90		130	165	200	93.5	5	4xM10	50	24	8	27.3
	2.2, 3	100		180	215	250	93.5	5	4xM12	60	28	8	31.3
	4	112M		180	215	250	93.5	5	4xM12	60	28	8	31.3



CYCLO Series

Chart of size of connecting flange for assembling IE1 series motor
Motor connecting type

Model No.	Click			Size									
	Kw	Frame Size	No. of poles	NA	MA	PA	J	TA	nxS	XA	d	b	h
B3 B53 B63	0.55, 0.75	80	4P	130	165	200	118	5	4xM10	40	19	6	21.8
	1.1, 1.5	90		130	165	200	118	5	4xM10	50	24	8	27.3
	2.2, 3	100L		180	215	250	118	5	4xM12	60	28	8	31.3
	4	112M		180	215	250	118	5	4xM12	60	28	8	31.3
	5.5, 7.5	132		230	265	300	118	5	4xM12	80	38	10	41.3
	11	160M		250	300	350	151	5	4xM16	110	42	12	45.3
B4 B74 B84	2.2, 3	100L		180	215	250	125	5	4xM12	60	28	8	31.3
	4	112M		180	215	250	125	5	4xM12	60	28	8	31.3
	5.5, 7.5	132		230	265	300	125	5	4xM12	80	38	10	41.3
	11	160M		250	300	350	151	5	4xM16	110	42	12	45.3
B5 B85 B95	2.2, 3	100L		180	215	250	142	6	4xM12	60	28	8	31.3
	4	112M		180	215	250	142	6	4xM12	60	28	8	31.3
	5.5, 7.5	132		230	265	300	142	6	4xM12	80	38	10	41.3
	11, 15	160M		250	300	350	142	6	4xM16	110	42	12	45.3
	18.5	180M	250	300	350	142	6	4xM16	110	48	14	51.8	
B6	5.5, 7.5	132	230	265	300	144	6	4xM12	80	38	10	41.3	
	11, 15	160	250	300	350	144	6	4xM16	110	42	12	45.3	
	18.5, 22	200L	6P	300	350	400	144	6	4xM16	110	55	16	59.3
B7	11, 15	160	4P	250	300	350	129	7	4xM16	110	42	12	45.3
	18.5, 22	200L	6P	300	350	400	129	7	4xM16	110	55	16	59.3
	30	225M		350	400	450	161	7	4xM16	140	60	18	64.4
	37	250M		450	500	550	161	7	4xM16	140	65	18	69.4
B8	18.5, 22	200L		300	350	400	204	7	4xM16	110	55	16	59.3
	30	225M		350	400	450	234	7	4xM16	140	60	18	64.4
	37	250M		450	500	550	234	7	4xM16	140	65	18	69.4
	45, 55	280		450	500	550	234	7	4xM16	140	75	20	79.9
B9	30	225M		350	400	450	239	7	4xM16	140	60	18	64.4
	37	250M		450	500	550	236	7	4xM16	140	65	18	69.4
	45, 55	280		450	500	550	236	7	4xM16	140	75	20	79.9
	75	315S	550	600	660	236	7	4xM16	170	80	22	85.4	

Note : Changes may occur when other series of motors are assembled.



FAF SERIES
Helical Gearmotor



F.. SERIES
Helical Gearmotor



FZ.. SERIES
Helical Gearmotor



PR SERIES
Wormgear



PORU SERIES
Wormgear



PORD SERIES
Wormgear



RF SERIES
Helical Gearmotor




KA SERIES
Bevel Gearmotor



RSZ.. SERIES
Helical Gearhead

ISO 9001

CE



ASIADRIVE CO.,LTD.

 www.asiadrive.net

 sale@asiadrive.net

 asiadrive

 02-420-9590 ,  02-420-9570